Acevedo, A. (1991). Interactions between boats and bottlenose dolphins, Tursiops truncatus, in the entrance to Ensenada de La Paz, Mexico. *Aquatic mammals, 17*(3), 120-124.

Adamantopoulou, S., Androukaki, E., Dendrinos, P., Kotomatas, S., Paravas, V., Psaradellis, M., . . . Karamanlidis, A. A. (2011). Movements of Mediterranean monk seals (Monachus monachus) in the eastern Mediterranean Sea. *Aquatic Mammals, 37*(3), 256.

Aguilar Soto, N., Johnson, M., Madsen, P. T., Tyack, P. L., Bocconcelli, A., & Fabrizio Borsani, J. (2006). Does intense ship noise disrupt foraging in deep-diving Cuvier's beaked whales (Ziphius cavirostris)? *Marine Mammal Science, 22*(3), 690-699.

Akamatsu, T., Hatakeyama, Y., & Takatsu, N. (1993). Effects of pulse sounds on escape behavior of false killer whales. *Bulletin - Japanese Society of Scientific Fisheries, 59*, 1297-1297.

Allen, B. M., & Angliss, R. P. (2013). Alaska marine mammal stock assessments, 2012. NOAA Technical Memorandum NMFS-AFSC-245. Department of Commerce. 282 pp.

Allen, B. M., & Angliss, R. P. (2014). Alaska marine mammal stock assessments, 2013. NOAA Technical Memorandum NMFS-AFSC-301. Department of Commerce. 313 pp.

André, M., Solé, M., Lenoir, M., Durfort, M., Quero, C., Mas, A., . . . Morell, M. (2011). Low-frequency sounds induce acoustic trauma in cephalopods. *Frontiers in Ecology and the Environment, 9*(9), 489-493.

Andriguetto-Filho, J. M., Ostrensky, A., Pie, M. R., Silva, U. A., & Boeger, W. A. (2005). Evaluating the impact of seismic prospecting on artisanal shrimp fisheries. *Continental Shelf Research, 25*(14), 1720-1727.

Aoki, K., Amano, M., Kubodera, T., Mori, K., Okamoto, R., & Sato, K. (2015). Visual and behavioral evidence indicates active hunting by sperm whales. *Marine Ecology Progress Series, 523*, 233-241.

Au, W. W., & Hastings, M. C. (2009). *Principles of marine bioacoustics*: Springer.

Au, W. W., & Moore, P. W. (1988). The perception of complex echoes by an echolocating dolphin *Animal Sonar* (pp. 295-299): Springer.

Au, W. W., & Moore, P. W. (1990). Critical ratio and critical bandwidth for the Atlantic bottlenose dolphin. *The Journal of the Acoustical Society of America, 88*(3), 1635-1638.

Au, W. W., Pack, A. A., Lammers, M. O., Herman, L. M., Deakos, M. H., & Andrews, K. (2006). Acoustic properties of humpback whale songs. *The Journal of the Acoustical Society of America, 120*(2), 1103-1110.

Au, W. W. L. (1993). *The sonar of dolphins*. New York, NY: Springer Verlag Inc.

Au, W. W. L., Carder, D. A., Penner, R. H., & Scronce., B. L. (1985). Demonstration of adaptation in beluga whale echolocation signals. (Delphinapterus leucas). *Journal of the Acoustical Society of America, 77*(2), 726-730.

Au, W. W. L., Floyd, R. W., Penner, R. H., & Murchison., A. E. (1974). Measurement of echolocation signals of the Atlantic bottlenose dolphin, Tursiops truncatus Montagu in open waters. *Journal of the Acoustical Society of America, 56*(4), 1280-1290.

Bain, D. E., & Dahlheim, M. E. (1994). Effects of masking noise on detection thresholds of killer whales.

Bain, D. E., & Williams, R. (2006). *Long-range effects of airgun noise on marine mammals: responses as a function of received sound level and distance*. Cambridge, UK.

Baird, R. W., Webster, D. L., McSweeney, D. J., Ligon, A. D., Schorr, G. S., & Barlow, J. (2006). Diving behaviour of Cuvier's (Ziphius cavirostris) and Blainville's (Mesoplodon densirostris) beaked whales in Hawai'i. *Canadian Journal of Zoology, 84*(8), 1120-1128.

Baker, C., & MacGibbon, J. (1991). *Responses of sperm whales Physeter macrocephalus to commercial whale watching boats off the coast of Kaikoura. Unpublished report to the Department of Conservation, Wellington*.

Bareham, J., & Furreddu, A. (1975). Observations on the use of grottos by Mediterranean monk seals (Monachus monachus). *Journal of Zoology, 175*(2), 291-298.

Barkaszi, M. J., Epperson, D., & Bennett, B. (2009). *Six-year compilation of cetacean sighting data collected during commercial seismic survey mitigation observations throughout the Gulf of Mexico, USA*. Paper presented at the Abstr. 18th Bienn. Conf. Biol. Mar. Mamm., Québec, Canada.

Barlow, J. (2006). Cetacean abundance in Hawaiian waters estimated from a summer/fall survey in 2002. *Marine Mammal Science, 22*(2), 446-464.

Barry, S. B., Cucknell, A. C., & Clark, N. (2012). A Direct Comparison of Bottlenose Dolphin and Common Dolphin Behavior During Seismic Surveys When Air Guns Are and Are Not Being Utilized *The Effects of Noise on Aquatic Life* (pp. 273-276): Springer.

Bellido, J., Castillo, J., Farfán, M., Martín, J., Mons, J., & Real, R. (2008). First records of hooded seals (Cystophora cristata) in the Mediterranean Sea. *Marine Biodiversity Records, 1*, e74.

Best, P. (1982). Recurrent strandings. *African Wildlife, 36*(3), 101.

Bjarti, T. (2002). *An experiment on how seismic shooting affects caged fish.* University of Aberdeen.
Blane, J. M., & Jaakson, R. (1994). The impact of ecotourism boats on the St Lawrence beluga whales. *Environmental Conservation, 21*(03), 267-269.
Blecha, F. (2000). Immune system response to stress. In G. P. Moberg & J. A. Mench (Eds.), *The biology of animal stress* (pp. 111-122): CABI.
Boeger, W. A., Pie, M. R., Ostrensky, A., & Cardoso, M. F. (2006). The effect of exposure to seismic prospecting on coral reef fishes. *Brazilian Journal of Oceanography, 54*(4), 235-239.
BOEM. (2014). Final Programmatic Environmental Impact Statement (EIS) Atlantic Outer Continental Shelf Proposed Geological and Geophysical Activities Mid-Atlantic and South Atlantic Planning Areas. Stuart, Florida. Department of the Interior. Bureau of Ocean Energy Management, Gulf of Mexico OCS Region.
Boisseau, O., Lacey, C., Lewis, T., Moscrop, A., Danbolt, M., & McLanaghan, R. (2010). Encounter rates of cetaceans in the Mediterranean Sea and contiguous Atlantic area. *Journal of the Marine Biological Association of the United Kingdom, 90*(08), 1589-1599.
Booman, C., Dalen, J., Leivestad, H., Levsen, A., van der Meeren, T., & Toklum, K. (1996). Effekter av luftkanonskyting på egg, larver og yngel. Undersøkelser ved Havforskningsinstituttet og Zoologisk laboratorium, UIB.
Bowles, A. E., Smultea, M., Würsig, B., DeMaster, D. P., & Palka, D. (1994). Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island Feasibility Test. *The Journal of the Acoustical Society of America, 96*(4), 2469-2484.
Buchanan, R., Christian, J., Dufault, S., & Moulton, V. (2004). Impacts of underwater noise on threatened or endangered species in United States waters. *American Petroleum Institute, LGL Report SA791, Washington, DC*.
Bursk, M. K. (1983). *Effects of boats on migrating gray whales*. San Diego State University. San Diego, CA.
Calambokidis, J., & Osmek, S. (1998). Marine mammal research and mitigation in conjunction with air gun operation for the USGS SHIPS seismic surveys in 1998. *Draft Report from Cascadia Research, Olympia, Washington, for US Geological Survey, Nation Marine Fisheries Service, and Minerals Management Service*.
Carey, J. S., Sheridan, R. E., & Ashley, G. M. (1998). Late Quaternary sequence stratigraphy of a slowly subsiding passive margin, New Jersey continental shelf. *AAPG Bulletin, 82*(5), 773-791.
Carretta, J. V., Oleson, E. M., Weller, D. W., Lang, A. R., Forney, K. A., Baker, J., . . . Brownell Jr, R. L. (2015). U.S. Pacific Marine Mammal Stock Assessments: 2014, NOAA Technical Memorandum NMFS-SWFSC-549. NOAA-TM-NMFS-SWFSC-549. U.S. Department of Commerce. NOAA. 420 pp.
Castellote, M., Clark, C. W., & Lammers, M. O. (2010). Population identity and migration movements of fin whales (Balanoptera physalus) in the Mediterranean Sea and Strait of Gibraltar. *Journal of Cetacean Research and Management, SC/62/SD2*, 5 pp.
Castellote, M., Clark, C. W., & Lammers, M. O. (2012). Acoustic and behavioural changes by fin whales (Balaenoptera physalus) in response to shipping and airgun noise. *Biological Conservation, 147*(1), 115-122.
CETAP. (1982). *Cetacean and Turtle Assessment Program. Characterization of marine mammals and turtles in the mid- and north Atlantic areas of the USA outer continental shelf. Final Report. Contract AA551-CT8-48.* . Washington, DC.
Chapman, C., & Hawkins, A. (1969). The importance of sound in fish behaviour in relation to capture by trawls. *FAO Fisheries and Aquaculture Report (FAO)*.
Christian, J., Mathieu, A., & Buchanan, R. A. (2004). *Chronic effects of seismic energy on snow crab (Chionoecetes opilio)* (Vol. 158): Environmental Studies Research Funds.
Christian, J., Mathieu, A., Thomson, D., White, D., & Buchanan, R. (2003). Effects of Seismic Energy on Snow Crab (Chionoecetes opilio). Report from LGL Ltd. Og Oceans Ltd. for the National Energy Board, File No. *CAL*, 1-00364.
Chrousos, G. (2000). The role of stress and the hypothalamic-pituitary-adrenal axis in the pathogenesis of the metabolic syndrome: neuro-endocrine and target tissue-related causes. *International journal of obesity and related metabolic disorders: journal of the International Association for the Study of Obesity, 24*, S50-55.
Clark, C. W., Ellison, W. T., Southall, B. L., Hatch, L., Van Parijs, S. M., Frankel, A., & Ponirakis, D. (2009). Acoustic masking in marine ecosystems: intuitions, analysis, and implication. *Marine Ecology Progress Series, 395*, 201-222.
Clark, C. W., & Gagnon, G. C. (2006). Considering the temporal and spatial scales of noise exposures from seismic surveys on baleen whales. *IWC/SC/58 E, 9*.

CMS, González, L., Fernández, P., & Mas, J. (2005). The action plan for the recovery of the Mediterranean monk seal in the eastern Atlantic. United Nations Environment Programme, Convention on the Conservation of Migratory Species of Wild Animals. *OA Parques Nacionales, Ministerio de Medio Ambiente, Madrid, Spain*.

Constantine, R., Brunton, D. H., & Baker, C. S. (2003). *Effects of tourism on behavioural ecology of bottlenose dolphins of northeastern New Zealand*: Department of Conservation Wellington,, New Zealand.

Constantine, R., Brunton, D. H., & Dennis, T. (2004). Dolphin-watching tour boats change bottlenose dolphin (< i> Tursiops truncatus</i>) behaviour. *Biological Conservation, 117*(3), 299-307.

Creel, S. (2005). Dominance, aggression, and glucocorticoid levels in social carnivores. *Journal of Mammalogy, 86*(2), 255-264.

Crone, T. J., Tolstoy, M., & Carton, H. (2014). Estimating shallow water sound power levels and mitigation radii for the R/V Marcus G. Langseth using an 8 km long MCS streamer. *Geochemistry, Geophysics, Geosystems, 15*(10), 3793-3807.

Crone, T. J., Tolstoy, M., & Carton, H. D. (2013). *Calibration of the R/V Marcus G. Langseth Seismic Array in shallow Cascadia waters using the Multi-Channel Streamer*. Paper presented at the AGU Fall Meeting Abstracts.

Crum, L. A., Bailey, M. R., Guan, J., Hilmo, P. R., Kargl, S. G., Matula, T. J., & Sapozhnikov, O. A. (2005). Monitoring bubble growth in supersaturated blood and tissue ex vivo and the relevance to marine mammal bioeffects. *Acoustics Research Letters Online, 6*(3), 214-220.

Dahlheim, M. E. (1987). Bio-acoustics of the gray whale (Eschrichtius robustus).

Dalen, J., & Knutsen, G. M. (1987). Scaring effects in fish and harmful effects on eggs, larvae and fry by offshore seismic explorations *Progress in Underwater Acoustics* (pp. 93-102): Springer.

Dalen, J., Ona, E., Soldal, A., & Saetre, R. (1996). Seismic investigations at sea: An assessment of the consequences on fish and fisheries.]. *Fisken og havet. 1996*.

de Segura, A. G., Crespo, E., Pedraza, S., Hammond, P., & Raga, J. (2006). Abundance of small cetaceans in waters of the central Spanish Mediterranean. *Marine Biology, 150*(1), 149-160.

De Soto, N. A., Delorme, N., Atkins, J., Howard, S., Williams, J., & Johnson, M. (2013). Anthropogenic noise causes body malformations and delays development in marine larvae. *Scientific reports, 3*.

Dendrinos, P., Karamanlidis, A. A., Androukaki, E., & McConnell, B. J. (2007). Diving development and behavior of a rehabilitated Mediterranean monk seal (Monachus monachus). *Marine Mammal Science, 23*(2), 387-397.

Dendrinos, P., Karamanlidis, A. A., Kotomatas, S., Legakis, A., Tounta, E., & Matthiopoulos, J. (2007). Pupping habitat use in the Mediterranean monk seal: a long-term study. *Marine Mammal Science, 23*(3), 615-628.

DeRuiter, S. L., Boyd, I. L., Claridge, D. E., Clark, C. W., Gagnon, C., Southall, B. L., & Tyack, P. L. (2013). Delphinid whistle production and call matching during playback of simulated military sonar. *Marine Mammal Science, 29*(2), E46-E59.

DeVries, A. C., Glasper, E. R., & Detillion, C. E. (2003). Social modulation of stress responses. *Physiology & Behavior, 79*(3), 399-407.

Di Iorio, L., & Clark, C. W. (2010). Exposure to seismic survey alters blue whale acoustic communication. *Biology Letters, 6*(1), 51-54.

Di Sciara, G. N., Venturino, M. C., Zanardelli, M., Bearzi, G., Borsani, F. J., & Cavalloni, B. (1993). Cetaceans in the central Mediterranean Sea: distribution and sighting frequencies. *Italian Journal of Zoology, 60*(1), 131-138.

Diebold, J. B., Tolstoy, M., Doermann, L., Nooner, S. L., Webb, S. C., & Crone, T. J. (2010). R/V Marcus G. Langseth seismic source: Modeling and calibration. *Geochemistry, Geophysics, Geosystems, 11*(12), 20.

DoN. (2007). *Navy OPAREA density estimates (NODE) for the Northeast OPAREAS: Boston, Narragansett Bay, and Atlantic. Naval Facilities Engineering Command, Atlantic; Norfolk, Virginia. Contract N62470-02-D-9997, Task Order 0045. Prepared by Geo-Marine, Inc., Plano, Texas*.

DoN. (2007). *Navy OPAREA Density Estimates (NODE) for the Southeast OPAREAS: VACAPES, CHPT, JAX/CHASN, and Southeastern Florida & AUTEC-Andros, Prepared for U.S. Fleet Forces Command, Norfolk, VA*.

Dubrovskiy, N. A. (1990). On the two auditory subsystems in dolphins *Sensory abilities of cetaceans* (pp. 233-254): Springer.

Dunn, R. A., & Hernandez, O. (2009). Tracking blue whales in the eastern tropical Pacific with an ocean-bottom seismometer and hydrophone array. *The Journal of the Acoustical Society of America, 126*(3), 1084-1094.

Eaton, R. (1980). Speculations on strandings as burial, suicide, and interspecies communication. *Carnivor Res. Inst., 2*(Nov), 24-24.

Ellison, W., Southall, B., Clark, C., & Frankel, A. (2012). A New Context-Based Approach to Assess Marine Mammal Behavioral Responses to Anthropogenic Sounds. *Conservation Biology, 26*(1), 21-28.

Elsasser, T. H., Klasing, K. C., Filipov, N., & Thompson, F. (2000). The metabolic consequences of stress: targets for stress and priorities of nutrient use. In G. P. Moberg & J. A. Mench (Eds.), *The biology of animal stress* (pp. 77-110): CABI.

Engel, M. H., Marcondes, M. C., Martins, C. C., Luna, F. O., Lima, R. P., & Campos, A. (2004). Are seismic surveys responsible for cetacean strandings? An unusual mortality of adult humpback whales in Abrolhos Bank, northeastern coast of Brazil. *Paper submitted to the IWC Scientific Committee, SC/56 E, 28*.

Erbe, C., & Farmer, D. M. (2000). A software model to estimate zones of impact on marine mammals around anthropogenic noise. *The Journal of the Acoustical Society of America, 108*(3), 1327-1331.

Fair, P. A., & Becker, P. R. (2000). Review of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery, 7*(4), 335-354.

Falk, M. R., & Lawrence, M. (1973). Seismic exploration: its nature and effect on fish. *TECHNICAL REPORT SERIES NO CEN-T-73-9, 1973, 51 P. 12 FIG, 4 TAB, 21 REF*.

Fewtrell, J. L., & McCauley, R. D. (2012). Impact of air gun noise on the behaviour of marine fish and squid. *Marine pollution bulletin, 64*(5), 984-993.

Finley, K. J. (1990). *The impacts of vessel traffic on the behaviour of belugas*. Paper presented at the For the Future of the Beluga, Proceedings of the International Forum for Future of the Beluga. Presses de l'Université du Quebéc.

Finneran, J. J., Carder, D. A., Schlundt, C. E., & Dear, R. L. (2010). Growth and recovery of temporary threshold shift at 3 kHz in bottlenose dolphins: Experimental data and mathematical modelsa). *The Journal of the Acoustical Society of America, 127*(5), 3256-3266.

Finneran, J. J., Carder, D. A., Schlundt, C. E., & Dear, R. L. (2010). Temporary threshold shift in a bottlenose dolphin (Tursiops truncatus) exposed to intermittent tonesa). *The Journal of the Acoustical Society of America, 127*(5), 3267-3272.

Finneran, J. J., Carder, D. A., Schlundt, C. E., & Ridgway, S. H. (2005). Temporary threshold shift in bottlenose dolphins (Tursiops truncatus) exposed to mid-frequency tones. *The Journal of the Acoustical Society of America, 118*, 2696.

Finneran, J. J., Dear, R., Carder, D. A., & Ridgway, S. H. (2003). Auditory and Behavioral Responses of California Sea Lions (Zalophus californianus) to Single Underwater Impulses From an Arc-Gap Transducer. [e-paper]. *Journal of the Acoustical Society of America, 114*(3), 1667-1677.

Finneran, J. J., & Houser., D. S. (2005). *Large sample study of dolphin hearing using auditory evoked potentials*. Paper presented at the Sixteenth Biennial Conference on the Biology of Marine Mammals, San Diego, CA.

Finneran, J. J., & Schlundt, C. (2004). Effects of intense pure tones on the behavior of trained odontocetes. DTIC Document.

Finneran, J. J., & Schlundt, C. E. (2010). Frequency-dependent and longitudinal changes in noise-induced hearing loss in a bottlenose dolphin (Tursiops truncatus). *The Journal of the Acoustical Society of America, 128*(2), 567-570.

Finneran, J. J., & Schlundt, C. E. (2013). Effects of fatiguing tone frequency on temporary threshold shift in bottlenose dolphins (Tursiops truncatus). *The Journal of the Acoustical Society of America, 133*(3), 1819-1826.

Finneran, J. J., Schlundt, C. E., Branstetter, B., & Dear, R. L. (2007). Assessing temporary threshold shift in a bottlenose dolphin (Tursiops truncatus) using multiple simultaneous auditory evoked potentials. *The Journal of the Acoustical Society of America, 122*(2), 1249-1264. doi: 10.1121/1.2749447

Finneran, J. J., Schlundt, C. E., Carder, D. A., Clark, J. A., Young, J. A., Gaspin, J. B., & Ridgway, S. H. (2000). Auditory and Behavioral Responses of Bottlenose Dolphins (Tursiops truncatus) and a Belga Whale (Delphinapterus leucas) to Impulsive Sounds Resembling Distant Signatures of Underwater Explosions. [e-paper]. *Journal of the Acoustical Society of America, 108*(1), 417-431.

Finneran, J. J., Schlundt, C. E., Carder, D. A., & Ridgway, S. H. (2002). Auditory filter shapes for the bottlenose dolphin (Tursiops truncatus) and the white whale (Delphinapterus leucas) derived with notched noise. [e-paper]. *The Journal of the Acoustical Society of America, 112*(1), 322-328.

Finneran, J. J., Schlundt, C. E., Dear, R., Carder, D. A., & Ridgway, S. H. (2002). Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. [e-paper]. *Journal of the Acoustical Society of America, 111*(6), 2929-2940.

Fish, J., & Vania, J. (1971). Killer whale, Orcinus orca, sounds repel white whales, Delphinapterus leucas. *Fishery Bulletin of the National Oceanic and Atmospheric Administration, 69*(3), 531.

Foley, C., Papageorge, S., & Wasser, S. (2001). Noninvasive stress and reproductive measures of social and ecological pressures in free-ranging African elephants. *Conservation Biology, 15*(4), 1134-1142.

Foote, A. D., Osborne, R. W., & Hoelzel, A. R. (2004). Whale-call response to masking boat noise. [e-paper]. *Nature, 428*, 910.

Forcada, J., & Hammond, P. (1998). Geographical variation in abundance of striped and common dolphins of the western Mediterranean. *Journal of sea research, 39*(3), 313-325.

Frankel, A. (2005). *Gray whales hear and respond to a 21–25 kHz high-frequency whale-finding sonar.* Paper presented at the 16th Biennial Conference on the Biology of Marine Mammals.

Gailey, G., Würsig, B., & McDonald, T. L. (2007). Abundance, behavior, and movement patterns of western gray whales in relation to a 3-D seismic survey, Northeast Sakhalin Island, Russia. *Environmental Monitoring and Assessment, 134*(1-3), 75-91.

Gazo, M., Lydersen, C., & Aguilar, A. (2006). Diving behaviour of Mediterranean monk seal pups during lactation and post weaning. *Marine Ecology Progress Series, 308*, 303-309.

Gentry, R. (2002). Report of the workshop on acoustic resonance as a source of tissue trauma in cetaceans. 24-25 April, NMFS, Silver Spring, MD. 19 p.

Geraci, J. R., Harwood, J., & Lounsbury, V. J. (1999). Marine mammal die-offs: causes, investigations, and issues. *Conservation and management of marine mammals*, 367.

Geraci, J. R., & Lounsbury, V. J. (2005). *Marine mammals ashore: A field guide for strandings. 2nd ed*. Baltimore, Maryland: National Aquarium in Baltimore.

Geraci, J. R., & Smith, T. G. (1976). Direct and indirect effects of oil on ringed seals (Phoca hispida) of the Beaufort Sea. *Journal of the Fisheries Board of Canada, 33*(9), 1976-1984.

Gerrodette, T., & Pettis, J. (2005). *Responses of tropical cetaceans to an echosounder during research vessel surveys.* Paper presented at the Abstr. 16th Bien. Conf. Biol. Mar. Mamm.

Goold, J. (1996). Acoustic assessment of common dolphins off the west Wales coast, in conjunction with 16th round seismic surveying. *Rep. from School of Ocean Sciences, Univ. Wales, Bangor, Wales, for Chevron UK Ltd., Repsol Exploration (UK) Ltd., and Aran Energy Exploration Ltd*.

Goold, J. (1996). Acoustic assessment of populations of common dolphin Delphinus delphis in conjunction with seismic surveying. *Journal of the Marine Biological Association of the United Kingdom, 76*(03), 811-820.

Goold, J. (1996). Acoustic cetacean monitoring off the west Wales coast. *Rep. from School of Ocean Sciences, Univ. Wales, Bangor, Wales, for Chevron UK Ltd, Repsol Explor.(UK) Ltd, and Aran Energy Explor. Ltd*.

Gordon, J., Antunes, R., Jaquet, N., & Würsig, B. (2006). An investigation of sperm whale headings and surface behaviour before, during and after seismic line changes in the Gulf of Mexico. *Intern. Whal. Comm. Working Pap. SC/58 E, 45*.

Gordon, J., Gillespie, D., Potter, J., Frantzis, A., Simmonds, M. P., Swift, R., & Thompson, D. (2003). A review of the effects of seismic surveys on marine mammals. *Marine Technology Society Journal, 37*(4), 16-34.

Gosselin, J.-F., & Lawson, J. (2005). Distribution and abundance indices of marine mammals in the Gully and two adjacent canyons of the Scotian Shelf before and during nearby hydrocarbon seismic exploration programs in April and July. *Acoustic Monitoring and Marine Mammal Surveys in the Gully and Outer Scotian Shelf Before and During Active Seismic Programs*, 117.

Greene Jr., C. R., Altman, N. S., & Richardson, W. J. (1999). The influence of seismic survey sounds on bowhead whale calling rates. *The Journal of the Acoustical Society of America, 106*(4), 2280-2280.

Gucu, A. C., Gucu, G., & Orek, H. (2004). Habitat use and preliminary demographic evaluation of the critically endangered Mediterranean monk seal (Monachus monachus) in the Cilician Basin (Eastern Mediterranean). *Biological Conservation, 116*(3), 417-431.

Guerra, A., González, A., & Rocha, F. (2004). A review of the records of giant squid in the north-eastern Atlantic and severe injuries in Architeuthis dux stranded after acoustic explorations. *ICES CM, 200*, 29.

Hammill, M. O., Stenson, G. B., Doniol-Valcroze, T., & Mosnier, A. (2012, in prep). *Estimating carrying capacity and population trends of Northwest Atlantic harp seals, 1952-2012. Doc 2012/148*

Harris, D. E., & Gupta, S. (2006). GIS-based analysis of ice-breeding seal strandings in the Gulf of Maine. *Northeastern Naturalist, 13*(3), 403-420.

Harris, R. E., Miller, G. W., & Richardson, W. J. (2001). Seal responses to airgun sounds during summer seismic surveys in the Alaskan Beaufort Sea. *Marine Mammal Science, 17*(4), 795-812.

Hassel, A., Knutsen, T., Dalen, J., Skaar, K., Østensen, Ø., Haugland, E. K., . . . Misund, O. A. (2003). Reaction of sandeel to seismic shooting: A field experiment and fishery statistics study.

Hastings, M., & Popper, A. (2005). Effects of sound on fish. *White Paper. January*.

Hauser, D. D. W., Holst, M., & Moulton, V. D. (2008). Marine mammal and sea turtle monitoring during Lamont-Doherty Earth Observatory's marine seismic program in the Eastern Tropical Pacific, April–August 2008. LGL Rep. TA4656/7-1. King City, Ontario. LGL, Ltd.

Hemilä, S., Nummela, S., Berta, A., & Reuter, T. (2006). High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints. *The Journal of the Acoustical Society of America, 120*(6), 3463-3466.

Hildebrand, J. (2005). Impacts of anthropogenic sound *Marine Mammal Research: Conservation Beyond Crisis. J. E. Reynolds III, W. F. Perrin, R. R. Reeves, S. Montgomery, T. J. Ragen (eds.). p.101-123. Johns Hopkins University Press, Baltimore. 223pp.*

Hildebrand, J. A. (2005). Annex K: Report of the standing working group on environmental concerns. Appendix 3. Introduction to acoustics. *Journal of Cetacean Research and Management, 7*((Supplement)), 284 - 286.

Holberton, R. L., Helmuth, B., & Wingfield, J. C. (1996). The corticosterone stress response in gentoo and king penguins during the non-fasting period. *The Condor, 98*(4), 850-854.

Holliday, D. (1987). *The effects of airgun energy releases on the eggs, larvae, and adults of the northern anchovy (Engraulis mordax)*: American Petroleum Institute.

Holst, M., Richardson, W., Koski, W., Smultea, M., Haley, B., Fitzgerald, M., & Rawson, M. (2006). *Effects of large and small-source seismic surveys on marine mammals and sea turtles.* Paper presented at the AGU Spring Meeting Abstracts.

Holst, M., Smultea, M., Koski, W., & Haley, B. (2005). Marine mammal and sea turtle monitoring during Lamont-Doherty Earth Observatory's marine seismic program off the Northern Yucatán Peninsula in the Southern Gulf of Mexico, January–February 2005. *LGL Rep. TA2822-31. Rep. from LGL Ltd., King City, Ont., for Lamont-Doherty Earth Observatory of Columbia Univ., Palisades, NY, and National Marine Fisheries Service, Silver Spring, MD*.

Holst, M., & Smultea, M. A. (2008). Marine mammal and sea turtle monitoring during Lamont-Doherty Earth Observatory's marine seismic program off Central America, Feburary-April 2008. TA4342-3. Palisades, New York. Lamont-Doherty Earth Observatory of Columbia University. 133 pp.

Holst, M., Smultea, M. A., Koski, W. R., & Haley, B. (2005). Marine mammal and sea turtle monitoring during Lamont-Doherty Earth Observatory's marine seismic program in the Eastern Tropical Pacific Ocean off Central America, November–December 2004. *Report from LGL Ltd., King City, Ontario, for Lamont-Doherty Earth Observatory of Columbia Univ., Palisades, NY, and National Marine Fisheries Service, Silver Spring, MD. Report TA2822-30. 125 p.*

Holt, M. M., Noren, D. P., Veirs, V., Emmons, C. K., & Veirs., S. (2009). Speaking up: Killer whales (Orcinus orca) increase their call amplitude in response to vessel noise. *Journal of the Acoustical Society of America, 125*(1), El27-El32.

Holt, M. M., Veirs, V., & Veirs, S. (2008). Noise effects on the call amplitude of southern resident killer whales (Orcinus orca). *Bioacoustics, 17*(1-3), 164-166.

Hood, L. C., Boersma, P. D., & Wingfield, J. C. (1998). The adrenocortical response to stress in incubating Magellanic Penguins (Spheniscus magellanicus). *The Auk, 115*(1), 76-84.

IAGC. (2004). Humpback whale strandings and seismic surveys in Brazil from 1999 to 2004, 2014, from http://www.iagc.org/articles/humpback-whale-strandings-and-seismic-surveys-in-brazil-from-1999-to-2004/

IPCC. (2007). Climate Change 2007: Synthesis Report. Valencia, Spain. Intergovernmental Panel on Climate Change.

IPCC. (2007). IPCC, 2007: Climate change 2007: The physical science basis. Contribution of Working Group I to the fourth assessment report of the Intergovernmental Panel on Climate Change.

Jansen, A. (1998). A learning model of binge eating: Cue reactivity and cue exposure. *Behaviour research and therapy, 36*(3), 257-272.

Jefferson, T. A., & Curry, B. E. (1996). Acoustic methods of reducing or eliminating marine mammal-fishery interactions: do they work? *Ocean & Coastal Management, 31*(1), 41-70.

Jefferson, T. A., Webber, M. A., & Pitman, R. L. (2011). *Marine Mammals of the World: A Comprehensive Guide to Their Identification: A Comprehensive Guide to Their Identification*: Academic Press.

Jensen, A., & Silber, G. (2003). Large Whale Ship Strike Database. US Department of Commerce. National Oceanic and Atmospheric Administration. Technical Memorandum NMFS-OPR.

Jessop, T. S., Tucker, A. D., Limpus, C. J., & Whittier, J. M. (2003). Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. *General and comparative endocrinology, 132*(1), 161-170.

Jochens, A., Biggs, D., Benoit-Bird, K., Engelhaupt, D., Gordon, J., Hu, C., . . . Wursig, B. (2008). Sperm whale seismic study in the Gulf of Mexico: Synthesis report. US Dept. of Interior, Minerals Management Service, Gulf of Mexico OCS Region, New Orleans, LA. OCS Study MMS 2008-006. 341 pp.

Johnson, S., Richardson, W., Yazvenko, S., Blokhin, S., Gailey, G., Jenkerson, M., . . . Perlov, A. (2007). A western gray whale mitigation and monitoring program for a 3-D seismic survey, Sakhalin Island, Russia. *Environmental Monitoring and Assessment, 134*(1), 1-19.

Jones, D. (1999). The cognitive psychology of auditory distraction: The 1997 BPS Broadbent Lecture. *British Journal of Psychology, 90*(2), 167-187.

Karamanlidis, A. A., Pires, R., Silva, N. C., & Neves, H. C. (2004). The availability of resting and pupping habitat for the Critically Endangered Mediterranean monk seal Monachus monachus in the archipelago of Madeira. *Oryx, 38*(02), 180-185.

Karl, T., Melillo, J., & Peterson, T. (2009). Global climate change impacts in the United States. *Global climate change impacts in the United States*.

Karl, T. R., & Melillo, J. M. (2009). *Global climate change impacts in the United States*: Cambridge University Press.

Kastak, D., & Schusterman, R. J. (1996). Temporary threshold shift in a harbor seal (Phoca vitulina) (80). *Journal of the Acoustical Society of America, 100*(3), 4.

Kastak, D., & Schusterman, R. J. (1998). Low-frequency amphibious hearing in pinnipeds: Methods, measurements, noise, and ecology. *The Journal of the Acoustical Society of America, 103*(4), 13.

Kastak, D., Schusterman, R. J., Southall, B. L., & Reichmuth, C. J. (1999). Underwater temporary threshold shift induced by octave-band noise in three species of pinniped. *The Journal of the Acoustical Society of America, 106*(2), 1142-1148.

Kastak, D., Southall, B. L., Schusterman, R. J., & Kastak, C. R. (2005). Underwater temporary threshold shift in pinnipeds: Effects of noise level and duration. *The Journal of the Acoustical Society of America, 118*, 3154.

Kastelein, R. A., Gransier, R., Hoek, L., Macleod, A., & Terhune, J. M. (2012). Hearing threshold shifts and recovery in harbor seals (Phoca vitulina) after octave-band noise exposure at 4 kHz. *The Journal of the Acoustical Society of America, 132*(4), 2745-2761.

Kastelein, R. A., Gransier, R., Hoek, L., & Olthuis, J. (2012). Temporary threshold shifts and recovery in a harbor porpoise (Phocoena phocoena) after octave-band noise at 4 kHz. *The Journal of the Acoustical Society of America, 132*(5), 3525-3537.

Kastelein, R. A., & Jennings, N. (2012). Impacts of anthropogenic sounds on Phocoena phocoena (harbor porpoise) in *The Effects of Noise on Aquatic Life* (pp. 311-315): Springer.

Kasuya, T. (1986). Distribution and behavior of Baird's beaked whales off the Pacific coast of Japan. *Sci. Rep. Whales Res. Inst, 37*, 61-83.

Ketten, D. R., & Mountain, D. C. (2009). *Beaked and baleen whale hearing: modeling responses to underwater noise. Report No. NPS-OC-09-005*. Woods Hole Oceanographic Institution, MA: Naval Postgraduate School.

Knowlton, A. R., & Kraus, S. D. (2001). Mortality and serious injury of northern right whales (Eubalaena glacialis) in the western North Atlantic Ocean. *Journal of Cetacean Research and Management (Special Issue), 2*, 193-208.

Kostyuchenko, L. (1973). Effects of elastic waves generated in marine seismic prospecting on fish eggs in the Black Sea. *Hydrobiological Journal, 9*(5), 45-48.

Krausman, P. R., Harris, L. K., Blasch, C. L., Koenen, K. K. G., & Francine, J. (2004). Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. *Wildlife Monographs*(157), 1-41.

Kremser, U., Klemm, P., & KOeTZ, W.-D. (2005). Estimating the risk of temporary acoustic threshold shift, caused by hydroacoustic devices, in whales in the Southern Ocean. *Antarctic Science, 17*(01), 3-10.

Kryter, K. (1985). *The effects of noise on man. 2nd ed*. New York, New York: Academic Press.

Kryter, K. D., Ward, W. D., Miller, J. D., & Eldredge, D. H. (1966). Hazardous Exposure to Intermittent and Steady-State Noise. *The Journal of the Acoustical Society of America, 39*(3), 451-464.

Kujawa, S. G., & Liberman, M. C. (2009). Adding insult to injury: cochlear nerve degeneration after "temporary" noise-induced hearing loss. *The Journal of Neuroscience, 29*(45), 14077-14085.

La Bella, G., Cannata, S., Froglia, C., Ratti, S., & Rivas, G. (1996). *First assessment of effects of air-gun seismic shooting on marine resources in the central Adriatic Sea.* Paper presented at the International conference on health, safety and environment in oil and gas exploration and production.

Laist, D. W., Knowlton, A. R., Mead, J. G., Collet, A. S., & Podesta, M. (2001). Collisions between ships and whales. [Article]. *Marine Mammal Science, 17*(1), 35-75.

Lankford, S., Adams, T., Miller, R., & Cech Jr, J. (2005). The cost of chronic stress: impacts of a nonhabituating stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology, 78*(4), 599-609.

Laran, S., Joiris, C., Gannier, A., & Kenney, R. D. (2010). Seasonal estimates of densities and predation rates of cetaceans in the Ligurian Sea, northwestern Mediterranean Sea: an initial examination. *J Cetacean Res Manag, 11*, 31-40.

Laran, S., Joiris, C., Gannier, A., & Kenney, R. D. (2010). Seasonal estimates of densities and predation rates of cetaceans in the Ligurian Sea, northwestern Mediterranean Sea: an initial examination. *J Cetacean Res Manag, 11*, 31-40.

Lauriano, G., Panigada, S., Fortuna, C. M., Holcer, D., Filidei Jr, E., Pierantonio, N., & Donovan, G. (2011). *Monitoring density and abundance of cetaceans in the seas around Italy through aerial surveys: a summary contribution to conservation and the future ACCOBAMS survey.* Paper presented at the 63. Meeting of the IWC Scientific committee.

Laurinolli, M., & Cochrane, N. (2005). Hydroacoustic analysis of marine mammal vocalization data from ocean bottom seismometer mounted hydrophones in the Gully. *Acoustic monitoring and marine mammal surveys in The Gully and Outer Scotian Shelf before and during active seismic surveys. Environ. Stud. Res. Funds Rep, 151*(154), 89-95.

Lavigne, D. M., & Kovacs, K. M. (1988). *Harps and Hoods: Ice-breeding Seals of the Northwest Atlantic*. Waterloo, Ontario: University of Waterloo Press.

Lesage, V., Barrette, C., & Kingsley, M. (1993). *The effect of noise from an outboard motor and a ferry on the vocal activity of beluga (Delphinapterus leucas) in the St. Lawrence Estuary, Canada.* Paper presented at the Abstract book of the 10th Biennial Conference on the Biology of Marine Mammals, Galveston, TX.

Lesage, V., Barrette, C., Kingsley, M., & Sjare, B. (1999). The effect of vessel noise on the vocal behavior of belugas in the St. Lawrence River Estuary, Canada. *Marine Mammal Science, 15*(1), 65-84.

Løkkeborg, S., Ona, E., Vold, A., & Salthaug, A. (2012). Effects of sounds from seismic air guns on fish behavior and catch rates *The Effects of Noise on Aquatic Life* (pp. 415-419): Springer.

Løkkeborg, S., Ona, E., Vold, A., Salthaug, A., & Jech, J. M. (2012). Sounds from seismic air guns: gear-and species-specific effects on catch rates and fish distribution. *Canadian Journal of Fisheries and Aquatic Sciences, 69*(8), 1278-1291.

Lucifredi, I., & Stein, P. J. (2007). Gray whale target strength measurements and the analysis of the backscattered response. *The Journal of the Acoustical Society of America, 121*(3), 1383-1391.

Lucke, K., Siebert, U., Lepper, P. A., & Blanchet, M.-A. (2009). Temporary shift in masked hearing thresholds in a harbor porpoise (Phocoena phocoena) after exposure to seismic airgun stimuli. *The Journal of the Acoustical Society of America, 125*(6), 4060-4070.

Lurton, X., & DeRuiter, S. L. (2011). Sound radiation of seafloor-mapping echosounders in the water column, in relation to the risks posed to marine mammals. *International Hydrographic Review*(6), 7-17.

Lusseau, D. (2003). Effects of tour boats on the behavior of bottlenose dolphins: using Markov chains to model anthropogenic impacts. *Conservation Biology, 17*(6), 1785-1793.

Lusseau, D. (2006). The short-term behavioral reactions of bottlenose dolphins to interactions with boats in Doubtful Sound, New Zealand. *Marine Mammal Science, 22*(4), 802-818.

Lusseau, D., & Bejder, L. (2007). The long-term consequences of short-term responses to disturbance experiences from whalewatching impact assessment. *International Journal of Comparative Psychology, 20*(2).

MacLean, S., & Haley, B. (2004). Marine mammal monitoring during Lamont-Doherty Earth Observatory's seismic study in the Støregga Slide area of the Norwegian Sea, August-September 2003. *LGL Rep. TA2822-20. Rep. from LGL Ltd., King City, Ont., for Lamont-Doherty Earth Observatory, Palisades, NY, and Nat. Mar. Fish. Serv., Silver Spring, MD*.

MacLean, S., & Koski, W. (2005). Marine mammal monitoring during Lamont-Doherty Earth Observatory's seismic program in the Gulf of Alaska, August–September 2004. *LGL Rep. TA2822-28. Rep. from LGL Ltd., King City, Ont., for Lamont-Doherty Earth Observatory of Columbia Univ., Palisades, NY, and Nat. Mar. Fish. Serv., Silver Spring, MD*.

Macleod, K., Simmonds, M. P., & Murray, E. (2006). Abundance of fin (Balaenoptera physalus) and sei whales (B. borealis) amid oil exploration and development off northwest Scotland. *Journal of Cetacean Research and Management, 8*(3), 247.

Madsen, P., Møhl, B., Nielsen, B., & Wahlberg, M. (2002). Male sperm whale behaviour during exposures to distant seismic survey pulses. *Aquatic Mammals, 28*(3), 231-240.

Madsen, P. T., Johnson, M., Miller, P., Soto, N. A., Lynch, J., & Tyack, P. (2006). Quantitative measures of air-gun pulses recorded on sperm whales (Physeter macrocephalus) using acoustic tags during controlled exposure experiments. *The Journal of the Acoustical Society of America, 120*(4), 2366-2379.

Magalhães, S., Prieto, R., Silva, M. A., Gonçalves, J., Afonso-Dias, M., & Santos, R. S. (2002). Short-term reactions of sperm whales (Physeter macrocephalus) to whale-watching vessels in the Azores. *Aquatic Mammals, 28*(3), 267-274.

Malme, C., & Miles, P. (1985). *Behavioral responses of marine mammals (gray whales) to seismic discharges.* Paper presented at the Proc. Workshop on effects of explosives use in the marine environment.

Malme, C. I., Miles, P. R., Clark, C. W., Tyack, P., & Bird, J. E. (1983). *Investigations of the potential effects of underwater noise from petroleum industry activities on migrating gray whale behavior. Final report for the period of 7 June 1982 - 31 July 1983* Anchorage, AK. Report No. 5366. 64 pp.

Malme, C. I., Miles, P. R., Clark, C. W., Tyack, P., & Bird, J. E. (1984). *Investigations of the potential effects of underwater noise from petroleum industry activities on migrating gray whale behavior: phase II: January 1984 migration*. (5586). Anchorage, AK. 357 pp.

Malme, C. I., Miles, P. R., Tyack, P., Clark, C. W., & Bird, J. E. (1985). Investigations of the potential effects of underwater noise from petroleum industry activities on feeding humpback whale behavior.

Malme, C. I., Würsig, B., Bird, J., & Tyack, P. (1986). Behavioral responses of gray whales to industrial noise: feeding observations and predictive modeling. BBN Labs., Inc., Cambridge, MA (USA).

Malme, C. I., Würsig, B., Bird, J. E., & Tyack, P. (1988). Observations of feeding gray whale responses to controlled industrial noise exposure. *Port and ocean engineering under arctic conditions, 2*, 55-73.

Marchessaux, D., & Duguy, R. (1977). Le phoque moine Monachus monachus (Hermann 1779)
en Grece. *Mammalia, 41*(4), 419-439.

Mate, B. R., & Harvey, J. T. (1987). Acoustical deterrents in marine mammal conflicts with fisheries. *Oregon State Grant Publication ORESU-W-86-001. Sea Grant Communications, Oregon State University, Corvalis, Oregon*.

McCauley, R. D., Fewtrell, J., Duncan, A. J., Jenner, C., Jenner, M.-N., Penrose, J. D., . . . McCabe, K. (2000). Marine Seismic Surveys: Analysis And Propagation of Air-Gun Signals; And Effects of Air-Gun Exposure On Humpback Whales, Sea Turtles, Fishes and Squid. *Rep. from Centre for Marine Science and Technology, Curtin Univ., Perth, Western Australia, for Australian Petrol. Produc. & Explor. Association*, 203 pages.

McCauley, R. D., Fewtrell, J., & Popper, A. N. (2003). High intensity anthropogenic sound damages fish ears. *The Journal of the Acoustical Society of America, 113*(1), 638-642.

McCauley, R. D., Jenner, M. N., Jenner, C., McCabe, K. A., & Murdoch, J. (1998). The response of humpback whales (Megaptera novaeangliae) to offshore seismic survey noise: preliminary results of observations about a working seismic vessel and experimental exposures. *Appea Journal, 38*(1), 692-707.

McCauley, R. D., Jenner, M. N., Jenner, C., McCabe, K. A., & Murdoch, J. (2000). The response of humpback whales (Megaptera novaeangliae) to offshore seismic survey noise: preliminary results of observations about a working seismic vessel and experimental exposures. *Appea Journal, 40*, 692-708.

McDonald, M. A., Hildebrand, J. A., & Webb, S. C. (1995). Blue and fin whales observed on a seafloor array in the northeast Pacific. *Journal of the Acoustical Society of America, 98*(2 Part 1), 712-721.

McEwen, B. S., & Wingfield, J. C. (2003). The concept of allostasis in biology and biomedicine. *Hormones and Behavior, 43*(1), 2-15. doi: 10.1016/s0018-506x(02)00024-7

McSweeney, D. J., Baird, R. W., & Mahaffy, S. D. (2007). Site fidelity, associations, and movements of Cuvier's (Ziphius cavirostris) and Blainville's (Mesoplodon densirostris) beaked whales off the island of Hawai ʻi. *Marine Mammal Science, 23*(3), 666-687.

Miller, P. J., Johnson, M., Madsen, P. T., Biassoni, N., Quero, M., & Tyack, P. (2009). Using at-sea experiments to study the effects of airguns on the foraging behavior of sperm whales in the Gulf of Mexico. *Deep Sea Research Part I: Oceanographic Research Papers, 56*(7), 1168-1181.

Miller, P. J. O., Biassoni, N., Samuels, A., & Tyack, P. L. (2000). Whale songs lengthen in response to sonar. [10.1038/35016148]. *Nature, 405*(6789), 903-903.

MMC. (2014). U.S. Marine Mammal Commission's 31 March 2014 comments on the National Marine Fisheries Service's 17 March 2014 notice announcing receipt of the application and proposal to issue an incidental harassment authorization to Lamont-Doherty Earth Observatory*., U.S. Marine Mammal Commission*, 7.

MMSC. (2014). 2014 Reported Strandings by the Marine Mammal Stranding Center Retrieved March 2014, from http://www.mmsc.org/strandings/current.html

Moberg, G. P. (1987). Influence of the adrenal axis uponthe gonads. In J. Clarke (Ed.), *Oxford reviews in reproductive biology* (pp. 456 - 496). New York, New York: Oxford University Press.

Moberg, G. P. (2000). Biological response to stress: implications for animal welfare. In G. P. Moberg & J. A. Mench (Eds.), *The biology of animal stress* (pp. 1 - 21). Oxford, United Kingdom: Oxford University Press.

MOm. (2014). Rapid Assessment Survey of the Mediterranean monk seal Monachus monachus population in Anafi island, Cyclades. Final Report. 32.

Mooney, T. A., Nachtigall, P. E., Breese, M., Vlachos, S., & Au, W. W. L. (2009). Predicting temporary threshold shifts in a bottlenose dolphin (Tursiops truncatus): The effects of noise level and duration. *Journal of the Acoustical Society of America, 125*(3), 1816-1826. doi: 10.1121/1.3068456

Mooney, T. A., Nachtigall, P. E., & Vlachos, S. (2009). Sonar-induced temporary hearing loss in dolphins. *Biology Letters, 5*(4), 565-567. doi: 10.1098/rsbl.2009.0099

Moore, P. W., & Pawloski, D. A. (1990). Investigations on the control of echolocation pulses in the dolphin (Tursiops truncatus) *Sensory abilities of cetaceans* (pp. 305-316): Springer.

Moriyasu, M., Allain, R., Benhalima, K., & Claytor, R. (2004). *Effects of seismic and marine noise on invertebrates: A literature review*: Fisheries and Oceans.

Moulton, V., & Lawson, J. (2002). *Seals, 2001. in W.J. Richardson, ed. Marine mammal and acoustical monitoring of WesternGeco's open water seismic program in the Alaskan Beaufort Sea, 2001. LGL Rep. TA2564-4.* . Houston, TX, Anchorage, AK, and Silver Spring, MD: Prepared by LGL Ltd., King City, Ont., and Greeneridge Sciences Inc., Santa Barbara, CA, for WesternGeco and NMFS.

Moulton, V., Mactavish, B., & Buchanan, R. (2005). Marine mammal and seabird monitoring of Chevron Canada Resources'3-D seismic program on the Orphan Basin, 2004. *LGL Rep. SA817. Rep. by LGL Limited, St. John's, NL, for Chevron Canada Resources, Calgary, AB, ExxonMobil Canada Ltd., St. John's, NL, and Imperial Oil Resources Ventures Ltd., Calgary, AB*.

Moulton, V., Mactavish, B., Harris, R., & Buchanan, R. (2006). Marine mammal and seabird monitoring of Chevron Canada Limited's 3-D seismic program on the Orphan Basin, 2005. *LGL Rep. SA843. Rep. by LGL Limited, St. John's, NL, for Chevron Canada Limited, Calgary, AB, ExxonMobil Canada Ltd., St. John's, NL, Shell Canada Limited, Calgary, AB, and Imperial Oil Resources Ventures Ltd., Calgary, AB*.

Moulton, V. D., & Holst, M. (2010). *Effects of seismic survey sound on cetaceans in the Northwest Atlantic*: Environmental Studies Research Funds.

Moulton, V. D., & Miller, G. W. (2005). Marine mammal monitoring of a seismic survey on the Scotian Slope. *Acoustic monitoring and marine mammal surveys in The Gully and outer Scotian Shelf before and during active seismic programs*, 29.

Mullin, K. D., & Fulling, G. L. (2003). Abundance of cetatceans in the southern US North Atlantic Ocean during summer 1998. *Fishery Bulletin, 101*(3), 603-613.

Mulsow, J., Reichmuth, C., Gulland, F., Rosen, D. A., & Finneran, J. J. (2011). Aerial audiograms of several California sea lions (Zalophus californianus) and Steller sea lions (Eumetopias jubatus) measured using single and multiple simultaneous auditory steady-state response methods. *The Journal of Experimental Biology, 214*(7), 1138-1147.

Nachtigall, P. E., Pawloski, J. L., & Au, W. W. L. (2003). Temporary threshold shifts and recovery following noise exposure in the Atlantic bottlenosed dolphin (Tursiops truncatus). *The Journal of the Acoustical Society of America, 113*(6), 5.

Nachtigall, P. E., Supin, A. Y., Pawloski, J., & Au, W. W. L. (2004). Temporary threshold shifts after noise exposure in the bottlenose dolphin (Tursiops truncatus) measured using evoked auditory potentials. *Marine Mammal Science, 20*(4), 15.

NEFSC and SEFSC. (2011). *2010 Annual Report to the Inter-Agency Agreement M10PG00075/0001: A Comprehensive Assessment of Marine Mammal, Marine Turtle, and Seabird Abundance and Spatial Distribution in U.S. Waters of the Western North Atlantic Ocean*. Woods Hole, MA and Miami, FL: NMFS Northeast Fisheries Science Center and NMFS Southeast Fisheries Science Center Retrieved from http://www.nefsc.noaa.gov/psb/AMAPPS/docs/Final_2010AnnualReportAMAPPS_19Apr2011.pdf.

NEFSC and SEFSC. (2012). *2011 Annual Report to the Inter-Agency Agreement M10PG00075/0001: A Comprehensive Assessment of Marine Mammal, Marine Turtle, and Seabird Abundance and Spatial Distribution in U.S. Waters of the Western North Atlantic Ocean*. Woods Hole, MA and Miami, FL: NMFS Northeast Fisheries Science

Center and NMFS Southeast Fisheries Science Center Retrieved from http://www.nefsc.noaa.gov/psb/AMAPPS/docs/NMFS_AMAPPS_2011_annual_report_final_BOEM.pdf.

NEFSC and SEFSC. (2013). *2012 Annual Report to the Inter-Agency Agreement M10PG00075/0001: A Comprehensive Assessment of Marine Mammal, Marine Turtle, and Seabird Abundance and Spatial Distribution in U.S. Waters of the Western North Atlantic Ocean*. Woods Hole, MA and Miami, FL: NMFS Northeast Fisheries Science Center and NMFS Southeast Fisheries Science Center Retrieved from http://www.nefsc.noaa.gov/psb/AMAPPS/docs/NMFS_AMAPPS_2012_annual_report_FINAL.pdf.

NEFSC and SEFSC. (2014). *2013 Annual Report to the Inter-Agency Agreement M10PG00075/0001: A Comprehensive Assessment of Marine Mammal, Marine Turtle, and Seabird Abundance and Spatial Distribution in U.S. Waters of the Western North Atlantic Ocean*. Woods Hole, MA and Miami, FL: NMFS Northeast Fisheries Science Center and NMFS Southeast Fisheries Science Center Retrieved from http://www.nefsc.noaa.gov/psb/AMAPPS/docs/NMFS_AMAPPS_2013_annual_report_FINAL3.pdf.

Nieukirk, S. L., Stafford, K. M., Mellinger, D. K., Dziak, R. P., & Fox, C. G. (2004). Low-frequency whale and seismic airgun sounds recorded in the mid-Atlantic Ocean. *The Journal of the Acoustical Society of America, 115*(4), 1832-1843.

Notarbartolo di Sciara, G., Frantzis, A., Bearzi, G., & Reeves, R. (2012). Physeter macrocephalus (Mediterranean subpopulation). The IUCN Red List of Threatened Species. Version 2015.2 Retrieved August 2015, 2015, from http://www.iucnredlist.org/details/16370739/0

Nowacek, D. P., Johnson, M. P., & Tyack, P. L. (2004). North Atlantic right whales (Eubalaena glacialis) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London Series B-Biological Sciences, 271*(1536), 227-231. doi: 10.1098/rspb.2003.2570

Nowacek, D. P., Thorne, L. H., Johnston, D. W., & Tyack, P. L. (2007). Responses of cetaceans to anthropogenic noise. *Mammal Review, 37*(2), 81-115.

NRC. (2003). *Ocean noise and marine mammals*. Washington, D.C.: National Research Council National Academies Press.

NSF/USGS. (2011). Programmatic Environmental Impact Statement/Overseas Environmental Impact Statement for Marine Seismic Research Funded by the National Science Foundation or Conducted by the U.S. Geological Survey. Arlington, VA. National Science Foundation and the U.S. Geological Survey. 801 pp.

Odell, D., Asper, E., Baucom, J., & Cornell, L. (1980). A RECURRENT MASS STRANDING OF THE FALSE KILLER WHALE, PSEUDORCA-CRASSIDENS, IN FLORIDA (Vol. 78, pp. 171-177): NATL MARINE FISHERIES SERVICE SCIENTIFIC PUBL OFFICE 7600 SAND POINT WAY NE BIN C15700, SEATTLE, WA 98115.

Palka, D. L. (2012). Cetacean abundance estimates in US northwestern Atlantic Ocean waters from summer 2011 line transect survey. Reference Document 12-29. . Woods Hole, MA. National Oceanic and Atmospheric Administration, National Marine Fisheries Service, Northeast Fisheries Science Center. U.S. Department of Commerce. 37 pp.

Panigada, S., & Notarbartolo di Sciara, G. (2012). Balaenoptera physalus (Mediterranean subpopulation). The IUCN Red List of Threatened Species. Version 2015.2 Retrieved August 2015, 2015, from http://www.iucnredlist.org/details/16208224/0

Parente, C., Marcondes, M., & Engel, M. (2006). Humpback whale strandings and seismic surveys in Brazil from 1999 to 2004. *Intern. Whal. Commis. Working Pap. SC/58 E, 41*.

Parks, S. E., Clark, C. W., & Tyack, P. L. (2007). Short- and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication. *Journal of the Acoustical Society of America, 122*(6), 3725-3731. doi: 10.1121/1.2799904

Parry, G. D., & Gason, A. (2006). The effect of seismic surveys on catch rates of rock lobsters in western Victoria, Australia. *Fisheries Research, 79*(3), 272-284.

Payne, J. (2007). *Pilot study on the effects of seismic air gun noise on lobster (Homarus americanus)*: Science Branch, Fisheries and Oceans Canada.

Payne, J., Andrews, C., Fancey, L., White, D., Christian, J., Fisheries, D. o., . . . Canadian Science Advisory Secretariat, O., ON. (2008). Potential effects of seismic energy on fish and shellfish: An update since 2003. DFO, Ottawa, ON(Canada).

Payne, J., Coady, J., & White, D. (2009). *Potential effects of seismic airgun discharges on monkfish eggs (Lophius americanus) and larvae*: Environmental Studies Research Funds.

Payne, P. M., & Heinemann, D. W. (1993). The distribution of pilot whales (Globicephala sp.) in shelf/shelf edge and slope waters of the northeastern United States, 1978-1988. *Report of the International Whaling Commission (Special Issue), 14*, 51-68.

Pearson, W. H., Skalski, J. R., & Malme, C. I. (1992). Effects of sounds from a geophysical survey device on behavior of captive rockfish (Sebastes spp.). *Canadian Journal of Fisheries and Aquatic Sciences, 49*(7), 1343-1356.

Pearson, W. H., Skalski, J. R., Sulkin, S. D., & Malme, C. I. (1994). Effects of seismic energy releases on the survival and development of zoeal larvae of dungeness crab (< i> Cancer magister</i>). *Marine Environmental Research, 38*(2), 93-113.

Peña, H., Handegard, N. O., & Ona, E. (2013). Feeding herring schools do not react to seismic air gun surveys. *ICES Journal of Marine Science: Journal du Conseil*, fst079.

Penner, R. H., Turl, C. W., & Au, W. W. (1986). Target detection by the beluga using a surface-reflected path. *The Journal of the Acoustical Society of America, 80*(6), 1842-1843.

Perrin, W., & Geraci, J. (2002). Hearing. *Encyclopedia of marine mammals. Academic Press, San Diego, California*, 570-574.

Pierson, M. O., Wagner, J. P., Langford, V., Birnie, P., & Tasker, M. L. (1998). *Protection from, and mitigation of, the potential effects of seismic exploration on marine mammals.* Paper presented at the Seismic and Marine Mammals Workshop, London.

Politikos, D., & Tzanetis, D. (2009). Population dynamics of the Mediterranean monk seal in the National Marine Park of Alonissos, Greece. *Mathematical and Computer Modelling, 49*(3), 505-515.

Popov, V., Klishin, V., Nechaev, D., Pletenko, M., Rozhnov, V., Supin, A. Y., . . . Tarakanov, M. (2011). *Influence of acoustic noises on the white whale hearing thresholds.* Paper presented at the Doklady Biological Sciences.

Popov, V. V., Supin, A. Y., Wang, D., Wang, K., Dong, L., & Wang, S. (2011). Noise-induced temporary threshold shift and recovery in Yangtze finless porpoises Neophocaena phocaenoides asiaeorientalis. *The Journal of the Acoustical Society of America, 130*(1), 574-584.

Popper, A. (2009). Noise Pollution-Are we drowning out fish in a sea of noise? In this article Professor Arthur Popper from the University of Maryland, USA, discusses whether fish are feeling the impact of noisier seas? *Marine Scientist*(27), 18.

Popper, A. N. (2005). A review of hearing by sturgeon and lamprey. U.S. Army Corps of Engineers, Portland District; Environmental BioAcoustics, LLC, Rockville, MD.

Popper, A. N., & Hastings, M. C. (2009). The effects of anthropogenic sources of sound on fishes. *Journal of Fish Biology, 75*(3), 455-489. doi: 10.1111/j.1095-8649.2009.02319.x

Popper, A. N., Salmon, M., & Horch, K. W. (2001). Acoustic detection and communication by decapod crustaceans. *Journal of Comparative Physiology A, 187*(2), 83-89.

Popper, A. N., Smith, M. E., Cott, P. A., Hanna, B. W., MacGillivray, A. O., Austin, M. E., & Mann, D. A. (2005). Effects of exposure to seismic airgun use on hearing of three fish species. *The Journal of the Acoustical Society of America, 117*(6), 3958-3971.

Potter, J. R., Thillet, M., Douglas, C., Chitre, M. A., Doborzynski, Z., & Seekings, P. J. (2007). Visual and passive acoustic marine mammal observations and high-frequency seismic source characteristics recorded during a seismic survey. *Oceanic Engineering, IEEE Journal of, 32*(2), 469-483.

Read, A., Halpin, P., Crowder, L., Best, B., & Fukioka, E. (2009). OBIS-SEAMAP: Mapping marine mammals, birds, and turtles. *Oceanography, 22*(2), 104.

Read, A. J., Urian, K. W., Wilson, B., & Waples, D. M. (2003). Abundance of bottlenose dolphins in the bays, sounds, and estuaries of North Carolina. *Marine Mammal Science, 19*(1), 59-073.

Reeves, R., & Notarbartolo di Sciara, G. (2006). The status and distribution of cetaceans in the Black Sea and Mediterranean Sea. *IUCN Centre for Mediterranean Cooperation, Malaga, Spain, 1*, 137.

Reichmuth, C., Holt, M. M., Mulsow, J., Sills, J. M., & Southall, B. L. (2013). Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A, 199*(6), 491-507.

Relyea, R. A. (2005). The lethal impacts of Roundup and predatory stress on six species of North American tadpoles. *Archives of Environmental Contamination and Toxicology, 48*(3), 351-357.

Relyea, R. A., & Auld, J. R. (2005). Predator-and competitor-induced plasticity: how changes in foraging morphology affect phenotypic trade-offs. *Ecology, 86*(7), 1723-1729.

Rendell, L., & Gordon, J. (1999). Vocal responses of long-finned pilot whales. Globicephala melas.
to military sonar in the Ligurian Sea. *Marine Mammal Science, 15*(1), 198-204.

Reneerkens, J., Morrison, R. G., Ramenofsky, M., Piersma, T., & Wingfield, J. C. (2002). Baseline and stress-induced levels of corticosterone during different life cycle substages in a shorebird on the high arctic breeding grounds. *Physiological and Biochemical Zoology, 75*(2), 200-208.

Richardson, W., Holst, M., Koski, W., & Cummings, M. (2009). *Responses of cetaceans to large-source seismic surveys by Lamont-Doherty Earth Observatory.* Paper presented at the Abstr. 18th Bienn. Conf. Biol. Mar. Mamm., Québec.

Richardson, W. J., Davis, R. A., Evans, C. R., Ljungblad, D. K., & Norton, P. (1987). Summer distribution of bowhead whales, Balaena mysticetus, relative to oil industry activities in the Canadian Beaufort Sea, 1980-84. *Arctic*, 93-104.

Richardson, W. J., Greene, C. R., Malme, C. I., & Thomson, D. H. (1995). *Marine Mammals and Noise*. San Diego, California: Academic Press.

Richardson, W. J., Würsig, B., & Greene Jr., C. R. (1986). Reactions of bowhead whales, Balaena mysticetus, to seismic exploration in the Canadian Beaufort Sea. *The Journal of the Acoustical Society of America, 79*(4), 1117-1128.

Richter, C. F., Dawson, S. M., & Slooten, E. (2003). Sperm whale watching off Kaikoura, New Zealand: effects of current activities on surfacing and vocalisation patterns. *Science for Conservation [Sci. Conserv.]. no., 219*.

Rivier, C. (1985). Luteinizing-hormone-releasing hormone, gonadotropins, and gonadol steroids in stress. *Annals of the New York Academy of Sciences, 771*, 187 - 191.

Rogers, P. H., & Cox, M. (1988). Underwater sound as a biological stimulus *Sensory biology of aquatic animals* (pp. 131-149): Springer.

Romanenko, E. V., & Kitain, V. Y. (1992). The functioning of the echolocation system of Tursiops truncatus during noise masking *Marine mammal sensory systems* (pp. 415-419): Springer.

Romano, T., Keogh, M., Kelly, C., Feng, P., Berk, L., Schlundt, C., . . . Finneran, J. (2004). Anthropogenic sound and marine mammal health: measures of the nervous and immune systems before and after intense sound exposure. *Canadian Journal of Fisheries and Aquatic Sciences, 61*(7), 1124-1134.

Romero, L. M. (2004). Physiological stress in ecology: lessons from biomedical research. *Trends in Ecology & Evolution, 19*(5), 249-255. doi: 10.1016/j.tree.2004.03.008

Sætre, R., & Ona, E. (1996). Seismiske undersøkelser og skader på fiskeegg og larver. En vurdering av mulige effekter på bestandsnivå.

Santulli, A., Modica, A., Messina, C., Ceffa, L., Curatolo, A., Rivas, G., . . . D'amelio, V. (1999). Biochemical Responses of European Sea Bass (< i> Dicentrarchus labrax</i> L.) to the Stress Induced by Off Shore Experimental Seismic Prospecting. *Marine pollution bulletin, 38*(12), 1105-1114.

Sapolsky, R. M. (2005). The influence of social hierarchy on primate health. *Science, 308*(5722), 648-652.

Scheifele, P. M., Andrew, S., Cooper, R. A., Darre, M., Musiek, F. E., & Max, L. (2005). Indication of a Lombard vocal response in the St. Lawrence River beluga. *Journal of the Acoustical Society of America, 117*(3), 1486-1492.

Scheinin, A. P., Kerem, D., MacLeod, C. D., Gazo, M., Chicote, C. A., & Castellote, M. (2011). Gray whale (Eschrichtius robustus) in the Mediterranean Sea: anomalous event or early sign of climate-driven distribution change? *Marine Biodiversity Records, 4*, e28.

Schlundt, C. E., J. J. Finneran, B. K. Branstetter, J. S. Trickey, & Jenkins, K. (2013). *Auditory effects of multiple impulses from a seismic air gun on bottlenose dolphins (Tursiops truncatus).* Paper presented at the Twentieth Biennial Conference on the Biology of Marine Mammals Dunedin, New Zealand.

Schlundt, C. R., Finneran, J. J., Carder, D. A., & Ridgway, S. H. (2000). Temporary shift in masked hearing thresholds of bottlenose dolphins, Tursiops truncatus, and white whale, Delphinapterus leucas, after exposure to intense tones. *Journal of the Acoustical Society of America, 107*(6), 3496-3508.

Schorr, G. S., Falcone, E. A., Moretti, D. J., & Andrews, R. D. (2014). First long-term behavioral records from Cuvier's beaked whales (Ziphius cavirostris) reveal record-breaking dives. *PloS one, 9*(3), e92633.

Sergeant, D., Ronald, K., Boulva, J., & Berkes, F. (1978). The recent status of Monachus monachus, the Mediterranean monk seal. *Biological Conservation, 14*(4), 259-287.

Sergeant, D., Ronald, K., Boulva, J., & Berkes, F. (1978). The recent status of Monachus monachus, the Mediterranean monk seal. *Biological Conservation, 14*(4), 259-287.

Seyle, H. (1950). General summary. *The physiology and pathology of exposure to STRESS: A treatise based on the concepts of the General-Adaptation-Syndrome and the Diseases of Adaptation. Montreal, Canada: Acta*, 113-792.

Sih, A., Bell, A. M., & Kerby, J. L. (2004). Two stressors are far deadlier than one. *Trends in ecology & evolution, 19*(6), 274-276.

Simard, Y., Samaran, F., & Roy, N. (2005). Measurement of whale and seismic sounds in the Scotian Gully and adjacent canyons in July 2003. *Acoustic Monitoring and Marine Mammal Surveys in the Gully and Outer Scotian Shelf Before and During Active Seismic Programs*, 97.

Smith, M. E., Kane, A. S., & Popper, A. N. (2004). Acoustical stress and hearing sensitivity in fishes: does the linear threshold shift hypothesis hold water? *The Journal of Experimental Biology, 207*(20), 3591 - 3602.

Smith, M. E., Kane, A. S., & Popper, A. N. (2004). Noise-induced stress response and hearing loss in goldfish (Carassius auratus). [Article]. *Journal of Experimental Biology, 207*(3), 427-435. doi: 10.1242/jeb.00755

Smultea, M. A., Holst, M., Koski, W. R., & Stoltz, S. (2004). Marine mammal monitoring during Lamont-Doherty Earth Observatory's seismic program in the Southeast Caribbean Sea and adjacent Atlantic Ocean, April-June 2004. LGL Rep. TA2822-26 King City, Ontario.

Southall, B. L., Bowles, A. E., Ellison, W. T., Finneran, J. J., Gentry, R. L., Jr., G., . . . Tyack, P. L. (2007). Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals, 33*(4), 411-522.

Southall, B. L., Rowles, T., Gulland, F., Baird, R. W., & Jepson, P. D. (2013). Final report of the Independent Scientific Review Panel investigating potential contributing factors to a 2008 mass stranding of melon headed whales (Peponocephala electra) in Antsohihy, Madagascar (pp. 75): Madagascar.

Star News Online. (2012). Harbor seals showing up on N.C. shores Retrieved 9/8/2014, 2014, from http://www.starnewsonline.com/article/20121009/ARTICLES/121009599?p=1&tc=pg

Stenson, G. B., & Sjare, B. (1997). *Seasonal distribution of harp seals, Phoca groenlandica, in the Northwest Atlantic*. Paper presented at the ICES Council Meeting Papers.

Stevick, P. T., Allen, J., Clapham, P. J., Friday, N., Katona, S. K., Larsen, F., . . . Sigurjónsson, J. (2003). North Atlantic humpback whale abundance and rate of increase four decades after protection from whaling.

Stone, C. J. (2003). *The effects of seismic activity on marine mammals in UK waters, 1998-2000*. Great Britain: Joint Nature Conservation Committee.

Stone, C. J., & Tasker, M. L. (2006). The effects of seismic airguns on cetaceans in UK waters. *Journal of Cetacean Research and Management, 8*(3), 255.

Sverdrup, A., Kjellsby, E., Krüger, P., Fløysand, R., Knudsen, F., Enger, P., . . . Helle, K. (1994). Effects of experimental seismic shock on vasoactivity of arteries, integrity of the vascular endothelium and on primary stress hormones of the Atlantic salmon. *Journal of Fish Biology, 45*(6), 973-995.

Terhune, J. M. (1999). Pitch separation as a possible jamming-avoidance mechanism in underwater calls of bearded seals (Erignathus barbatus). *Canadian journal of zoology, 77*(7), 1025-1034.

Thomas, J. A., & Turl, C. W. (1990). Echolocation characteristics and range detection threshold of a false killer whale (Pseudorca crassidens). *Sensory abilities of cetaceans*, 321-333.

Thompson, D. R., & Hamer, K. C. (2000). Stress in seabirds: causes, consequences and diagnostic value. *Journal of Aquatic Ecosystem Stress and Recovery, 7*(1), 91-109.

Thompson, D. R., Sjoberg, M., Bryant, M. E., Lovell, P., & Bjorge, A. (1998). Behavioural and physiological responses of harbour (Phoca vitulina) and grey (Halichoerus grypus) seals to seismic surveys. *Report to European Commission of BROMMAD Project. MAS2 C, 7940098*.

Thompson, P. M., Brookes, K. L., Graham, I. M., Barton, T. R., Needham, K., Bradbury, G., & Merchant, N. D. (2013). Short-term disturbance by a commercial two-dimensional seismic survey does not lead to long-term displacement of harbour porpoises. *Proceedings of the Royal Society B: Biological Sciences, 280*(1771), 20132001.

Thomsen, B. (2002). *An experiment on how seismic shooting affects caged fish*. University of Aberdeen, Aberdeen, Scotland.

Tolstoy, M., Diebold, J., Doermann, L., Nooner, S., Webb, S. C., Bohnenstiehl, D. R., . . . Holmes, R. C. (2009). Broadband calibration of the R/V Marcus G. Langseth four-string seismic sources. *Geochemistry, Geophysics, Geosystems, 10*(8).

Tolstoy, M., Diebold, J. B., Webb, S. C., Bohnenstiehl, D. R., Chapp, E., Holmes, R. C., & Rawson, M. (2004). Broadband calibration of R/V Ewing seismic sources. *Geophysical Research Letters, 31*(14).

Trimper, P. G., Standen, N. M., Lye, L. M., Lemon, D., Chubbs, T. E., & Humphries, G. W. (1998). Effects of low-level jet aircraft noise on the behaviour of nesting osprey. *Journal of Applied Ecology, 35*(1), 122-130. doi: 10.1046/j.1365-2664.1998.00290.x

Trites, A. W., & Bain, D. E. (2000). Short-and long-term effects of whale watching on killer whales (Orcinus orca) in British Columbia. *University of British Columbia, Vancouver BC and Six Flags Marine World Vallejo, Vallejo, Ca*.

Tubelli, A. A., Zosuls, A., Ketten, D. R., Yamato, M., & Mountain, D. C. (2012). A prediction of the minke whale (Balaenoptera acutorostrata) middle-ear transfer functiona). *The Journal of the Acoustical Society of America, 132*(5), 3263-3272.

Tyack, P., Gordon, J., & Thompson, D. (2003). Controlled exposure experiments to determine the effects of noise on marine mammals. *Marine Technology Society Journal, 37*(4), 41-53.

Tyack, P. L. (2009). Acoustic playback experiments to study behavioral responses of free-ranging marine animals to anthropogenic sound. *Marine Ecology Progress Series, 395*, 187-200.

Tyack, P. L., & Clark, C. W. (2000). Communication and acoustic behavior of dolphins and whales. In W. W. L. Au, A. N. Popper & R. R. Fay (Eds.), *Hearing by Whales and Dolphins* (pp. 156-224). New York: Springer-Verlag.

Tyack, P. L., Johnson, M., Soto, N. A., Sturlese, A., & Madsen, P. T. (2006). Extreme diving of beaked whales. *Journal of Experimental Biology, 209*(21), 4238-4253.

UNEP. (2013). *Draft Regional Strategy for the Conservation of Monk Seals in the Mediterranean* United Nations Environment Programme.

Urick, R. J. (1983). Principles of underwater sound. 1983. *McGraw-HiII, New York, London*.

USGS. (1999). *Surficial geology and distribution of post-impoundment sediment of the western part of Lake Mead based on a sidescan sonar and high-resolution seismic-reflection survey*: US Geological Survey.

Vanderlaan, A. S. M., & Taggart, C. T. (2007). Vessel collisions with whales: The probability of lethal injury based on vessel speed. *Marine Mammal Science, 23*(1), 144-156. doi: 10.1111/j.1748-7692.2006.00098.x

Vires, G. (2011). *Echosounder effects on beaked whales in the Tongue of the Ocean, Bahamas.* Duke University.

Waldner, J. S., & David, W. (1991). *A marine seismic survey to delineate tertiary and quaternary stratigraphy of coastal plain sediments offshore of Atlantic City, New Jersey*. Trenton, NJ.

Ward, W. D. (1997). Effects of High-Intensity Sound. *Encyclopedia of Acoustics, Volume Three*, 1497-1507.

Wardle, C., Carter, T., Urquhart, G., Johnstone, A., Ziolkowski, A., Hampson, G., & Mackie, D. (2001). Effects of seismic air guns on marine fish. *Continental Shelf Research, 21*(8), 1005-1027.

Waring, G., Josephson, E., Fairfield-Walsh, C., Maze-Foley, K., & Rosel, P. (2013). U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2012 *Volume 1*, 425 pp.

Waring, G. T., Gilbert, J. R., Belden, D., Van Atten, A., & DiGiovanni Jr., R. A. (2010). A review of the status of harbour seals (Phoca vitulina) in the Northeast United States of America. *NAMMCO Scientific Publications, 8*, 191-212.

Waring, G. T., Josephson, E., Fairfield-Walsh, C. P., Maze-Foley, K., & Rosel, P. E. (2014). U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2013 Volume 1. National Marine Fisheries Service. 484 pp.

Waring, G. T., Josephson, E., Fairfield-Walsh, C. P., Maze-Foley, K., & Rosel, P. E. (2015). U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments - 2014 (In Review). National Marine Fisheries Service. 355 pp.

Wartzok, D., & Ketten, D. R. (1999). Marine mammal sensory systems. *Biology of marine mammals*, 117-175.

Wartzok, D., Popper, A. N., Gordon, J., & Merrill, J. (2003). Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal, 37*(4), 6 - 15.

Watkins, W. A. (1986). Whale Reactions to Human Activities in Cape-Cod Waters. [Article]. *Marine Mammal Science, 2*(4), 251-262.

Watkins, W. A., Morre, K. E., & Tyack, P. (1985). Sperm whale acoustic behaviors in the southeast Caribbean. *Cetology, 49*, 1-15.

Weilgart, L. S. (2007). The impacts of anthropogenic ocean noise on cetaceans and implications for management. *Canadian Journal of Zoology, 85*(11), 1091-1116.

Weir, C. R. (2008). Overt responses of humpback whales (Megaptera novaeangliae), sperm whales (Physeter macrocephalus), and Atlantic spotted dolphins (Stenella frontalis) to seismic exploration off Angola. *Aquatic Mammals, 34*(1), 71-83.

Weir, C. R. (2008). Short-finned pilot whales (Globicephala macrorhynchus) respond to an airgun ramp-up procedure off Gabon. *Aquatic Mammals, 34*(3), 349-354.

Weir, C. R., & Dolman, S. J. (2007). Comparative review of the regional marine mammal mitigation guidelines implemented during industrial seismic surveys, and guidance towards a worldwide standard. *Journal of International Wildlife Law and Policy, 10*(1), 1-27.

Welch, B. L., & Welch, A. S. (1970). *Physiological Effects of Noise*. New York: Plenum Press.

Williams, R., Bain, D. E., Ford, J. K. B., & Trites, A. W. (2002). Behavioural responses of male killer whales to a 'leapfrogging' vessel. *Journal of Cetacean Research and Management, 4*(3), 305-310.

Williams, R. M., Trites, A. W., & Bain, D. E. (2002). Behavioral responses of killer whales (Orcinus orca) to whale-watching boats: Opportunistic observations and experimental approaches. *Journal of Zoology, 256*(2), 255-270.

Winsor, M., & Mate, B. (2006). Seismic survey activity and the proximity of satellite tagged sperm whales. *Intern. Whal. Commis. Working Pap. SC/58 E, 16*.

Wright, A. J. (2014). Reducing Impacts of Human Ocean Noise on Cetaceans: Knowledge Gap Analysis and Recommendations (pp. 98). Ottawa, Canada: World Wildlife Fund Global Arctic Programme.

Wursig, B., Lynn, S., Jefferson, T., & Mullin, K. (1998). Behaviour of cetaceans in the northern Gulf of Mexico relative to survey ships and aircraft. *Aquatic Mammals, 24*, 41-50.

Würsig, B., Weller, D., Burdin, A., Reeve, S., Bradford, A., Blokhin, S., & Brownell Jr, R. (1999). Gray whales summering off Sakhalin Island, Far East Russia: July-October 1997. A joint US-Russian scientific investigation *Unpublished contract Report by Texas A&M University, College Station, TX and Kamchatka Institute of Ecology and Nature Management, Russian Academy of Sciences, Kamchatka, Russia, for Sakhalin Energy Investment Company Limited and Exxon Neftegas Limited, Yuzhno-Sakhalinsk, Russia* (Vol. 1).

Yazvenko, S., McDonald, T., Blokhin, S., Johnson, S., Meier, S., Melton, H., . . . Wainwright, P. (2007). Distribution and abundance of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment, 134*(1-3), 45-73.

Yazvenko, S., McDonald, T., Blokhin, S., Johnson, S., Melton, H., Newcomer, M., . . . Wainwright, P. (2007). Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment, 134*(1-3), 93-106.

Zaitseva, K. A., Morozov, V. P., & Akopian, A. I. (1980). Comparative characteristics of spatial hearing in the dolphin tursiops truncatus and man. *Neuroscience and Behavioral Physiology, 10*(2), 180-182.