

Please provide the following information, and submit to the NOAA DM Plan Repository.

Reference to Master DM Plan (if applicable)

As stated in Section IV, Requirement 1.3, DM Plans may be hierarchical. If this DM Plan inherits provisions from a higher-level DM Plan already submitted to the Repository, then this more-specific Plan only needs to provide information that differs from what was provided in the Master DM Plan.

URL of higher-level DM Plan (if any) as submitted to DM Plan Repository:

1. General Description of Data to be Managed

1.1. Name of the Data, data collection Project, or data-producing Program:

2011 MDEQ Tennessee-Tombigbee Waterway Lidar Survey

1.2. Summary description of the data:

Collect and deliver high-density elevation point data derived from multiple-return light detection and ranging (LiDAR) measurements for use in supporting topographic analysis, including applications such as flood plain mapping. The Nominal Point Spacing Value for the final lidar is 3.2 ft (~1 m). Deliver LiDAR Bare Earth and Contour lines within the areas designated in areas of Clay, Itawamba, Monroe, and Lowndes Counties to aid in visual interpretation of Flood Basin elevations and for addition to the MDEM elevation dataset. Comply with mapping guidelines and specifications as stated in the FEMA Procedure Memorandum No. 61

1.3. Is this a one-time data collection, or an ongoing series of measurements?

One-time data collection

1.4. Actual or planned temporal coverage of the data:

2011-03-22, 2011-03-23, 2011-03-24, 2011-03-24, 2011-03-24, 2011-04-01, 2011-04-03, 2011-04-09, 2011-04-10, 2011-04-11

1.5. Actual or planned geographic coverage of the data:

W: -89.639595, E: -87.274625, N: 34.514993, S: 33.372751

1.6. Type(s) of data:

(e.g., digital numeric data, imagery, photographs, video, audio, database, tabular data, etc.)
las

1.7. Data collection method(s):

(e.g., satellite, airplane, unmanned aerial system, radar, weather station, moored buoy, research vessel, autonomous underwater vehicle, animal tagging, manual surveys, enforcement activities, numerical model, etc.)

1.8. If data are from a NOAA Observing System of Record, indicate name of system:

1.8.1. If data are from another observing system, please specify:**2. Point of Contact for this Data Management Plan (author or maintainer)****2.1. Name:**

NOAA Office for Coastal Management (NOAA/OCM)

2.2. Title:

Metadata Contact

2.3. Affiliation or facility:

NOAA Office for Coastal Management (NOAA/OCM)

2.4. E-mail address:

coastal.info@noaa.gov

2.5. Phone number:

(843) 740-1202

3. Responsible Party for Data Management

Program Managers, or their designee, shall be responsible for assuring the proper management of the data produced by their Program. Please indicate the responsible party below.

3.1. Name:**3.2. Title:**

Data Steward

4. Resources

Programs must identify resources within their own budget for managing the data they produce.

4.1. Have resources for management of these data been identified?**4.2. Approximate percentage of the budget for these data devoted to data management (specify percentage or "unknown"):****5. Data Lineage and Quality**

NOAA has issued Information Quality Guidelines for ensuring and maximizing the quality, objectivity, utility, and integrity of information which it disseminates.

5.1. Processing workflow of the data from collection or acquisition to making it publicly accessible

(describe or provide URL of description):

Process Steps:

- 2011-06-01 00:00:00 - The ABGPS, IMU, and raw Optech LiDAR data are integrated into the Optech post processor software. The resultant file is in a LAS binary file format. The LAS file version 1.2 formats can be easily transferred from one file format to another. It is a binary file format that maintains information specific to the LiDAR data (return#, intensity value, xyz, etc.). The resultant points are produced in the geodetic coordinates referenced to the NAD83 horizontal datum and NAVD88 2004.65 vertical datum.
- 2011-06-01 00:00:00 - The unedited data are classified to facilitate the application of the appropriate feature extraction filters. A combination of proprietary filters is applied as appropriate for the production of bare earth digital terrain models (dtms) . Interactive editing methods are applied to those areas where it is inappropriate or impossible to use the feature extraction filters, based upon the design criteria and/or limitations of the relevant filters. These same feature extraction filters are used to produce elevation height surfaces. The LiDAR mass points were delivered in American Society for Photogrammetry and Remote Sensing LAS 1.2 format. The header file for each dataset is complete as define by the LAS 1.2 specification. The data was classified as follows: Class 1 = Unclassified. This class includes all non-ground classified points. Class 2 = Ground. Class 7 = Low Points. Class 9 = water. Class 9 = water. Class 10 = Ignored. Class 11 = Overlap Points.
- 2011-06-01 00:00:00 - Conversion from Geodetic coordinates NAD83 into Mississippi state plane zone 16 East using NAD83 and conversion from ellipsoid heights (us feet) into orthometric heights using NAVD88 (US Survey Foot). Files are orthogonally tiled based to a 1500m x1500m extent, and labeled with a "Tile_ID" attribute.
- 2013-09-16 00:00:00 - The NOAA Office for Coastal Management (OCM) received topographic files in .laz format from the Mississippi Department of Environmental Quality (MDEQ). The files contained lidar elevation measurements. The data were received in Mississippi State Plane East 2301, NAD83 coordinates and were vertically referenced to NAVD88 using the Geoid09 model. The vertical units of the data were feet. OCM performed the following processing for data storage and Digital Coast provisioning purposes: 1. The topographic laz files were converted from a Projected Coordinate System (Mississippi State Plane East 2301) to a Geographic Coordinate system (NAD 83). 2. The topographic laz files' horizontal units were converted from feet to decimal degrees. 3. The topographic laz files were cleaned of error points above 535 ft and below 100 ft. 4. The topographic laz files' were converted from NAVD88 elevations to NAD83 ellipsoidal elevations using Geoid03 5. Classification 11 was moved to classification 12 due to OCM system requirements (class 11 is reserved for bathy points, though these points are overlap points, Class 12).

5.1.1. If data at different stages of the workflow, or products derived from these data, are subject to a separate data management plan, provide reference to other plan:

5.2. Quality control procedures employed (describe or provide URL of description):**6. Data Documentation**

The EDMC Data Documentation Procedural Directive requires that NOAA data be well documented, specifies the use of ISO 19115 and related standards for documentation of new data, and provides links to resources and tools for metadata creation and validation.

6.1. Does metadata comply with EDMC Data Documentation directive?

No

6.1.1. If metadata are non-existent or non-compliant, please explain:

Missing/invalid information:

- 1.7. Data collection method(s)
- 3.1. Responsible Party for Data Management
- 4.1. Have resources for management of these data been identified?
- 4.2. Approximate percentage of the budget for these data devoted to data management
- 5.2. Quality control procedures employed
- 7.1. Do these data comply with the Data Access directive?
 - 7.1.1. If data are not available or has limitations, has a Waiver been filed?
 - 7.1.2. If there are limitations to data access, describe how data are protected
- 7.4. Approximate delay between data collection and dissemination
- 8.1. Actual or planned long-term data archive location
- 8.3. Approximate delay between data collection and submission to an archive facility
- 8.4. How will the data be protected from accidental or malicious modification or deletion prior to receipt by the archive?

6.2. Name of organization or facility providing metadata hosting:

NMFS Office of Science and Technology

6.2.1. If service is needed for metadata hosting, please indicate:**6.3. URL of metadata folder or data catalog, if known:**

<https://www.fisheries.noaa.gov/inport/item/49820>

6.4. Process for producing and maintaining metadata

(describe or provide URL of description):

Metadata produced and maintained in accordance with the NOAA Data Documentation Procedural Directive: https://nosc.noaa.gov/EDMC/DAARWG/docs/EDMC_PD-Data_Documentation_v1.pdf

7. Data Access

NAO 212-15 states that access to environmental data may only be restricted when distribution is explicitly limited by law, regulation, policy (such as those applicable to personally identifiable

information or protected critical infrastructure information or proprietary trade information) or by security requirements. The EDMC Data Access Procedural Directive contains specific guidance, recommends the use of open-standard, interoperable, non-proprietary web services, provides information about resources and tools to enable data access, and includes a Waiver to be submitted to justify any approach other than full, unrestricted public access.

7.1. Do these data comply with the Data Access directive?

7.1.1. If the data are not to be made available to the public at all, or with limitations, has a Waiver (Appendix A of Data Access directive) been filed?

7.1.2. If there are limitations to public data access, describe how data are protected from unauthorized access or disclosure:

7.2. Name of organization of facility providing data access:

NOAA Office for Coastal Management (NOAA/OCM)

7.2.1. If data hosting service is needed, please indicate:

7.2.2. URL of data access service, if known:

<https://coast.noaa.gov/dataviewer/#/lidar/search/where:ID=2560>

<https://noaa-nos-coastal-lidar-pds.s3.amazonaws.com/laz/geoid18/2560/index.html>

7.3. Data access methods or services offered:

This data can be obtained on-line at the following URL:

<https://coast.noaa.gov/dataviewer/#/lidar/search/where:ID=2560>

;

7.4. Approximate delay between data collection and dissemination:

7.4.1. If delay is longer than latency of automated processing, indicate under what authority data access is delayed:

8. Data Preservation and Protection

The NOAA Procedure for Scientific Records Appraisal and Archive Approval describes how to identify, appraise and decide what scientific records are to be preserved in a NOAA archive.

8.1. Actual or planned long-term data archive location:

(Specify NCEI-MD, NCEI-CO, NCEI-NC, NCEI-MS, World Data Center (WDC) facility, Other, To Be Determined, Unable to Archive, or No Archiving Intended)

8.1.1. If World Data Center or Other, specify:

8.1.2. If To Be Determined, Unable to Archive or No Archiving Intended, explain:

8.2. Data storage facility prior to being sent to an archive facility (if any):

Office for Coastal Management - Charleston, SC

8.3. Approximate delay between data collection and submission to an archive facility:

8.4. How will the data be protected from accidental or malicious modification or deletion prior to receipt by the archive?

Discuss data back-up, disaster recovery/contingency planning, and off-site data storage relevant to the data collection

9. Additional Line Office or Staff Office Questions

Line and Staff Offices may extend this template by inserting additional questions in this section.