

*Please provide the following information, and submit to the NOAA DM Plan Repository.*

**Reference to Master DM Plan (if applicable)**

*As stated in Section IV, Requirement 1.3, DM Plans may be hierarchical. If this DM Plan inherits provisions from a higher-level DM Plan already submitted to the Repository, then this more-specific Plan only needs to provide information that differs from what was provided in the Master DM Plan.*

URL of higher-level DM Plan (if any) as submitted to DM Plan Repository:

**1. General Description of Data to be Managed****1.1. Name of the Data, data collection Project, or data-producing Program:**

2015 WROC Lidar: Burnett County, WI

**1.2. Summary description of the data:**

The Burnett County, Wisconsin WROC project area covers 910 square miles. Lidar data was acquired with a nominal point spacing (NPS) of 1.0 meters. The data was developed based on a horizontal projection/datum of Wisconsin County Reference System (WISCRS) - Burnett County Coordinates; North American Datum 1983 (2011), survey feet, and vertically geo-referenced to the North American Vertical Datum 1988 (Geoid 12A), survey feet. Data were converted to geographic coordinates with ellipsoid heights in meters.

Lidar data was acquired using the Orion Optech H300 sensor. Collection occurred in April 2015 during leaf-off conditions, while no snow was on the ground and rivers were at or below normal levels. The lidar data was calibrated using information collected at the time of flight from GPS base stations on the ground and airborne GPS/IMU in the aircraft. The calibrated lidar data was processed to produce a classified point cloud, bare earth DTM, DEM, DSM, contours, breaklines, and intensity images. The Lidar data was delivered according to a 5,000 foot x 5,000 foot tile schematic.

**1.3. Is this a one-time data collection, or an ongoing series of measurements?**

One-time data collection

**1.4. Actual or planned temporal coverage of the data:**

2015-04-11 to 2015-04-14

**1.5. Actual or planned geographic coverage of the data:**

W: -92.896807, E: -92.024479, N: 46.159125, S: 45.637407

**1.6. Type(s) of data:**

*(e.g., digital numeric data, imagery, photographs, video, audio, database, tabular data, etc.)*  
Model (digital)

**1.7. Data collection method(s):**

*(e.g., satellite, airplane, unmanned aerial system, radar, weather station, moored buoy,*

*research vessel, autonomous underwater vehicle, animal tagging, manual surveys, enforcement activities, numerical model, etc.)*

**1.8. If data are from a NOAA Observing System of Record, indicate name of system:**

**1.8.1. If data are from another observing system, please specify:**

**2. Point of Contact for this Data Management Plan (author or maintainer)**

**2.1. Name:**

NOAA Office for Coastal Management (NOAA/OCM)

**2.2. Title:**

Metadata Contact

**2.3. Affiliation or facility:**

NOAA Office for Coastal Management (NOAA/OCM)

**2.4. E-mail address:**

coastal.info@noaa.gov

**2.5. Phone number:**

(843) 740-1202

**3. Responsible Party for Data Management**

*Program Managers, or their designee, shall be responsible for assuring the proper management of the data produced by their Program. Please indicate the responsible party below.*

**3.1. Name:**

**3.2. Title:**

Data Steward

**4. Resources**

*Programs must identify resources within their own budget for managing the data they produce.*

**4.1. Have resources for management of these data been identified?**

Yes

**4.2. Approximate percentage of the budget for these data devoted to data management (specify percentage or "unknown"):**

Unknown

**5. Data Lineage and Quality**

*NOAA has issued Information Quality Guidelines for ensuring and maximizing the quality, objectivity, utility, and integrity of information which it disseminates.*

### **5.1. Processing workflow of the data from collection or acquisition to making it publicly accessible**

*(describe or provide URL of description):*

#### **Process Steps:**

- LiDAR processing utilizes several software packages, including GeoCue and the TerraSolid suite of processing components. The GeoCue software is a database management system for housing the LiDAR dataset (usually multiple gigabytes in size). GeoCue incorporates a thorough checklist of processing steps and quality assurance/quality control (QA/QC) procedures that assist in the LiDAR workflow. The TerraSolid software suite is used to automate the initial classification of the LiDAR point cloud based on a set of predetermined parameters. Lidar technicians refer to ground cover research (natural and cultural features) within the project area and determine algorithms most suitable for the initial automated LiDAR classification. (Some algorithms/filters recognize the ground in forests well, while others have greater capability in urban areas). During this process each point is given an initial classification (e.g., as ground, vegetation, or noise) based on the point's coordinates and the relation to its neighbors. Classifications to be assigned include all those outlined by ASPRS standards. The initial classifications produce a coarse and inexact dataset, but offer an adequate starting point for the subsequent manual classification procedure. During this step, "overlap" points are automatically classified (those originating from neighboring flightlines) using information gathered from the ABGPS and IMU data. Any duplicate points existing from adjacent flightlines are removed during this process. Hydrographic breaklines are collected using LiDARgrammetry to ensure hydroflattened water surfaces. This process involves manipulating the LiDAR data's intensity information to create a metrically sound stereo environment. From this generated "imagery", breaklines are photogrammetrically compiled. Breakline polygons are created to represent open water bodies. The LiDAR points that fall within these areas are classified as "water." All hydrographic breaklines include a 1.5 foot buffer, with the Class 2 (bare earth) points being re-classified as Class 10 (ignored ground). TerraSolid is further used for the subsequent manual classification of the LiDAR points allowing technicians to view the point cloud in a number of ways to ensure accuracy and consistency of points and uniformity of point coverage. A triangulated irregular network (TIN) model was created from the Bare Earth LAS and Deliverable. The TIN was processed to create two-foot contours.
- 2023-12-25 00:00:00 - Data were downloaded from Wisconsin View in LAS format by NOAA and converted to geographic coordinates with ellipsoid heights in meters for ingest into the Digital Coast Data Access Viewer. Data were compressed into the cloud optimized point cloud variant of the LAZ format. (Citation: Wisconsin View Lidar)

#### **5.1.1. If data at different stages of the workflow, or products derived from these data, are subject to a separate data management plan, provide reference to other**

plan:

**5.2. Quality control procedures employed (describe or provide URL of description):**

**6. Data Documentation**

*The EDMC Data Documentation Procedural Directive requires that NOAA data be well documented, specifies the use of ISO 19115 and related standards for documentation of new data, and provides links to resources and tools for metadata creation and validation.*

**6.1. Does metadata comply with EDMC Data Documentation directive?**

No

**6.1.1. If metadata are non-existent or non-compliant, please explain:**

Missing/invalid information:

- 1.7. Data collection method(s)
- 3.1. Responsible Party for Data Management
- 5.2. Quality control procedures employed
- 7.1.1. If data are not available or has limitations, has a Waiver been filed?
- 7.4. Approximate delay between data collection and dissemination
- 8.3. Approximate delay between data collection and submission to an archive facility

**6.2. Name of organization or facility providing metadata hosting:**

NMFS Office of Science and Technology

**6.2.1. If service is needed for metadata hosting, please indicate:**

**6.3. URL of metadata folder or data catalog, if known:**

<https://www.fisheries.noaa.gov/inport/item/71733>

**6.4. Process for producing and maintaining metadata**

*(describe or provide URL of description):*

Metadata produced and maintained in accordance with the NOAA Data Documentation Procedural Directive: [https://nosc.noaa.gov/EDMC/DAARWG/docs/EDMC\\_PD-Data\\_Documentation\\_v1.pdf](https://nosc.noaa.gov/EDMC/DAARWG/docs/EDMC_PD-Data_Documentation_v1.pdf)

**7. Data Access**

*NAO 212-15 states that access to environmental data may only be restricted when distribution is explicitly limited by law, regulation, policy (such as those applicable to personally identifiable information or protected critical infrastructure information or proprietary trade information) or by security requirements. The EDMC Data Access Procedural Directive contains specific guidance, recommends the use of open-standard, interoperable, non-proprietary web services, provides information about resources and tools to enable data access, and includes a Waiver to be submitted to justify any approach other than full, unrestricted public access.*

**7.1. Do these data comply with the Data Access directive?**

Yes

**7.1.1. If the data are not to be made available to the public at all, or with limitations, has a Waiver (Appendix A of Data Access directive) been filed?**

**7.1.2. If there are limitations to public data access, describe how data are protected from unauthorized access or disclosure:**

**7.2. Name of organization of facility providing data access:**

NOAA Office for Coastal Management (NOAA/OCM)

**7.2.1. If data hosting service is needed, please indicate:**

**7.2.2. URL of data access service, if known:**

<https://coast.noaa.gov/dataviewer/#/lidar/search/where:ID=10013/details/10013>

<https://noaa-nos-coastal-lidar-pds.s3.amazonaws.com/laz/geoid18/10013/index.html>

**7.3. Data access methods or services offered:**

Data is available online for bulk or custom downloads

**7.4. Approximate delay between data collection and dissemination:**

**7.4.1. If delay is longer than latency of automated processing, indicate under what authority data access is delayed:**

**8. Data Preservation and Protection**

*The NOAA Procedure for Scientific Records Appraisal and Archive Approval describes how to identify, appraise and decide what scientific records are to be preserved in a NOAA archive.*

**8.1. Actual or planned long-term data archive location:**

*(Specify NCEI-MD, NCEI-CO, NCEI-NC, NCEI-MS, World Data Center (WDC) facility, Other, To Be Determined, Unable to Archive, or No Archiving Intended)*

NCEI\_NC

**8.1.1. If World Data Center or Other, specify:**

**8.1.2. If To Be Determined, Unable to Archive or No Archiving Intended, explain:**

**8.2. Data storage facility prior to being sent to an archive facility (if any):**

Office for Coastal Management - Charleston, SC

**8.3. Approximate delay between data collection and submission to an archive facility:**

**8.4. How will the data be protected from accidental or malicious modification or deletion prior to receipt by the archive?**

*Discuss data back-up, disaster recovery/contingency planning, and off-site data storage relevant to the data collection*

Data is backed up to cloud storage.

**9. Additional Line Office or Staff Office Questions**

*Line and Staff Offices may extend this template by inserting additional questions in this section.*