

## References for TerraSond HRG surveys off North Carolina and South Carolina proposed IHA

- Abend, A.G. and T.D. Smith. 1999. Review of distribution of the long-finned pilot whale (*Globicephala melas*) in the North Atlantic and Mediterranean. NOAA Tech. Memo. NMFS-NE-117. 22pp.
- ANSI (American National Standards Institute). 1986. Methods of Measurement for Impulse Noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.
- ANSI. 2005. Measurement of Sound Pressure Levels in Air (ANSI S1.13-2005). Acoustical Society of America, Woodbury, NY.
- Archer, F.I., S.L. Mesnick, and A.C. Allen. 2010. Variation and predictors of vessel response behavior in a tropical dolphin community. NOAA Technical Memorandum NMFS-SWFSC-457, National Marine Fisheries Service: 60.
- Au, W.W.L. and M. Hastings. 2008. Principles of Marine Bioacoustics. Springer-Verlag, New York.
- Baker, C. S., L. Medrano-Gonzalez, J. Calambokidis, A. Perry, F. Pichler, H. Rosenbaum, J. M. Straley, J. Urban-Ramirez, M. Yamaguchi, and O. Von Ziegeler. 1998. Population structure of nuclear and mitochondrial DNA variation among humpback whales in the North Pacific. *Molecular Ecology* 7: 695-707.
- Barco, S.G., W.A. McLellan, J.M. Allen, R.A. Asmutis-Silvia, R. Mallon-Day, E.M. Meagher, D.A. Pabst, J. Robbins, R.E. Seton, W.M. Swingle, M.T. Weinrich and P.J. Clapham. 2002. Population identity of humpback whales (*Megaptera novaeangliae*) in the waters of the U.S. mid-Atlantic states. *J. Cetacean Res. Manage.* 4: 135– 141.
- Best, P.B. 1979. Social organization in sperm whales, *Physeter macrocephalus*. Pages 227–289. In: H. E. Winn and B. L. Olla (eds), Behavior of marine animals, Vol. 3: Cetaceans. Plenum Press, New York, New York.
- Best, P.B., P.A.S. Canham and N. Macleod. 1984. Patterns of reproduction in sperm whales, *Physeter macrocephalus*. Rep. Int. Whal. Comm. (Special Issue) 8: 51–79.
- Bettridge, S., C.S. Baker, J. Barlow, P.J. Clapham, M. Ford, D. Gouveia, *et al.* 2015. Status review of the humpback whale (*Megaptera novaeangliae*) under the Endangered Species Act. NOAA Technical Memorandum NMFS-SWFSC-540, National Marine Fisheries Service: 263.
- Calambokidis, J., G. H. Steiger, J. M. Straley, L. M. Herman, S. Cerchio, D. R. Salden, J. Urban R, J. K. Jacobsen, O. von Ziegeler, K. C. Balcomb, C. M. Gabriele, M. E. Dahlheim, S. Uchida, G. Ellis, Y. Miyamura, P. Ladron de Guevera P, M. Yamaguchi, S. Fumihiko, S. A. Mizroch, L.

Schlender, K. Rasmussen, J. Barlow, and T. J. Quinn, II. 2001. Movements and population structure of humpback whales in the North Pacific. *Marine Mammal Science* 17: 769-794.

Carrillo, M., and F. Ritter. 2010. Increasing numbers of ship strikes in the Canary Islands: proposals for immediate action to reduce risk of vessel-whale collisions. *J. Cetacean Res. Manage.* 11: 131–138.

CETAP.1982. A characterization of marine mammals and turtles in the mid- and north Atlantic areas of the U.S. outer continental shelf, final report, Cetacean and Turtle Assessment Program, University of Rhode Island. Washington, DC, Bureau of Land Management. #AA551-CT8-48: 576.

Christal, J., H. Whitehead and E. Lettevall. 1998. Sperm whale social units: variation and change. *Can. J. Zool.* 76: 1431–1440.

Constidis, A. M., K. M. Phillips, S. G. Barco, and R. Boettcher. 2017. Introduction to the Virginia Marine Mammal Conservation Plan. VAQF Scientific Report 2017-02, Virginia Aquarium & Marine Science Center.

Cox, T.M., T.J. Ragen, A.J. Read, E. Vos, R.W. Baird, K. Balcomb, J. Barlow, J. Caldwell, T. Cranford, L. Crum, A. D'Amico, G.D. Spain, A. Fernandez, J. Finneran, R. Gentry, W. Gerth, F. Gulland, J. Hildebrand, D. Houser, T. Hullar, P.D. Jepson, D. Ketten, C. D. MacLeod, P. Miller, S. Moore, D. Mountain, D. Palka, P. Ponganis, S. Rommel, T. Rowles, B. Taylor, P. Tyack, D. Wartzok, R. Gisiner, J. Mead and L. Benner 2006. Understanding the impacts of anthropogenic sound on beaked whales. *J. Cetacean Res. Manage.* 7(3): 177-187.

Crocker, S.E., and F.D. Fratantonio. 2016. Characteristics of sounds emitted during high-resolution marine geophysical surveys. NUWC-NPT Technical Report 12,203, Naval Undersea Warfare Center Division: 265.

Crowe, L., M. Brown, P. Corkeron, P. Hamilton, C. Ramp, S. Ratelle, A. Vanderlaan, and T. Cole. 2021. In plane sight: A mark-recapture analysis of North Atlantic right whales in the Gulf of St. Lawrence. *Endangered Species Research* 46: 227-251.

D'Amico, A., Gisiner, R.C., Ketten, D.R., Hammock, J.A., Johnson, C., Tyack, P.L., and J. Mead. 2009. Beaked whale strandings and naval exercises. *Aq. Mamm.* 35(4): 452-472.

Davis G.E., M.F. Baumgartner, J.M. Bonnell, J. Bell, C. Berchok, J.B. Thornton, *et al.* 2017. Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. *Scientific Reports* 7 (1): 13460.

Davis, K.T.A and S.W. Brillant. 2019. Mass human-caused mortality spurs federal action to protect endangered North Atlantic right whales in Canada. *Marine Policy* 104: 157-162.

- DiGiovanni, R. A., A. DePerte, H. Winslow, and K. Durham. 2018. Gray seals (*Halichoerus grypus*) and Harbor Seals (*Phoca vitulina*) in the endless winter. *in* Northwest Atlantic Seal Research Consortium Meeting, New Bedford, Massachusetts.
- DiGiovanni, R. A., S. A. Wood, G. Waring, A. Chailet, and E. Josephson. 2011. Trends in harbor and gray seal counts and habitat use at southern New England and Long Island index site. Northwest Atlantic Seal Research Consortium Meeting, New Bedford, Massachusetts.
- Doksaeter, L., E. Olsen, L. Nottestad and A. Ferno. 2008 Distribution and feeding ecology of dolphins along the midAtlantic Ridge between Iceland and the Azores. *Deep Sea Res. II* 55: 243–253.
- DoN (U.S. Department of the Navy). 2008. Marine Resources Assessment Update for the Virginia Capes Operating Area: Final Report. N62470-02D-9997.
- DoN (U.S. Department of the Navy). 2018. Pinniped Tagging and Tracking in Southeast Virginia.
- Edwards, E.F., C. Hall, T.J. Moore, C. Sheredy and J. Redfern. 2015. Global distribution of fin whales (*Balaenoptera physalus*) in the post-whaling era (1980 to 2012). *Mamm. Rev.* 45: 197–214.
- Ellison, W.T., B.L. Southall, C.W. Clark, and A.S. Frankel. 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology* 26 (1): 21-28.
- Fernandez, A., J.F. Edwards, F. Rodriguez, A.E. de los Monteros, P. Herraiez, P. Castro, J.R. Jaber, V. Martin, and M. Arbelo 2005. “Gas and Fat Embolic Syndrome” involving a mass stranding of beaked whales (*Family Ziphiidae*) exposed to anthropogenic sonar signals. *Veterinary Pathology* 42(4): 446-457.
- Filadelfo, R., Mintz, J., Michlovich, E., D’Amico, A., Tyack, P.L., and D.R. Ketten. 2009. Correlating military sonar use with beaked whale mass strandings: What do the historical data show? *Aq. Mamm.* 35(4): 435-444.
- Finneran, J.J. 2015. Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *Journal of the Acoustical Society of America* 138(3): 1702-1726.
- Firestone, J., S. B. Lyons, C. Wang, and J. J. Corbett. 2008. Statistical modeling of North Atlantic right whale migration along the mid-Atlantic region of the eastern seaboard of the United States. *Biological Conservation* 141: 221-232.
- Foley, H.J. 2018. Spatial ecology and movement patterns of deep-diving odontocetes in the western North Atlantic Ocean. M.S. Thesis. Fisheries, Wildlife, and Conservation Biology, N.C. State University, Raleigh, NC.

Ganley, L.C., S. Brault and C.A. Mayo. 2019 What we see is not what there is: Estimating North Atlantic right whale *Eubalaena glacialis* local abundance. *Endang. Species Res.* 38: 101–113.

Garrigue, C., A. Aguayo, V. L. U. Amante-Helweg, C. S. Baker, S. Caballero, P. Clapham, R. Constantine, J. Denkinger, M. Donoghue, L. Florez-Gonzalez, J. Greaves, N. Hauser, C. Olavarria, C. Pairoa, H. Peckham, and M. Poole. 2002. Movements of humpback whales in Oceania, South Pacific. *Journal of Cetacean Research and Management* 4: 255-260.

Garrison, L.P., P.E. Rosel, A.A. Hohn, R. Baird and W. Hoggard. 2003. Abundance of the coastal morphotype of bottlenose dolphin *Tursiops truncatus*, in U.S. continental shelf waters between New Jersey and Florida during winter and summer 2002. NMFS/SEFSC report prepared and reviewed for the Bottlenose Dolphin Take Reduction Team. Available from: Southeast Fisheries Science Center, 75 Virginia Beach Dr., Miami, FL 33149.

Gowan, T.A., J.G. Ortega-Ortiz, J.A. Hostetler, P.K. Hamilton, *et al.* 2019. Temporal and demographic variation in partial migration of the North Atlantic right whale. *Sci Rep.* 9: 353.

Hain, J.H.W., R.K. Edel, H.E. Hays, S.K. Katona and J.D. Roanowicz. 1981. General distribution of cetaceans in the continental shelf waters of the northeastern United States. Pages II.1–II.345 In: Cetacean and Turtle Assessment Program, University of Rhode Island. A characterization of marine mammals and turtles in the mid- and north Atlantic areas of the US outer continental shelf, annual report for 1979, AA551-CT8-48. Bureau of Land Management, Washington, DC.

Hain, J.H.W., M.J. Ratnaswamy, R.D. Kenney, and H.E. Winn. 1992. The fin whale, *Balaenoptera physalus*, in waters of the northeastern United States continental shelf. *Rep. Int. Whal. Comm.* 42: 653–669.

Hamazaki, T. 2002. Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic Ocean (from Cape Hatteras, No. Carolina, USA to Nova Scotia, Canada). *Mar. Mamm. Sci.* 18(4): 920-939.

Hastings, M.C., and A.N. Popper. 2005. Effects of sound on fish. Prepared by Jones & Stokes for the California Department of Transportation: 82.

Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds). 2018. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments—2017 (second edition). NOAA Technical Memorandum NMFS-NE-245, Woods Hole, MA, USA. 371.

Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds). 2019. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments—2018. NOAA Technical Memorandum NMFS-258, Woods Hole, MA, USA. 306.

- Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2020. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments: 2019. NOAA Technical Memorandum NMFS-NE-264, National Marine Fisheries Service: 479.
- Hayes, S.A., E. Josephson, K. Maze-Foley, P.E. Rosel, and J. Wallace (eds). 2022. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments: 2021. NOAA Technical Memorandum NMFS-NE-271, National Marine Fisheries Service: 386.
- Hemila, S., S. Nummela, A. Berta, and T. Reuter. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints. *Journal of the Acoustical Society of America* 120 (6):3463-3466.
- Hodge, K., C. Muirhead, J. Morano, C. Clark and A. Rice. 2015. North Atlantic right whale occurrence near wind energy areas along the mid-Atlantic US coast: Implications for management. *Endang. Species Res.* 28: 225-234.
- Jaquet, N., and D. Gendron. 2002. Distribution and relative abundance of sperm whales in relation to key environmental features, squid landings and the distribution of other cetacean species in the Gulf of California, Mexico. *Marine Biology*.
- Jefferson, T.A., D. Fertl, J. Bolanos-Jimenez and A.N. Zerbini. 2009. Distribution of common dolphins (*Delphinus spp.*) in the western North Atlantic: a critical re-examination. *Mar. Biol.* 156: 1109–1124.
- Jefferson, T. A., M. A. Webber, and R. Pitman. 2015. *Marine Mammals of the World: A Comprehensive Guide to their Identification*. 2 edition. Elsevier.
- Jensen, A.S. and G.K. Silber. 2004. Large whale ship strike database. NOAA Technical Memorandum NMFS-OPR-25, National Marine Fisheries Service: 37.
- Johnson, D. W., J. Frungillo, A. Smith, K. Moore, B. Sharp, J. Schuh, and A. J. Read. 2015. Trends in Stranding and By-Catch Rates of Gray and Harbor Seals along the Northeastern Coast of the United States: Evidence of Divergence in the Abundance of Two Sympatric Phocid Species? *PLoS One* 10.
- Jones, D. V., and D. Rees. 2020. Haul-out Counts and Photo-Identification of Pinnipeds in Chesapeake Bay and Eastern Shore, Virginia: 2018/2019 Annual Progress Report. Final Report., Norfolk, VA.
- Kastelein, R.A., P. Wensveen, L. Hoek, and J.M. Terhune. 2009. Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. *Journal of the Acoustical Society of America* 126 (1): 476-483.
- Kenney, R.D. 1990. Bottlenose dolphins off the northeastern United States. Pages 369–386 in: S. Leatherwood and R. R. Reeves (eds.) *The bottlenose dolphin* Academic Press, San Diego. 653 pp.

Knowlton, A.R., P.K. Hamilton, M.K. Marx, H.M. Pettis and S.D. Kraus. 2012. Monitoring North Atlantic right whale *Eubalaena glacialis* entanglement rates: A 30 year retrospective. *Mar. Ecol. Prog. Ser.* 466: 293–302.

Kraus, S.D., S. Leiter, K. Stone, B. Wikgren, C.A. Mayo, P. Hughes, R.D. Kenney, C.W. Clark, A.N. Rice, *et al.* 2016. Northeast Large Pelagic Survey Collaborative Aerial and Acoustic Surveys for Large Whales and Sea Turtles. OCS Study BOEM 2016-054, Bureau of Ocean Energy Management: 110.

Kremser, U., P. Klemm, and W.-D. Kötz. 2005. Estimating the risk of temporary acoustic threshold shift, caused by hydro-acoustic devices, in whales in the Southern Ocean. *Antarctic Science* 17 (1):3-10.

LaBrecque, E., C. Curtice, J. Harrison, S.M. Van Parijs, and P.N. Halpin. 2015. Biologically Important Areas for Cetaceans within US Waters: Gulf of Mexico region. *Aquatic Mammals* 41 (1): 30-38.

Leatherwood, S., D.K. Caldwell and H.E. Winn. 1976. Whales, dolphins, and porpoises of the western North Atlantic. A guide to their identification. NOAA Tech. Rep. NMFS Circ. 396, U.S. Dept. Commer. Washington, DC. 176 pp.

Lusseau, D. and L. Bejder. 2007. The long-term consequences of short-term responses to disturbance experiences from whale watching impact assessment. *International Journal of Comparative Psychology* 201 (2-3): 228-236.

Marine-Ventures. 2022. Protected Species Observer Technical Report: Kitty Hawk North BOEM Lease OCS-A 0508 (M/V Deep Helder). Stuart, FL.

Mayo, C.A., L. Ganley, C.A. Hudak, S. Brault, M.K. Marx, E. Burke and M.W. Brown. 2018. Distribution, demography, and behavior of North Atlantic right whales (*Eubalaena glacialis*) in Cape Cod Bay, Massachusetts, 1998–2013. *Mar. Mamm. Sci.* 34(4): 979–996.

Mayo, C.A. and M.K. Marx. 1990. Surface foraging behaviour of the North Atlantic right whale, *Eubalaena glacialis*, and associated zooplankton characteristics. *Can. J. Zool.* 68: 2214–2220.

McGillivray, P.A., K.D. Schwehr and K. Fall 2010. Enhancing AIS to improve whale-ship collision avoidance and maritime security. In: OCEANS 2009, MTS/IEEE Biloxi, Marine technology for our future: Global and local challenges. Institute of Electrical and Electronics Engineers, Piscataway, New Jersey. 8 pp. <https://ieeexplore.ieee.org/document/5422237>

McLellan, W.A, R.J. McAlarney, E.W. Cummings, A.J. Read, C.G.M. Paxton, J.T. Bell and D.A. Pabst. 2018. Yearround distribution and abundance of multiple beaked whale species (*Family Ziphiidae*) off Cape Hatteras, North Carolina, USA. *Mar. Mamm.Sci.* 34: 997–1017.

- Mead, J. G. 1989. Beaked whales of the genus *Mesoplodon*. Pages 349-430 in: S. H. Ridgway and R. Harrison, (eds.) Handbook of marine mammals, Vol. 4: River Dolphins and toothed whales. Academic press, San Diego
- Meyer-Gutbrod, E., C. Greene, K. Davies, and D. Johns. 2021. Ocean regime shift is driving collapse of the North Atlantic right whale population. *Oceanography* 34 (3): 22-31.
- Mitson, R.B (ed.). 1995. Underwater noise of research vessels: Review and recommendations. Cooperative Research Report No. 209, International Council for the Exploration of the Sea: 65.
- Moberg, G.P. 1987. Influence of the adrenal axis upon the gonads. Pages 456-496 in J. Clarke, ed. Oxford Reviews in Reproductive Biology. Oxford University Press, New York, New York.
- Mullin, K.D. and G.L. Fulling. 2003. Abundance and cetaceans in the southern U.S. Atlantic Ocean during summer 1998. *Fish. Bull.*, U.S. 101:603–613.
- NIOSH (National Institute for Occupational Safety and Health). 1998. Criteria for a Recommended Standard: Occupational Noise Exposure. United States Department of Health and Human Services, Cincinnati, OH.
- NMFS (National Marine Fisheries Service). 2017. North Atlantic right whale (*Eubalaena glacialis*) 5-year review: summary and evaluation. Gloucester, MA.
- NMFS (National Marine Fisheries Service). 2018. 2018 revision to: Technical guidance for assessing the effects of anthropogenic sound on marine mammal hearing (Version 2.0). NOAA Technical Memorandum NMFS-OPR-59, National Marine Fisheries Service: 178.
- NMFS (National Marine Fisheries Service). 2022c. NOAA right whale sighting advisory system. <https://apps-nefsc.fisheries.noaa.gov/psb/surveys/MapperiframeWithText.html>.
- NOAA (National Oceanic and Atmospheric Administration) Fisheries. 2022a. Species directory: Cuvier's beaked whale. Accessed on 14 October 2022 at: <https://www.fisheries.noaa.gov/species/cuiviers-beaked-whale>.
- NOAA (National Oceanic and Atmospheric Administration) Fisheries. 2022b. 2022 Pinniped unusual mortality event along the Maine coast. Accessed on 19 October 2022 at: <https://www.fisheries.noaa.gov/2022-pinniped-unusual-mortality-event-along-maine-coast>.
- Normandeau-APEM. 2020. Ornithological and Marine Fauna Aerial Survey Results Kitty Hawk. Avangrid Renewables. Annual Report: January to December 2019. Kitty Hawk Wind, LLC.
- Nowacek, D.P., C.W. Clark, D. Mann, P.J.O. Miller, H.C. Rosenbaum, J.S. Golden, M. Jasny, J. Kraska and B.L. Southall. 2015. Marine seismic surveys and ocean noise: time for coordinated and prudent planning. *Front. Ecol. Environ.* 13:378–386.
- OBIS. 2021. Ocean Biodiversity Information System.

Pace, R.M., III, P.J. Corkeron and S.D. Kraus. 2017. State-space mark-recapture estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecol. and Evol.* 7: 8730–8741. DOI: 10.1002/ece3.3406.

Palka, D. L. 2006. Summer abundance estimates of cetaceans in US North Atlantic Navy Operating Areas. Northeast Fish. Sci. Cent. Ref. Doc. 06-03. 41 pp. <https://repository.library.noaa.gov/view/noaa/5258>.

Palka, D. L., S. Chavez-Rosales, E. Josephson, D. Cholewiak, H. L. Haas, L. Garrison, M. Jones, D. Sigourney, G. Waring, M. Jech, E. Broughton, M. Soldevilla, G. Davis, A. DeAngelis, C. R. Sasso, M. V. Winton, R. J. Smolowitz, G. Fay, E. LaBrecque, J. B. Leiness, Dettloff, M. Warden, K. Murray, and C. Orphanides. 2017. Atlantic Marine Assessment Program for Protected Species: 2010-2014. OCS Study BOEM 2017-071, Washington, D.C.

Payne, P.M. and D.W. Heinemann. 1993. The distribution of pilot whales (*Globicephala sp.*) in shelf/shelf edge and slope waters of the northeastern United States, 1978–1988. *Rep. Int. Whal. Comm.* (Special Issue) 14:5168.

Payne, P.M., L.A. Selzer and A.R. Knowlton. 1984. Distribution and density of cetaceans, marine turtles and seabirds in the shelf waters of the northeast U.S., June 1980–Dec. 1983, based on shipboard observations. Final report, contract NA81FAC00023. National Marine Fisheries Service, Woods Hole, Massachusetts. 245 pp.

Perrin, W.F., D.K. Caldwell, and M.C. Caldwell. 1994. Atlantic spotted dolphin. pp.173–190. In: S.H. Ridgway and R. Harrison (eds.). Handbook of marine mammals, Volume 5: The first book of dolphins. Academic Press, San Diego. 418 pp.

Quintana-Rizzo, E., S. Leiter, T.V.N. Cole, M.N. Hagbloom, A.R. Knowlton, P. Nagelkirk, O. O'Brien, C.B. Khan, A.G. Henry, P.A. Duley, L.M. Crowe, C.A. Mayo, and S.D. Kraus. 2021. Residency, demographics, and movement patterns of North Atlantic right whales *Eubalaena glacialis* in an offshore wind energy development area in southern New England, USA. *Endangered Species Research* 45: 251-268.

Record, N.R., J.A. Runge, D.E. Pendleton, W.M. Balch, K.T.A. Davies, A.J. Pershing, C.L. Johnson, K. Stamieszkin, R. Ji, Z. Feng, S.D. Kraus, R.D. Kenney, C.A. Hudak, C.A. Mayo, C. Chen, J.E. Salisbury and C.R.S. Thompson. 2019. Rapid climate-driven circulation changes threaten conservation of endangered North Atlantic right whales. *Oceanography*. 32(2): 162–169. <https://doi.org/10.5670/oceanog.2019.201>

Reichmuth, C. and M.M. Holt. 2013. Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural and Behavioral Physiology* 199(6): 491-507.

Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. Marine Mammals and Noise. Academic Press, Inc., San Diego, California.



Roberts, J. J. and P.N. Halpin. 2022. Habitat-based Marine Mammal Density Models for the U.S. Atlantic: Latest Versions. Marine Geospatial Ecology Laboratory/Duke University.

Roberts, J. J., B. D. Best, L. Mannocci, E. Fujioka, P. N. Halpin, D. L. Palka, L. P. Garrison, K. D. Mullin, T. V. N. Cole, C. B. Khan, W. A. McLellan, D. A. Pabst, and G. G. Lockhart. 2016. Habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico. *Scientific Reports* 6: 22615.

Rone, B.K. and R.M. Pace, III. 2012. A simple photograph-based approach for discriminating between free-ranging long-finned (*Globicephala melas*) and short-finned (*G. macrorhynchus*) pilot whales off the east coast of the United States. *Mar. Mamm. Sci.* 28(2): 254–275.

Salisbury, D., C.W. Clark, and A.N. Rice. 2016. Right whale occurrence in Virginia coastal waters: Implications of endangered species presence in a rapidly developing energy market. *Mar. Mamm. Sci.* 32: 508–519. DOI: 10.1111/mms.12276.

Selzer, L.A. and P.M. Payne. 1988. The distribution of white-sided (*Lagenorhynchus acutus*) and common dolphins (*Delphinus delphis*) vs. environmental features of the continental shelf of the northeastern United States. *Mar. Mamm. Sci.* 4: 141–153.

Seyle, H. 1950. Stress and the general adaptation syndrome. *British Medical Journal* June 17: 1383-1392.

Smith, T.D., J. Allen, P.J. Clapham, P.S. Hammond, S. Katona, F. Larsen, J. Lien, D. Mattila, P.J. Palsboll, J. Sigurjonsson, P.T. Stevick and N. Øien. 1999. An ocean-basin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). *Mar. Mamm. Sci.* 15: 1–32.

Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, et al. 2007. Marine mammal noise exposure criteria: initial scientific recommendations. *Aquatic Mammals* 33(4): 411-521.

Southall, B.L., J.J. Finneran, C. Reichmuth, P.E. Nachtigall, D.R. Ketten, A.E. Bowles, W.T. Ellison, D.P. Nowacek, and P.L. Tyack. 2019. Marine mammal noise exposure criteria: updated scientific recommendations for residual hearing effects. *Aquatic Mammals*, 45 (2): 135-232.

Southall, B.L., D.P. Nowacek, A.E. Bowles, V. Senigaglia, L. Bejder, and P.L. Tyack. 2021. Marine Mammal Noise Exposure Criteria: Assessing the Severity of Marine Mammal Behavioral Responses to Human Noise. *Aquatic Mammals* 47(5): 421-464. DOI 10.1578/AM.47.5.2021.421.

Stanistreet, J., D.P. Nowacek, S. Baumann-Pickering, J.T. Bell, D.M. Cholewiak, J.A. Hildebrand, L.E. Hodge, H.B. Moors-Murphy, S.M. Van Parijs and A.J. Read. 2017. Using passive acoustic monitoring to document the distribution of beaked whale species in the western North Atlantic Ocean. *Can. J. of Fish. & Aq. Sci.* 74: 2098–2109.

- Stevick, P.T., J. Allen, P.J. Clapham, N. Friday, S.K. Katona, F. Larsen, J. Lien, D.K. Mattila, P.J. Palsbll, J. Sigurjansson, T.D. Smith, N. Øien and P.S. Hammond. 2003. North Atlantic humpback whale abundance and rate of increase four decades after protection from whaling. *Mar. Ecol. Prog. Ser.* 258: 263–273.
- Stone, K.M., S.M. Leiter, R.D. Kenney, B.C. Wikgren, J.L. Thompson, J.K.D. Taylor and S.D. Kraus. 2017. Distribution and abundance of cetaceans in a wind energy development area offshore of Massachusetts and Rhode Island. *J. Coast. Conserv.* 21: 527–543.
- Swingle, W.M., S.G. Barco, T.D. Pitchford, W.A. McLellan and D.A. Pabst. 1993. Appearance of juvenile humpback whales feeding in the nearshore waters of Virginia. *Mar. Mamm. Sci.* 9:309–315.
- Tetra-Tech. 2022. Application to Request for the Harassment Authorization of Marine Mammals Incidental to Site Characterization of Lease Area OCS-A 0508.
- Thorne, L.H., H.J. Foley, R.W. Baird, D.L. Webster, Z.T. Swaim and A.J. Read. 2017. Movement and foraging behavior of short-finned pilot whales in the Mid-Atlantic Bight: Importance of bathymetric features and implications for management. *Mar. Ecol. Prog. Ser.* 584:245–257.
- Tove, M. 1995. Live sighting of Mesoplodon CF. M. Mirus, True’s Beaked Whale. *Mar. Mamm. Sci.* 11(1): 80-85.
- Urick, R.J. 1983. Principles of Underwater Sound. 3rd Edition, McGraw-Hill, New York.
- Ward, W.D. 1997. Effects of high-intensity sound. Pages 1497-1507 in M.J. Crocker, ed. Encyclopedia of Acoustics, Volume III. John Wiley & Sons, New York.
- Waring, G.T., C.P. Fairfield, C.M. Ruhsam and M. Sano 1992. Cetaceans associated with Gulf Stream features off the Northeastern USA Shelf. ICES [Int. Counc. Explor. Sea] C.M. 1992/N: 12.
- Waring, G.T., C.P. Fairfield, C.M. Ruhsam and M. Sano. 1993. Sperm whales associated with Gulf Stream features off the northeastern USA shelf. *Fish. Oceanogr.* 2: 101–105
- Waring, G.T., T. Hamazaki, D. Sheehan, G. Wood and S. Baker. 2001. Characterization of beaked whale (*Ziphiidae*) and sperm whale (*Physeter macrocephalus*) summer habitat in shelf-edge and deeper waters off the northeast U.S. *Mar. Mamm. Sci.* 17(4): 703–717.
- Waring, G.T., L. Nottestad, E. Olsen, H. Skov and G. Vikingsson. 2008a. Distribution and density estimates of cetaceans along the mid-Atlantic Ridge during summer 2004. *J. Cetacean Res. Manage.* 10:137–146.

- Waring, G.T., E. Josephson, C.P. Fairfield, and K. Maze-Foley (eds). 2008b. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments: 2008. NOAA Technical Memorandum NMFS-NE-210, 440 pp.
- Wartzok, D. and D.R. Ketten. 1999. Marine mammal sensory systems. Pages 117-175 in J.E. Reynolds and S.A. Rommel, eds. *Biology of Marine Mammals*. Smithsonian Institution Press, Washington.
- Wartzok, D., A.N. Popper, J. Gordon, and J. Merrill. 2003. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal* 37 (4): 6- 15.
- Weilgart, L.S. 2007. A brief review of known effects of noise on marine mammals. *International Journal of Comparative Psychology* 201 (2-3): 159-168.
- Wells, R.S., G.A. Early, J.G. Gannon, R.G. Lingenfelter and P. Sweeney. 2008. Tagging and tracking of rough-toothed dolphins (*Steno bredanensis*) from the March 2005 mass stranding in the Florida Keys. NOAA Tech. Memo. NMFS-SEFSC-574, 44 pp.
- West, K.L., J.G. Mead and W. White. 2011. *Steno bredanensis* (Cetacea: Delphinidae). *Mammalian Species* 43(886): 177–189.
- Whitehead, H., S. Brennan and D. Grover. 1991. Distribution and behavior of male sperm whales on the Scotian Shelf, Canada. *Can. J. Zool.* 70: 912-918.
- Whitt, A.D., K. Dudzinski and J.R. Laliberté. 2013. North Atlantic right whale distribution and seasonal occurrence in nearshore waters off New Jersey, USA, and implications for management. *Endanger. Species Res.* 20: 59-69.