

References for New Fortress Energy Louisiana FLNG LLC Proposed IHA

American National Standards Institute (ANSI). 1986. Methods of measurement for impulse noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.

American National Standards Institute (ANSI). 1995. Bioacoustical Terminology (ANSI S3 20-1995). Acoustical Society of America, Woodbury, NY.

Archer, F.I., S.L. Mesnick, and A.C. Allen. 2010. Variation and predictors of vessel response behavior in a tropical dolphin community. NOAA Technical Memorandum NMFS-SWFSC-457, National Marine Fisheries Service, 60 p.

Au, W.W.L. and M. Hastings. 2008. Principles of Marine Bioacoustics. Springer-Verlag, New York.

Bellmann M.A., J. Brinkmann, A. May, T. Wendt, S. Gerlach, and P. Remmers. 2020. Underwater noise during the impulse pile-driving procedure: Influencing factors on pile-driving noise and technical possibilities to comply with noise mitigation values. Supported by the Federal Ministry for the Environment, Nature Conservation and Nuclear Safety (Bundesministerium für Umwelt, Naturschutz und nukleare Sicherheit (BMU)), FKZ UM16 881500. Commissioned and managed by the Federal Maritime and Hydrographic Agency (Bundesamt für Seeschifffahrt und Hydrographie (BSH)), Order No. 10036866. Edited by the itap GmbH.

Blecha, F. 2000. Immune system response to stress. Pages 111-122 in G.P. Moberg & J.A. Mench, eds. The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare. CABI Publishing, Oxon, United Kingdom.

Casper, B.M., M.B. Halvorsen, F. Matthews, T.J. Carlson, and A.N. Popper. 2013. Recovery of barotrauma injuries resulting from exposure to pile driving sound in two sizes of hybrid striped bass. *PLoS ONE* 8 (9):e73844.

List of marine mammal species and subspecies. Society for Marine Mammalogy, www.marinemammalscience.org, consulted on 02/03/2023.

Croll, D.A., C.W. Clark, J. Calambokidis, W.T. Ellison, and B.R. Tershy. 2001. Effect of anthropogenic low-frequency noise on the foraging ecology of Balaenoptera whales. *Animal Conservation* 4(1):13-27.

Ellison, W.T., B. Southall, C.W. Clark, and A.S. Frankel. 2012. A new context-based Approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology* 26(1):21-28.

Everitt, R.D., C.H. Fiscus, and R.L. DeLong. 1980. Northern Puget Sound marine mammals. Interagency Energy/Environment R&D Program Report EPA-600/7-80-139, Prepared by National Marine Fisheries Service for Environmental Protection Agency 150p. Finneran, J.J.

2015. Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *Journal of the Acoustical Society of America* 138:1702-1726.

Fair, P.A. and P.R. Becker. 2000. Review of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery* 7 (4): 335-354.

Fay, R.R., A.N. Popper, and J.F. Webb. 2008. Introduction to fish bioacoustics. In: Webb, J.F., R.R. Fay, and A.N. Popper, eds. *Fish Bioacoustics. Springer Handbook of Auditory Research* 32:1-15. Fay R. R. 2009. Soundscapes and the sense of hearing of fishes. *Integrative Zoology* 4: 26–32.

Fewtrell, J. L., and R. D. McCauley. 2012. Impact of air gun noise on the behaviour of marine fish and squid. *Marine Pollution Bulletin* 64: 984-993.

Finneran, J. J., D. A. Carder, C. E. Schlundt, and R. L. Dear. 2010. Growth and recovery of temporary threshold shift at 3 kHz in bottlenose dolphins: Experimental data and mathematical models. *Journal of Acoustical Society of America* 127 (5): 3256–3266.

Finneran, J.J. 2015. Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *Journal of the Acoustical Society of America* 138 (3): 1702-1726. <https://doi.org/10.1121/1.4927418>.

Goldbogen, J. A., Friedlaender, A. S., Calambodkis, J., McKenna, M. F., Simon, M. and D.P Nowacek. 2013. Integrative approaches to the study of baleen whale diving behavior, feeding performance, and foraging ecology. *Bioscience* 63: 90–100.

Gomez, C., J. W. Lawson, A. J. Wright, A. D. Buren, D. Tollit, and V. Lesaged. 2016. A systematic review on the behavioural responses of wild marine mammals to noise: the disparity between science and policy. *Canadian Journal of Zoology* 94 (12): 801-819.

Halvorsen, M.B., D.G. Zeddies, W.T. Ellison, D.R. Chicoine, and A.N. Popper. 2012a. Effects of mid-frequency active sonar on hearing in fish. *Journal of the Acoustical Society of America* 131 (1): 599-607.

Halvorsen, M.B., B.M. Casper, C.M. Woodley, T.J. Carlson, and A.N. Popper. 2012b. Threshold for onset of injury in chinook salmon from exposure to impulsive pile driving sounds. *PLoS ONE* 7 (6): e38968. Hastings, M.C., and A.N. Popper. 2005. Effects of sound on fish. Technical report for Jones and Stokes to California Department of Transportation.

Hayes, S.A., E. Josephson, K. Maze-Foley, P.E. Rosel, and J. Wallace (eds). 2022. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments: 2021. NOAA Technical Memorandum NMFS-NE-271, National Marine Fisheries Service: 386.

Hemilä, S., S. Nummela, A. Berta, and T. Reuter. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints (L). *Journal of the Acoustical Society of America* 120(6):3463-3466.

- Holberton, R.L., B. Helmuth, and J.C. Wingfield. 1996. The corticosterone stress response in gentoo and king penguins during the non-fasting period. *Condor* 98 (4): 850-854.
- Hood, L.C., P.D. Boersma, and J.C. Wingfield. 1998. The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). *Auk* 115 (1): 76-84.
- Jessop, T.S., A.D. Tucker, C.J. Limpus, and J.M. Whittier. 2003. Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. *General and Comparative Endocrinology* 132 (1): 161-170.
- Jorgenson, J.K., and E.C. Gyselman. 2009. Hydro-acoustic measurements of the behavioral response of arctic riverine fishes to seismic airguns. *Journal of the Acoustical Society of America* 126 (3): 1598-1606.
- Kastelein, R. A., N. Jennings, W. C. Verboom, D. de Haan, and N. M. Schooneman. 2006. Differences in the response of a striped dolphin (*Stenella coeruleoalba*) and a harbor porpoise (*Phocoena phocoena*) to an acoustic alarm. *Marine Environmental Research* 61(3):363-378.
- Kastelein, R.A., P. Wensveen, L. Hoek, and J.M. Terhune. 2009. Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. *Journal of the Acoustical Society of America* 126(1):476-483.
- Kastelein, R.A., J. Schop, R. Gransier, and L. Hoek. 2014. Frequency of greatest temporary hearing threshold shift in harbor porpoise (*Phocoena phocoena*) depends on the noise level. *Journal of the Acoustical Society of America* 136:1410-1418.
- Kastelein, R. A., R. Gransier, J. Schop, and L. Hoek. 2015. Effects of exposure to intermittent and continuous 6–7 kHz sonar sweeps on harbor porpoise (*Phocoena phocoena*) hearing. *Journal of the Acoustical Society of America* 137 (4): 1623–1633.
- Kastelein, R. A., L. Helder-Hoek, S. Cornelisse, L. A. E. Huijser, and R. Gransier. 2019a. Temporary hearing threshold shift in harbor porpoises (*Phocoena phocoena*) due to one-sixth octave noise band at 32 kHz. *Aquatic Mammals* 45 (5): 549–562.
- Kastelein, R. A., L. Helder-Hoek, R. van Kester, R. Huisman, and R. Gransier. 2019b. Temporary hearing threshold shift in harbor porpoises (*Phocoena phocoena*) due to one-sixth octave noise band at 16 kHz. *Aquatic Mammals* 45 (3): 280–292.
- Kastelein, R. A., S. A. Cornelisse, L. A. Huijser, and L. Helder-Hoek. 2020a. Temporary hearing threshold shift in harbor porpoises (*Phocoena phocoena*) due to one-sixth-octave noise bands at 63 kHz. *Aquatic Mammals* 46 (2): 167–182.
- Kastelein, R. A., L. Helder-Hoek, S. A. Cornelisse, L. A. E. Huijser, and J. M. Terhune. 2020b. Temporary hearing threshold shift in harbor seals (*Phoca vitulina*) due to a one-sixth-octave noise band centered at 32 kHz. *Journal of the Acoustical Society of America* 147 (3).

- Koschinski, S., and K. Ludemann. 2020. Noise mitigation for the construction of increasingly large offshore wind turbines: Technical options for complying with noise limits. Report commissioned by the Federal Agency for Nature Conservation, Isle of Vilm, Germany.
- Krausman, P.R., L.K. Harris, C.L. Blasch, K.K.G. Koenen, and J. Francine. 2004. Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. *Wildlife Monographs* 157: 1-41.
- Lankford, S.E., T.E. Adams, R.A. Miller, and J.J. Cech. 2005. The cost of chronic stress: Impacts of a non-habituating stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology* 78: 599-609.
- Litz, Jenny; Aichinger Dias, Laura; Rappucci, Gina; Martinez, Anthony; Soldevilla, Melissa; Garrison, Lance; Mullin, Keith; Barry, Kevin; Foster, Marjorie (2022). Cetacean and sea turtle spatial density model outputs from visual observations using line-transect survey methods aboard NOAA vessel and aircraft platforms in the Gulf of Mexico from 2003-06-12 to 2019-07-31 (NCEI Accession 0256800). NOAA National Centers for Environmental Information. Dataset. <https://doi.org/10.25921/efv4-9z56>. Accessed 02/03/2023.
- Lusseau, D. and L. Bejder. 2007. The long-term consequences of short-term responses to disturbance experiences from whale watching impact assessment. *International Journal of Comparative Psychology* 201(2-3):228-236.
- Madsen, P.T., M. Johnson, P.J.O. Miller, N.A. Soto, J. Lynch, and P. Tyack. 2006. Quantitative measures of air-gun pulses recorded on sperm whales (*Physeter macrocephalus*) using acoustic tags during controlled exposure experiments. *Journal of the Acoustical Society of America* 120(4):2366-2379.
- Maze-Foley, K., and K.D. Mullin. 2006. Cetaceans of the oceanic northern Gulf of Mexico: Distributions, group sizes and interspecific associations. *Journal of Cetacean Research and Management* 8(2):203–213.
- Melcón, M. L., A. J. Cummins, S. M. Kerosky, L. K. Roche, S. M. Wiggins, and J. A. Hildebrand. 2012. Blue whales respond to anthropogenic noise. *PLoS ONE* 7 (2): 1-6.
- Mitson, R.B. 1995. Underwater noise of research vessels: review and recommendations. *ICES Cooperative Research Reports (CRR)*.
- Moberg, G.P. 1987. Influence of the adrenal axis upon the gonads. Pages 456-496 in J. Clarke, ed. Oxford Reviews in *Reproductive Biology*. Oxford University Press, New York, New York.
- Moberg, G.P. 2000. Biological response to stress: Implications for animal welfare. Pages 1-21 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.

- Mooney, T. A., P. E. Nachtigall, and S. Vlachos. 2009. Sonar-induced temporary hearing loss in dolphins. *Biology Letters* 5 (4): 565–567.
- National Marine Fisheries Service (NMFS). 2005. Endangered fish and wildlife: Notice of intent to prepare an environmental impact statement. Federal Register 70(7): 1871-1875.
- National Marine Fisheries Service (NMFS). 2018. 2018 Revisions to: Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing (Version 2.0): Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. U.S. Department of Commerce, NOAA. NOAA Technical Memorandum NMFS-OPR-59, 169 p.
- National Marine Fisheries Service (NMFS). 2022. Biologically Important Areas Mapper. From Cetacean & Sound Mapping. Accessed at <https://cetsound.noaa.gov/biologically-important-area-map> on 02/03/2023.
- National Institute for Occupational Safety and Health (NIOSH). 1998. Criteria for a recommended standard: Occupational noise exposure. United States Department of Health and Human Services, Cincinnati, OH.
- National Research Council (NRC). 2005. Marine mammal populations and ocean noise: Determining when noise causes biologically significant effects. National Academy of Sciences: 142.
- Nowacek, D.P., M.P. Johnson, and P.L. Tyack. 2004. North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London B: Biological Sciences* 271(1536):227-231.
- Nowacek, D.P., L.H. Thorne, D.W. Johnston, and P.L. Tyack. 2007. Responses of cetaceans to anthropogenic noise. *Mammal Review* 37 (2): 81-115.
- Paxton, A.B., J. C. Taylor, D.P. Nowacek, J. Dale, E. Cole, C.M. Voss, and C.H. Peterson. 2017. Seismic survey noise disrupted fish use of a temperate reef. *Marine Policy* 78: 68-73.
- Pearson, W.H., J.R. Skalski, and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on behavior of captive rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences* 49:1343-1356.
- Pena, H., N.O. Handegard, and E. Ona. 2013. Feeding herring schools do not react to seismic air gun surveys. *ICES Journal of Marine Science* 70 (6): 1174-1180.
- Popper, A.N., Smith, M.E., Cott, P.A., Hanna, B.W., MacGillivray, A.O., Austin, M.E., & Mann, D.A. 2005. Effects of exposure to seismic airgun use on hearing of three fish species. *The Journal of the Acoustical Society of America* 117(6), 3958-3971.
- Popper, A.N. and M.C. Hastings. 2009. The effects of anthropogenic sources of sound on fishes. *Journal of Fish Biology* 75 (3):455-489.

- Reichmuth, C. and M.M. Holt. 2013. Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural and Behavioral Physiology* 199(6):491-507.
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. *Marine Mammals and Noise*. Academic Press, Inc., San Diego, CA.
- Roberts, J.J., B.D. Best, L. Mannocci, E. Fujioka, P.N. Halpin, D.L. Palka, L.P. Garrison, K.D. Mullin, T.V.N. Cole, C.B. Khan, W.A. McLellan, D.A. Pabst and G.G. Lockhart. 2016. Habitat based cetacean density models for the US Atlantic and Gulf of Mexico. *Sci. Rep.* 6: 22615. DOI: 10.1038/srep22615.
- Rolland, R.M., S.E. Parks, K.E. Hunt, M. Castellote, P.J. Corkeron, D.P. Nowacek, et al. 2012. Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society of London Series B Biological Sciences* 279 (1737): 2363-2368.
- Romano, T.A., D.L. Felten, S.Y. Stevens, J.A. Olschowka, V. Quaranta, and S.H. Ridgway. 2002a. Immune response, stress, and environment: Implications for cetaceans. Pages 253-279 in C.J. Pfeiffer, ed. *Molecular and Cell Biology of Marine Mammals*. Krieger Publishing Co., Malabar, Florida.
- Romano, T., M. Keogh, and K. Danil. 2002b. Investigation of the effects of repeated chase and encirclement on the immune system of spotted dolphins (*Stenella attenuata*) in the eastern tropical Pacific. Administrative Report LJ-02-35C, National Marine Fisheries Service: 37.
- Romano, T.A., M.J. Keogh, C. Kelly, P. Feng, L. Berk, C.R. Schlundt, et al. 2004. Anthropogenic sound and marine mammal health: Measures of the nervous and immune systems before and after intense sound exposure. *Canadian Journal of Fisheries and Aquatic Sciences* 61:1124-1134. Romano et al 2004
- Santulli, A., A. Modica C. Messina , L. Ceffa , A. Curatolo , G. Rivas, G. Fabi and V. D'Amelio. 1999. Biochemical Responses of European Sea Bass (*Dicentrarchus labrax L.*) to the Stress Induced by Off Shore Experimental Seismic Prospecting. *Marine Pollution Bulletin* 38(12): 1105-1114.
- Scholik, A.R. and H.Y. Yan. 2001. The effects of underwater noise on auditory sensitivity of fish. *Proceedings of the Institute of Acoustics* 23(4):27.
- Seyle, H. 1950. Stress and the general adaptation syndrome. *British Medical Journal* June 17: 1383-1392.
- Sivle, L. D., P. J. Wensveen, P. H. Kvadsheim, F. P. A. Lam, F. Visser, C. Curé, C. M. Harris, P. L. Tyack, and P. J. O. Miller. 2016. Naval sonar disrupts foraging in humpback whales. *Marine Ecology Progress Series* 562: 211–220.

- Skalski, J.R., W.H. Pearson, and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on catch-per-unit-effort in a hook-and-line fishery for rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences* 49(7):1357-1365.
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, et al. 2007. Marine mammal noise exposure criteria: initial scientific recommendations. *Aquatic Mammals* 33(4):411-521.
- Southall, B.L., J.J. Finneran, C. Reichmuth, P.E. Nachtigall, D.R. Ketten, A.E. Bowles, W.T. Ellison, D.P. Nowacek, and P.L. Tyack. 2019. Marine mammal noise exposure criteria: updated scientific recommendations for residual hearing effects. *Aquatic Mammals* 45 (2): 135-232.
- Southall, B.L., D.P. Nowacek, A.E. Bowles, V. Seningaglia, L. Bejder, and P.L. Tyack. 2021. Marine mammal noise exposure criteria: Assessing the severity of marine mammal behavioral responses to human noise. *Aquatic Mammals* 47 (5): 421-464. DOI 10.1578/AM.47.5.2021.421.
- Urick, R.J. 1983. Principles of Underwater Sound. 3rd Edition, McGraw-Hill, New York.
- Ward, W.D. 1997. Effects of high-intensity sound. Pages 1497-1507 in M.J. Crocker, ed. Encyclopedia of Acoustics, Volume III. John Wiley & Sons, New York.
- Wardle, C.S., T.J. Carter, G.G. Urquhart, A.D.F. Johnstone, A.M. Ziolkowski, G. Hampson, and D. Mackie. 2001. Effects of seismic air guns on marine fish. *Continental Shelf Research* 21: 1005-1027.
- Waring, G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2010. U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessments – 2010. NOAA Technical Memorandum NOAA-NE-219. Available online at: <https://repository.library.noaa.gov/view/noaa/3831>. Accessed December 10, 2020.
- Waring, G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel. 2013. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments – 2012. NOAA Technical Memorandum NMFS-NE-223. 419 pp.
- Wartzok, D., and D.R. Ketten. 1999. Marine mammal sensory systems. Biology of marine mammals, 1, 117—15. 175. pp 117-175. In J.E. Reynolds II & S.A. Rommel (Eds.), Washington, DC: Smithsonian Institution Press.
- Wartzok D., A.N. Popper, J. Gordon J., and J.J. Merrill. 2004. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal* 37:6-15.
- Weilgart, L.S. 2007. A brief review of known effects of noise on marine mammals. *International Journal of Comparative Psychology* 201(2-3):159-168.
- Wensveen, P.J., P.H. Kvasdheim, F.P.A. Lam, A.M. Von Benda-Beckmann, L.D. Sivle, F. Visser, C. Curé, P. Tyack, and P.J.O. Miller. 2017. Lack of behavioural responses of humpback

whales (*Megaptera novaeangliae*) indicate limited effectiveness of sonar mitigation. *The Journal of Experimental Biology* 220: 1-12.

Würsig, B. 2017. Marine Mammals of the Gulf of Mexico. In: *Habitats and Biota of the Gulf of Mexico: Before the Deepwater Horizon Oil Spill*, Volume 2, C. Ward (ed.), 1489–1587. New York, NY: Springer. https://doi.org/10.1007/978-1-4939-3456-0_5.

Yazvenko, S.B., T.L. McDonald, S.A. Blokhin, S.R. Johnson, H.R. Melton, M.W. Newcomer, et al. 2007. Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment* 134(1-3):93-106.

Zelick, R., and D.A. Mann. 1999. Acoustic communication in fishes and frogs. In: Fay, R.R. and A.N. Popper, eds. *Comparative hearing: Fishes and amphibians*. Springer-Verlag, New York.