

Attentive Energy, LLC– Proposed Site Characterization Surveys (HRG) 2023

References

- ANSI (American National Standards Institute). 1986. Methods of measurement for impulse noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.
- ANSI (American National Standards Institute). 2013. Acoustic Terminology (ANSI S1.1-2013). New York: Acoustical Society of America.
- ANSI. 1995. Bioacoustical Terminology (ANSI S3.20-1995). Acoustical Society of America, Woodbury, NY.
- Au, W. W. and Hastings, M. C. 2008. Principles of marine bioacoustics (Vol. 510). New York: Springer.
- Barco, S.G., W.A. McLellan, J.M. Allen, R.A. Asmutis-Silvia, R. Mallon-Day, E.M. Meagher, D.A. Pabst, J. Robbins, R.E. Seton, W.M. Swingle, M.T. Weinrich and P.J. Clapham. 2002. Population identity of humpback whales (*Megaptera novaeangliae*) in the waters of the U.S. Mid-Atlantic states. *J. Cetacean Res. Manage.* 4(2): 135-141.
- Bettridge, S., C.S. Baker, J. Barlow, P.J. Clapham, M. Ford, D. Gouveia, et al. 2015. Status review of the humpback whale (*Megaptera novaeangliae*) under the Endangered Species Act. NOAA Technical Memorandum NMFS-SWFSC-540, National Marine Fisheries Service: 263.
- Blecha, F. 2000. Immune system response to stress. Pages 111-122 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.
- Bonnell, M.L., M.O. Pierson, and G.D. Farrens. 1983. Pinnipeds and sea otters of central and northern California, 1980-1983: Status, abundance and distribution. Prepared by Center for Marine Studies, University of California for Minerals Management Service: 220.
- Brueggeman, J.J., G.A. Green, R.A. Grotfendt, and D.G. Chapman. 1987. Aerial surveys of endangered cetaceans and other marine mammals in the northwestern Gulf of Alaska and southeastern Bering Sea. NOAA/OCSEAP Environmental Assessment of the Alaskan Continental Shelf. Final Reports of Principal Investigators, 61, pp.1-124.
- Burns, J.J., 2009. Arctic marine mammals. *Encyclopedia of Marine Mammals*. Second edition. Academic Press, San Diego, pp.48-54.
- Cetacean and Turtle Assessment Program [CETAP]. 1982. A characterization of marine mammals and turtles in the mid- and North Atlantic areas of the U.S. outer continental shelf. Kingston, Rhode Island: University of Rhode Island, Sponsored by the U.S. Department of the Interior, Bureau of Land Management. Contract #AA552-CT8-48. 576 pp.
- Christal, J., H. Whitehead, and E. Lettevall. 1998. Sperm whale social units: variation and change. *Canadian Journal of Zoology*, 76(8), pp.1431-1440.

- Crocker, S.E. and F.D. Fratantonio. 2016. Characteristics of sounds emitted during high resolution marine geophysical surveys. NUWC-NPT Technical Report 12,203, Naval Undersea Warfare Center Division: 265.
- Curtice, C., J. Cleary, E. Shumchenia, and P. Halpin. 2018. Marine-life data and analysis team (mdat) technical report on the methods and development of marine-life data to support regional ocean planning and management. Prepared by the Duke University Marine Geospatial Ecology Lab for the Marine-life Data and Analysis Team (MDAT). Available at: <http://seamap.env.duke.edu/models/MDAT/MDAT-Technical-Report.pdf>. Accessed September 11, 2018.
- Davis, G.E., M.F. Baumgartner, J.M. Bonnell, J. Bell, C. Berchok, J.B. Thornton, S. Brault, G. Buchanan, R.A. Charif, D. Cholewiak, and C.W. Clark. 2017. Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. *Scientific reports*, 7(1), pp.1-12.
- Ellison, W.T., B.L. Southall, C.W. Clark, and A.S. Frankel. 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology* 26 (1):21-28.
- Estabrook, B. J., K. B. Hodge, D. P. Salisbury, D. Ponirakis, D. V. Harris, J. M. Zeh, S. E. Parks, A. N. Rice. 2020. Year-2 Annual Survey Report for New York Bight Whale Monitoring Passive Acoustic Surveys October 2018- October 2019. Contract C009925. New York State Department of Environmental Conservation. East Setauket, NY.
- Estabrook, B. J., K. B. Hodge, D. P. Salisbury, A. Rahaman, D. Ponirakis, D. V. Harris, J. M. Zeh, S. E. Parks and A. N. Rice. 2021. Final Report for New York Bight Whale Monitoring Passive Acoustic Surveys October 2017- October 2020. Contract C009925. New York State Department of Environmental Conservation. East Setauket, NY.
- Finneran, J.J. 2015. Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *Journal of the Acoustical Society of America* 138 (3):1702-1726.
- Greene, C.R. and W.J. Richardson. 1988. Characteristics of marine seismic survey sounds in the Beaufort Sea. *Journal of the Acoustical Society of America* 83 (6):2246-2254.
- Gowans, S. and H. Whitehead. 1995. Distribution and habitat partitioning by small odontocetes in the Gully, a submarine canyon on the Scotian Shelf. *Can. J. Zool.* 73: 1599–1608.
- Hamazaki, T. 2002. Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic Ocean (from Cape Hatteras, North Carolina, USA. to Nova Scotia, Canada). *Marine Mammal Science* 18:920-939. doi: 10.1111/j.1748-7692.2002.tb01082.X
- Harris, C.M. (ed.). 1998. Handbook of acoustical measurements and noise control. Acoustical Society of America, Woodbury, NY.
- Hastings, M.C. and A.N. Popper. 2005. Effects of sound on fish. Prepared by Jones & Stokes for the California Department of Transportation: 82.

- Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2018. US Atlantic and Gulf of Mexico marine mammal stock assessments - 2017. NOAA Technical Memorandum NMFS-NE-245. Available at: <https://repository.library.noaa.gov/view/noaa/22730>
- Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2019. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2018. NOAA Technical Memorandum NMFS-NE-258. Available at: <https://repository.library.noaa.gov/view/noaa/20611>
- Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2020. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2019. NOAA Technical Memorandum NMFS-NE-264. Available at: <https://repository.library.noaa.gov/view/noaa/47708>
- Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2021. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2020. NOAA Technical Memorandum NMFS-NE-271. Available at: <https://repository.library.noaa.gov/view/noaa/32072>
- Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2022. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2021. NOAA Technical Memorandum NMFS-NE-288. Available at: <https://repository.library.noaa.gov/view/noaa/45014>
- Hayes, S.A., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2023. Draft U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2022. NOAA Technical Memorandum. Available at: https://www.fisheries.noaa.gov/s3/2023-01/Draft%202022%20Atlantic%20SARs_final.pdf
- Hemila, S., S. Nummela, A. Berta, and T. Reuter. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints. Journal of the Acoustical Society of America 120 (6):3463-3466.
- Jensen, A.S. and G.K. Silber. 2004. Large whale ship strike database. NOAA Technical Memorandum NMFS-OPR-25, National Marine Fisheries Service: 37.
- Kastelein, R.A., P. Wensveen, L. Hoek, and J.M. Terhune. 2009. Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. Journal of the Acoustical Society of America 126 (1):476-483.
- King, C.D., E. Chou, M.L. Rekdahl, S.G. Trabue, and H.C. Rosenbaum. 2021. Baleen whale distribution, behaviour and overlap with anthropogenic activity in coastal regions of the New York Bight. Marine Biology Research, pp.1-21.
- Kraus, S.D., Kenney, R.D., Mayo, C.A., McLellan, W.A., Moore, M.J., Nowacek, D.P. 2016. Recent scientific publications cast doubt on North Atlantic right whale future. Frontiers in Marine Science 3(137):1-3. doi: 10.3389/fmars.2016.00137
- Kremser, U., P. Klemm, and W.D. Kötz. 2005. Estimating the risk of temporary acoustic threshold shift, caused by hydroacoustic devices, in whales in the Southern Ocean. Antarctic Science 17(1):3-10.
- LaBrecque, E., C. Curtice, J. Harrison, S.M. Van Parijs, and P.N. Halpin. 2015. 2. Biologically important areas for cetaceans within us waters-east coast region. *Aquatic*

Mammals, 41(1), p.17.Au, W.W.L. and M.C. Hastings. 2008. Principles of Marine Bioacoustics. Springer, New York.

Mitson, R.B (ed.). 1995. Underwater noise of research vessels: review and recommendations. Cooperative Research Report No. 209, International Council for the Exploration of the Sea: 65.

Moberg, G.P. 1987. Influence of the adrenal axis upon the gonads. Pages 456-496 in J. Clarke, ed. Oxford Reviews in Reproductive Biology. Oxford University Press, New York, New York.

Moberg, G.P. 2000. Biological response to stress: Implications for animal welfare. Pages 1-21 in G.P. Moberg and J.A. Mench, eds. The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare. CABI Publishing, Oxon, United Kingdom. NIOSH (National Institute for Occupational Safety and Health). 1998. Criteria for a Recommended Standard: Occupational Noise Exposure. United States Department of Health and Human Services, Cincinnati, OH.

NIOSH (National Institute for Occupational Safety and Health).1998. Criteria for a Recommended Exposure Limit: Noise. (Report 98-126).Available: <http://www.cdc.gov/niosh/docs/98-126/pdfs/98-126.pdf> [accessed 16 November 2013].

NMFS (National Marine Fisheries Service). 2015. Endangered and threatened marine species under NMFS' jurisdiction [Internet]. Available: <http://www.nmfs.noaa.gov/pr/species/esa/listed.htm>

NMFS (National Marine Fisheries Service). 2018. 2018 revision to: Technical guidance for assessing the effects of anthropogenic sound on marine mammal hearing (Version 2.0). NOAA Technical Memorandum NMFS-OPR-59, National Marine Fisheries Service: 178.

NMFS (National Marine Fisheries Service). 2020. Interim recommendations for sound source level and propagation analysis for high resolution geophysical (HRG) sources. National Marine Fisheries Service, Office of Protected Resources. 2 April 2020. 5 pp.

NOAA GARFO (NOAA Greater Atlantic Regional Fisheries Office). 2021. Programmatic Consultation pursuant to section 7 of the Endangered Species Act (ESA) of 1973, concerning the effects of the certain site assessment and site characterization activities to be carried out to support the siting of offshore wind energy development projects off the U.S. Atlantic coast. Letter from Jennifer Anderson, Assistant Regional Administrator for Protected Resources, NOAA NMFS GARFO to James F. Bennett, Program Manager, Office of Renewable Energy Programs, U.S. Department of the Interior, Bureau of Ocean Energy Management. Published June 29, 2021 (revised September 2021).

Normandeau Associates, Inc. and APEM LTD. 2020. Digital aerial baseline survey of marine wildlife in support of offshore wind energy, Third Annual Report. Accessed at https://remote.normandeau.com/docs/NYSERDA_Overview_and_Summary.pdf on

October 19, 2021. The document can also be accessed through:
https://remote.normandeau.com/aer_docs.php?pj=6

- Northridge, S., M. Tasker, A. Webb, K. Camphuysen, and M. Leopold. 1997. White-beaked *Lagenorhynchus albirostris* and Atlantic white-sided dolphin *L. acutus* distributions in northwest European and US North Atlantic waters. Rep. int. Whal. Commn, 47, pp.797-805.
- Pace R.M., P.J. Corkeron, and S.D. Kraus. 2017. State space estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecol Evol* 7: 8730–8741.
- Palka, D.L., S. Chavez-Rosales, E. Josephson, D. Cholewiak, H.L. Haas, L. Garrison, M. Jones, D. Sigourney, G. Waring (retired), M. Jech, E. Broughton, M. Soldevilla, G. Davis, A. DeAngelis, C.R. Sasso, M.V. Winton, R.J. Smolowitz, G. Fay, E. LaBrecque, J.B. Leiness, Dettloff, M. Warden, K. Murray, and C. Orphanides. 2017. Atlantic marine assessment program for protected species: 2010-2014. US Dept. of the Interior, Bureau of Ocean Energy Management, Atlantic OCS Region, Washington, DC. OCS Study BOEM 2017-071. 211 pp.
- Palka, D., L. Aichinger Dias, E. Broughton, S. Chavez-Rosales, D. Cholewiak, G. Davis, A. DeAngelis, L. Garrison, H. Haas, J. Hatch, K. Hyde, M. Jech, E. Josephson, L. Mueller-Brennan, C. Orphanides, N. Pegg, C. Sasso, D. Sigourney, M. Soldevilla, H. Walsh. 2021. Atlantic marine assessment program for protected species: FY15 – FY19. Washington DC: US Department of the Interior, Bureau of Ocean Energy Management. OCS Study BOEM 2021-051. 330 p.
- Payne, M. and D. W. Heinemann. 1990. A distributional assessment of cetaceans in the shelf and shelf edge waters of the northeastern United States based on aerial and shipboard surveys, 1978-1988. Report to National Marine Fisheries Science Center, Woods Hole, Massachusetts.
- Reichmuth, C. 2013. Equal loudness contours and possible weighting functions for pinnipeds. *Journal of the Acoustical Society of America* 134: 4210.
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. Marine mammals and noise. Academic Press, Inc., San Diego, California.
- Rivier, C. 1995. Influence of immune signals on the hypothalamic-pituitary axis of the rodent. *Frontiers in neuroendocrinology*, 16(2), pp.151-182.
- Roberts, J.J., B.D. Best, L. Mannocci, E. Fujioka, P.N. Halpin, D.L. Palka, L.P. Garrison, K.D. Mullin, T.V.N. Cole, C.B. Khan, W.M. McLellan, D.A. Pabst, and G.G. Lockhart. 2016a. Habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico. *Scientific Reports* 6: 22615. doi: 10.1038/srep22615.
- Roberts, J.J., L. Mannocci, and P.N. Halpin. 2016b. Final project report: marine species density data gap assessments and update for the AFTT study area, 2015-2016 (base year). Document version 1.0. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC.

- Roberts, J.J., L. Mannocci, and P.N. Halpin. 2017. Final project report: marine species density data gap assessments and update for the AFTT study area, 2016-2017 (opt. Year 1). Document version 1.4. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC.
- Roberts, J.J., L. Mannocci, R.S. Schick, and P.N. Halpin. 2018. Final project report: marine species density data gap assessments and update for the AFTT study area, 2017-2018 (opt. Year 2). Document version 1.2. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC.
- Roberts, J.J., R.S. Schick, and P.N. Halpin. 2020. Final project report: marine species density data gap assessments and update for the AFTT study area, 2018-2020 (opt. Year 3). Document version 1.4. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC. 142 p
- Roberts, J.J., R.S. Schick, and P.N. Halpin. 2021. Marine species density data gap assessments and update for the AFTT study area, 2020 (opt. Year 4). Document version 1.0. Report prepared for Naval Facilities Engineering Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, NC.
- Romano, T.A., M.J. Keogh, C. Kelly, P. Feng, L. Berk, C.R. Schlundt, et al. 2004. Anthropogenic sound and marine mammal health: Measures of the nervous and immune systems before and after intense sound exposure. Canadian Journal of Fisheries and Aquatic Sciences 61:1124-1134.
- Sergeant, D.E., A.W. Mansfield, and B. Beck. 1970. Inshore records of cetacea for eastern Canada, 1949-68. J. Fish. Res. Board Can. 27: 1903-1915.
- Selzer, L.A. and P.M. Payne. 1988. The distribution of white-sided (*lagenorhynchus acutus*) and common dolphins (*delphinus delphis*) vs. Environmental features of the continental shelf of the northeastern united states. Marine Mammal Science, 4: 141-153.
doi:10.1111/J.1748-7692.1988.TB00194.X
- Seyle, H. 1950. Stress and the general adaptation syndrome. British Medical Journal June 17:1383-1392.
- Smith, T.D., J. Allen, P.J. Clapham, P.S. Hammond, S. Katona, F. Larsen, et al. 1999. An ocean basin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). Marine Mammal Science 15 (1):11689.
- Southall, B.L., D.P. Nowacek, A.E. Bowles, V. Senigaglia, L. Bejder, and P.L. Tyack. 2021. Marine mammal noise exposure criteria: assessing the severity of marine mammal behavioral responses to human noise. Aquatic Mammals, 47(5), 421-464.
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, et al. 2007. Marine mammal noise exposure criteria: Initial scientific recommendations. Aquatic Mammals 33 (4):411-521.

- Stevick, P.T., J. Allen, P.J. Clapham, N. Friday, S.K. Katona, F. Larsen, et al. 2003. North Atlantic humpback whale abundance and rate of increase four decades after protection from whaling. *Marine Ecology Progress Series* 258:263-273.
- Torres, L.G., P.E. Rosel, C. D'Agrosa, and A.J. Read. 2003. Improving management of overlapping bottlenose dolphin ecotypes through spatial analysis and genetics. *Marine Mammal Science*. 19(3): 502-514.
- Urick, R.J., 1975. A statistical model for the fluctuation of sound transmission in the sea (No. NSWC/WOL/TR-75-18). Naval Surface Weapons Center, White Oak Lab, Silver Spring, MD.
- Ward, W.D. 1997. Effects of high-intensity sound. Pages 1497-1507 in M.J. Crocker, ed. *Encyclopedia of Acoustics, Volume III*. John Wiley & Sons, New York.
- Waring, G.T., E. Josephson, C.P. Fairfield, and K. Maze-Foley (eds.). 2007a. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2006. NOAA Technical Memorandum NMFS-NE-201. Available at: <https://repository.library.noaa.gov/view/noaa/3532>
- Waring, G.T., E. Josephson, C.P. Fairfield-Walsh, and K. Maze-Foley (eds.). 2007b. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2007. NOAA Technical Memorandum NMFS-NE-205. Available at: <https://repository.library.noaa.gov/view/noaa/3567>
- Waring G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2014. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2013. NOAA Technical Memorandum NMFS-NE-228. Available at: <https://repository.library.noaa.gov/view/noaa/4757>
- Waring, G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2015. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2014. NOAA Technical Memorandum NMFS-NE-231 Available at: <https://repository.library.noaa.gov/view/noaa/5043>
- Waring, G.T., E. Josephson, K. Maze-Foley, and P.E. Rosel (eds.). 2016. U.S. Atlantic and Gulf of Mexico marine mammal stock assessments - 2015. NOAA Technical Memorandum NMFS-NE-238. Available at: <https://repository.library.noaa.gov/view/noaa/11985>
- Wartzok, D. and D.R. Ketten. 1999. Marine mammal sensory systems. Pages 117-175 in J.E. Reynolds and S.A. Rommel, eds. *Biology of Marine Mammals*. Smithsonian Institution Press, Washington.
- Westgate, A.J. and A.J. Read. 1998. Applications of new technology to the conservation of porpoises. *Marine Technology Society Journal*, 32(1), p.70.
- Whitehead, H. 2002. Estimates of the current global population size and historical trajectory for sperm whales. *Marine Ecology Progress Series*, 242, pp.295-304.