

References: Skagway Redevelopment Project

- Ahroon, W.A., Hamernik, R.P. and Lei, S.F., 1996. The effects of reverberant blast waves on the auditory system. *The Journal of the Acoustical Society of America*, 100(4), pp.2247-2257.
- Alaska Fisheries Science Center. 2022. Steller sea lion haulout and rookery locations in the United States. Accessed on June 20, 2022, at <https://www.fisheries.noaa.gov/inport/item/17921>.
- Allen, B.M. and Angliss, R.P., 2015. Alaska marine mammal stock assessments, 2014.
- American National Standards Institute (ANSI). 2013. Acoustic Terminology (ANSI S1.1-2013). New York: Acoustical Society of America.
- ANSI. 2005. Measurement of Sound Pressure Levels in Air (ANSI S1.13-2005). Acoustical Society of America, Woodbury, NY.
- ANSI. 1995. Bioacoustical Terminology (ANSI S3.20-1995). Acoustical Society of America, Woodbury, NY.
- ANSI. 1986. Methods of Measurement for Impulse Noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.
- Archer, F.I., S.L. Mesnick, and A.C. Allen. 2010. Variation and predictors of vessel response behavior in a tropical dolphin community. NOAA Technical Memorandum NMFSSWFSC-457, National Marine Fisheries Service, 60 p.2
- Au, W.W. and Hastings, M.C., 2008. *Principles of marine bioacoustics* (Vol. 510). New York: Springer.
- Bettridge, S., C. S. Baker, J. Barlow, P. J. Clapham, M. Ford, D. Gouveia, D. K. Mattila, R. M. Pace, III, P. E. Rosel, G. K. Silber, P. R. Wade. 2015. Status review of the humpback whale (*Megaptera novaeangliae*) under the Endangered Species Act. U.S. Dep. Commerce, NOAA Tech. Memo. NMFS-SWFSC-540, 263 p.
- Blecha, F., 2000. Immune system response to stress. In *The biology of animal stress: basic principles and implications for animal welfare*. (pp. 111-121). Wallingford UK: CABI Publishing.
- Calambokidis, J., Falcone, E. A., Quinn, T. J., Burdin, A. M., Clapham, P. J., Ford, J. K., ... & Wade, P. R. (2008). SPLASH: Structure of populations, levels of abundance and status of humpback whales in the North Pacific. *Final report for Contract AB133F-03-RP-00078*, 57.
- Carlson, T.J., D.A. Woodruff, G.E. Johnson, N.P. Kohn, G.R. Plosky, M.A. Weiland, J.A. Southard, and S.L. Southard. 2005. Hydroacoustic Measurements during Pile Driving at the Hood Canal Bridge, September through November. 2004. Prepared for Washington State Department of Transportation by Battelle Marine Sciences Laboratory, Sequim, Washington.
- Carretta, J.V., E.M. Oleson, K.A. Forney, M.M. Muto, D.W. Weller, A.R. Lang, J. Baker, B. Hanson, A.J. Orr, J. Barlow, J.E. Moore, and R.L. Brownell Jr. 2022. U.S. Pacific Marine

- Mammal Stock Assessments: 2021. U.S. Department of Commerce. National Oceanic and Administrative Association Technical Memorandum NMFS-SWFSC-663.
- Casper, B.M., Smith, M.E., Halvorsen, M.B., Sun, H., Carlson, T.J. and Popper, A.N., 2013. Effects of exposure to pile driving sounds on fish inner ear tissues. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 166(2), pp.352-360.
- Croll, D.A., Acevedo-Gutiérrez, A., Tershy, B.R. and Urbán-Ramírez, J., 2001. The diving behavior of blue and fin whales: is dive duration shorter than expected based on oxygen stores?. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 129(4), pp.797-809.
- Dahlheim, M.E., White, P.A. and Waite, J.M., 2009. Cetaceans of Southeast Alaska: distribution and seasonal occurrence. *Journal of Biogeography*, 36(3), pp.410-426.
- Ellison, W.T., Southall, B.L., Clark, C.W. and Frankel, A.S., 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology*, 26(1), pp.21-28.
- Everitt, R.D., C.H. Fiscus, and R.L. DeLong. 1980. Northern Puget Sound Marine Mammals. DOC/EPA Interagency Energy/ Environ. R&D Program. Doc. #EPA-6009/7-80-139, U.S. Environmental Protection Agency, Washington, D.C. 134 p.
- Fair, P.A. and Becker, P.R., 2000. Review of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery*, 7(4), pp.335-354.
- Fay, R., 2009. Soundscapes and the sense of hearing of fishes. *Integrative Zoology*, 4(1), pp.26-32.
- Fewtrell, J.L. and McCauley, R.D., 2012. Impact of air gun noise on the behaviour of marine fish and squid. *Marine pollution bulletin*, 64(5), pp.984-993.
- Finneran, J.J. 2015. Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *Journal of the Acoustical Society of America* 138 (3):1702- 1726.
- Finneran, J.J. and Schlundt, C.E., 2013. Effects of fatiguing tone frequency on temporary threshold shift in bottlenose dolphins (*Tursiops truncatus*). *The Journal of the Acoustical Society of America*, 133(3), pp.1819-1826.
- Finneran, J.J. and Schlundt, C.E., 2010. Frequency-dependent and longitudinal changes in noise-induced hearing loss in a bottlenose dolphin (*Tursiops truncatus*). *The Journal of the Acoustical Society of America*, 128(2), pp.567-570.
- Finneran, J.J., Schlundt, C.E., Dear, R., Carder, D.A. and Ridgway, S.H., 2002. Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *The Journal of the Acoustical Society of America*, 111(6), pp.2929-2940.
- Finneran, J.J., Schlundt, C.E., Carder, D.A., Clark, J.A., Young, J.A., Gaspin, J.B. and Ridgway, S.H., 2000. Auditory and behavioral responses of bottlenose dolphins (*Tursiops*

- truncatus) and a beluga whale (*Delphinapterus leucas*) to impulsive sounds resembling distant signatures of underwater explosions. *The Journal of the Acoustical Society of America*, 108(1), pp.417-431.
- Halvorsen, M.B., Casper, B.M., Matthews, F., Carlson, T.J. and Popper, A.N., 2012b. Effects of exposure to pile-driving sounds on the lake sturgeon, Nile tilapia and hogchoker. *Proceedings of the Royal Society B: Biological Sciences*, 279(1748), pp.4705-4714.
- Halvorsen, M.B., Zeddies, D.G., Ellison, W.T., Chicoine, D.R. and Popper, A.N., 2012a. Effects of mid-frequency active sonar on hearing in fish. *The Journal of the Acoustical Society of America*, 131(1), pp.599-607.
- Hastings, M.C. and Popper, A.N., 2005. *Effects of sound on fish* (No. CA05-0537). California Department of Transportation.
- Hemilä, S., Nummela, S., Berta, A. and Reuter, T., 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints. *The Journal of the Acoustical Society of America*, 120(6), pp.3463-3466.
- Henderson, M. and Bradey, S., 2008. Shaping online teaching practices: The influence of professional and academic identities. *Campus-Wide Information Systems*, 25(2), pp.85-92.
- Holberton, R.L., Helmuth, B. and Wingfield, J.C., 1996. The corticosterone stress response in gentoo and king penguins during the non-fasting period. *Condor*, pp.850-854.
- Hood, L.C., Boersma, P.D. and Wingfield, J.C., 1998. The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). *The Auk*, 115(1), pp.76-84.
- Jessop, T.S., Tucker, A.D., Limpus, C.J. and Whittier, J.M., 2003. Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. *General and comparative endocrinology*, 132(1), pp.161-170.
- Jorgenson, J.K. and Gyselman, E.C., 2009. Hydroacoustic measurements of the behavioral response of arctic riverine fishes to seismic airguns. *The Journal of the Acoustical Society of America*, 126(3), pp.1598-1606.
- Kastak, D., Mulsow, J., Ghaul, A. and Reichmuth, C., 2008. Noise-induced permanent threshold shift in a harbor seal. *The Journal of the Acoustical Society of America*, 123(5), pp.2986-2986.
- Kastelein, R. A., Helder-Hoek, L., Cornelisse, S. A., von Benda-Beckmann, A. M., Lam, F. P. A., de Jong, C. A., & Ketten, D. R. (2020a). Lack of reproducibility of temporary hearing threshold shifts in a harbor porpoise after exposure to repeated airgun sounds. *The Journal of the Acoustical Society of America*, 148(2), 556-565.
- Kastelein, R. A., Parlog, C., Helder-Hoek, L., Cornelisse, S. A., Huijser, L. A., & Terhune, J. M. (2020b). Temporary hearing threshold shift in harbor seals (*Phoca vitulina*) due to a one-sixth-octave noise band centered at 40 kHz. *The Journal of the Acoustical Society of America*, 147(3), 1966-1976.

- Kastelein, R.A., Helder-Hoek, L., Jennings, N., van Kester, R. and Huisman, R., 2019a. Reduction in Body Mass and Blubber Thickness of Harbor Porpoises (*Phocoena phocoena*) Due to Near-Fasting for 24 Hours in Four Seasons. *Aquatic mammals*, 45(1).
- Kastelein, R.A., Helder-Hoek, L., van Kester, R., Huisman, R. and Gransier, R., 2019b. Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth Octave Noise Band at 16 kHz. *Aquatic Mammals*, 45(3).
- Kastelein, R.A., Helder-Hoek, L., Gransier, R., Terhune, J.M., Jennings, N. and de Jong, C.A., 2015. Hearing thresholds of harbor seals (*Phoca vitulina*) for playbacks of seal scarer signals, and effects of the signals on behavior. *Hydrobiologia*, 756, pp.75-88.
- Kastelein, R.A., Schop, J., Gransier, R. and Hoek, L., 2014. Frequency of greatest temporary hearing threshold shift in harbor porpoises (*Phocoena phocoena*) depends on the noise level. *The Journal of the Acoustical Society of America*, 136(3), pp.1410-1418.
- Kastelein, R.A., Wensveen, P., Hoek, L., and Terhune, J.M. (2009). "Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz," *J. Acoust. Soc. Am.* 126, 476–483.
- Ketten, D.R., Simmons, J.A., Riquimaroux, H. and Simmons, A.M., 2021. Functional analyses of peripheral auditory system adaptations for echolocation in air vs. water. *Frontiers in Ecology and Evolution*, 9, p.661216.
- Krausman, P. R., L. K. Harris, C. L. Blasch, K. K. G. Koenen, and J. Francine. 2004. Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. *Wildlife Monographs*, 157, 1-41.
- Kryter, K.D., Ward, W.D., Miller, J.D. and Eldredge, D.H., 1966. Hazardous exposure to intermittent and steady-state noise. *The Journal of the Acoustical Society of America*, 39(3), pp.451-464.
- Lankford, S.E., Adams, T.E., Miller, R.A. and Cech Jr, J.J., 2005. The cost of chronic stress: impacts of a nonhabituating stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology*, 78(4), pp.599-609.
- Lusseau, D. and Bejder, L., 2007. The long-term consequences of short-term responses to disturbance experiences from whalewatching impact assessment. *International Journal of Comparative Psychology*, 20(2).
- Madsen, P.T., Wahlberg, M., Tougaard, J., Lucke, K. and Tyack, P., 2006. Wind turbine underwater noise and marine mammals: implications of current knowledge and data needs. *Marine ecology progress series*, 309, pp.279-295.
- Miller, J.D. 1974. Effects of noise on people. *Journal of the Acoustical Society of America* 56:729-764
- Moberg, Gary P. "Biological response to stress: implications for animal welfare." 2000. In *The biology of animal stress: Basic principles and implications for animal welfare.*, pp. 1-21. Wallingford UK: CABI publishing, 2000.
- Moberg, G.P., 1987. A model for assessing the impact of behavioral stress on domestic animals. *Journal of Animal Science*, 65(5), pp.1228-1235.
- Mooney, T.A., Nachtigall, P.E.

- and Vlachos, S., 2009. Sonar-induced temporary hearing loss in dolphins. *Biology letters*, 5(4), pp.565-567.
- Mooney, T. A., Nachtigall, P. E., & Vlachos, S. (2009). Sonar-induced temporary hearing loss in dolphins. *Biology letters*, 5(4), 565-567.
- Muto M.M., V.T. Helker, B.J. Delean, N.C. Young, J.C. Freed, R.P. Angliss, N.A. Friday, P.L. Boveng, J.M. Breiwick, B.M. Brost, M.F. Cameron, P.J. Clapham, J.L. Crance, S.P. Dahle, M.E. Dahlheim, B.S. Fadely, M.C. Ferguson, L.W. Fritz, K.T. Goetz, R.C. Hobbs, Y.V. Ivashchenko, A.S. Kennedy, J.M. London, S.A. Mizroch, R.R. Ream, E.L. Richmond, K.E.W. Shelden, K.L. Sweeney, R.G. Towell, P.R. Wade, J.M. Waite, and A.N. Zerbini. 2022. Alaska marine mammal stock assessments, 2021. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-AFSC-441, 295 p.
- Nachtigall, P.E., Supin, A.Y., Pacini, A.F. and Kastelein, R.A., 2018. Four odontocete species change hearing levels when warned of impending loud sound. *Integrative zoology*, 13(2), pp.160-165.
- National Institute for Occupational Safety and Health, NIOSH (1998) Criteria for a recommended standard. Occupational exposure to noise. Revised Criteria. Cincinnati: USDHHS, PHS, CDC, NIOSH, publication no.98-126.
- NMFS. 2019. White Pass & Yukon Route Railroad Dock Dolphin Installation Monitoring Report.
- NMFS. 2018. 2018 Revision to: Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing (Version 2.0): Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. U.S. Dept. of Commer., NOAA Technical Memorandum NMFS-OPR-59, 167 p.
- National Research Council (NRC). 2005. Marine mammal populations and ocean noise: Determining when noise causes biologically significant effects. National Academy of Sciences: 142.
- National Research Council. (2003). *Ocean Noise and Marine Mammals*. Washington, DC: National Academies Press.
- Nedwell, J. and Edwards, B., 2002. Measurements of underwater noise in the Arun River during piling at County Wharf, Littlehampton. *Report by Subacoustech, Ltd. to David Wilson Homes Ltd.*
- Nowacek, D.P., Johnson, M.P. and Tyack, P.L., 2004. North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 271(1536), pp.227-231.
- Oestman, R., D. Buehler, J. Reyff, and R. Rodkin. 2009. Technical guidance for assessment and mitigation of the hydroacoustic effects of pile driving on fish. Prepared by ICF Jones & Stokes and Illingworth & Rodkin, Inc. for the California Department of Transportation: 298.

- Paxton, A. B., Taylor, J. C., Nowacek, D. P., Dale, J., Cole, E., Voss, C. M., & Peterson, C. H. (2017). Seismic survey noise disrupted fish use of a temperate reef. *Marine Policy*, 78, 68-73.
- Pearson, W.H., J.R. Salski, and C.I. Malme.1992. Effects of sounds from geophysical survey devices on behavior of captive rockfish. *Canadian Journal of Fisheries and Aquatic Sciences* 49: 1343-1356.
- Pena, H., N.O., Handegard, and E. Ona. 2013. Feeding herring schools do not react to seismic air gun surveys. *ICES Journal of Marine Science* 70: 1174–1180.
- Popper, A.N. and Hastings, M.C., 2009. The effects of anthropogenic sources of sound on fishes. *Journal of fish biology*, 75(3), pp.455-489.
- Reichmuth, C., M.M. Holt, J. Mulsow, J.M. Sills, and B.L. Southall. 2013. Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A*. Vol. 199(6): 491-507. <https://doi.org/10.1007/s00359-013-0813-y>.
- Richardson, W. J., Greene, C. R. Jr, Malme, C. I., and Thomson, D. H. 1995. *Marine mammals and Noise*. Academic Press, San Diego, California. 576 pp
- Rolland, R.M., Parks, S.E., Hunt, K.E., Castellote, M., Corkeron, P.J., Nowacek, D.P., Wasser, S.K. and Kraus, S.D., 2012. Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society B: Biological Sciences*, 279(1737), pp.2363-2368.
- Romano, T.A., M.J. Keogh, C. Kelly, P. Feng, L. Berk, C.R. Schlundt, et al. 2004. Anthropogenic sound and marine mammal health: Measures of the nervous and immune systems before and after intense sound exposure. *Canadian Journal of Fisheries and Aquatic Sciences* 61:1124-1134.
- Romano, T., M. Keogh, and K. Danil. (2002a). Investigation of the effects of repeated chase and encirclement on the immune system of spotted dolphins (*Stenella attenuata*) in the eastern tropical Pacific. Administrative Report LJ-02-35C, National Marine Fisheries Service: 37.
- Romano, T.A., Olschowka, J.A., Felten, S.Y., Quaranta, V., Ridgway, S.H. and Felten, D.L., 2002b. Immune response, stress, and environment: Implications for cetaceans. *Cell and Molecular Biology of Marine Mammals; CJ Pfeiffer, ed. Krieger Publishing Co., Inc.*
- Santulli, A., Modica, A., Messina, C., Ceffa, L., Curatolo, A., Rivas, G., Fabi, G. and D'amelio, V., 1999. Biochemical responses of European sea bass (*Dicentrarchus labrax* L.) to the stress induced by off shore experimental seismic prospecting. *Marine Pollution Bulletin*, 38(12), pp.1105-1114.
- Schlundt, C.E., Finneran, J.J., Carder, D.A. and Ridgway, S.H., 2000. Temporary shift in masked hearing thresholds of bottlenose dolphins, *Tursiops truncatus*, and white whales, *Delphinapterus leucas*, after exposure to intense tones. *The Journal of the Acoustical Society of America*, 107(6), pp.3496-3508.

- Scholik, A.R. and Yan, H.Y., 2002. Effects of boat engine noise on the auditory sensitivity of the fathead minnow, *Pimephales promelas*. *Environmental Biology of Fishes*, 63, pp.203-209.
- Scholik, A.R. and Yan, H.Y., 2001. The effects of underwater noise on auditory sensitivity of fish. *Proceedings of the Institute of Acoustics*, 23, pp.27-36.
- Seyle H (1950) Stress and the general adaptation syndrome. *J Brit Med* 1:1383–1392
- Skalski, J.R., Pearson, W.H. and Malme, C.I., 1992. Effects of sounds from a geophysical survey device on catch-per-unit-effort in a hook-and-line fishery for rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences*, 49(7), pp.1357-1365.
- Southall, B.L., Nowacek, D.P., Bowles, A.E., Senigaglia, V., Bejder, L. and Tyack, P.L., 2021. Marine mammal noise exposure criteria: assessing the severity of marine mammal behavioral responses to human noise. *Aquatic Mammals*, 47(5), pp.421-464.
- Southall, B.L., Finneran, J.J., Reichmuth, C., Nachtigall, P.E., Ketten, D.R., Bowles, A.E., Ellison, W.T., Nowacek, D.P. and Tyack, P.L., 2019. Marine mammal noise exposure criteria: Updated scientific recommendations for residual hearing effects. *Aquatic Mammals*, 45(2), pp.125-232.
- Southall, B., A. Bowles, W. Ellison, J. Finneran, R. Gentry, C. Greene, Jr., D. Kastak, D. Ketten, J. Miller, P. Nachtigall, W. Richardson, J. Thomas, and P. Tyack. 2007. Marine mammal noise exposure criteria: initial scientific recommendations. *Aquatic Mammals* 33:411-521.
- Thorson, P. and J.A. Reyff. 2006. San Francisco-Oakland Bay Bridge East Span Seismic Safety Project: marine mammal and acoustic monitoring for the marine foundations at piers E2 and T1, January-September 2006. Prepared by SRS Technologies and Illingworth & Rodkin, Inc. for the California Department of Transportation, 51 p.
- Wade, P. R., T. J. Quinn II, J. Barlow, C. S. Baker, A. M. Burdín, J. Calambokidis, P. J. Clapham, E. Falcone, J. K. B. Ford, C. M. Gabriele, R. Leduc, D. K. Mattila, L. Rojas-Bracho, J. Straley, B. L. Taylor, J. Urbán R., D. Weller, B. H. Witteveen, and M. Yamaguchi. 2016. Estimates of abundance and migratory destination for North Pacific humpback whales in both summer feeding areas and winter mating and calving areas. Paper SC/66b/IA21 submitted to the Scientific Committee of the International Whaling Commission, June 2016, Bled, Slovenia. Available at <https://archive.iwc.int/>.
- Ward, W. D. (1997). Effects of high intensity sound. In M. J. Crocker (Ed.) *Encyclopedia of acoustics*, (Volume III, pp. 1497–1507). New York: John Wiley & Sons.
- Ward, W.D., 1960. A comment on Kylin's monograph on temporary threshold shift. *Acta Oto-Laryngologica*, 52(1-6), pp.281-282.
- Ward, W. D., Glorig, A., and Sklar, D. L. (1958) "Dependence of Temporary Threshold Shift at 4 kc on Intensity and Time," *J. Acoust. Soc. Am.* 30, 944-954.
- Ward, W. D., Glorig, A., and Sklar, D. L. (1959) "Temporary Threshold shift from Octave-band Noise: Applications to Damage-risk Criteria," *J. Acoust. Soc. Am.* 31, 522-528.

- Wardle, C.S., Carter, T.J., Urquhart, G.G., Johnstone, A.D.F., Ziolkowski, A.M., Hampson, G. and Mackie, D., 2001. Effects of seismic air guns on marine fish. *Continental shelf research*, 21(8-10), pp.1005-1027.
- Wartzok, D., Poppper, A.N., Gordon, J. and Merrill, J., 2004. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal*, 37(4).
- Wartzok, D., A.N. Popper, J. Gordon, and J. Merrill. (2003). Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal*, 37(4), 6-15.
- Wartzok, D. and Ketten, D.R., 1999. Marine mammal sensory systems. *Biology of marine mammals*, 1, pp.117-175.
- Weilgart, L.S., 2007. The impacts of anthropogenic ocean noise on cetaceans and implications for management. *Canadian journal of zoology*, 85(11), pp.1091-1116.
- Yazvenko, S.B., McDonald, T.L., Blokhin, S.A., Johnson, S.R., Melton, H.R., Newcomer, M.W., Nielson, R. and Wainwright, P.W., 2007. Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134, pp.93-106.
- Zelick, R., Mann, D.A. and Popper, A.N., 1999. Acoustic communication in fishes and frogs. *Comparative hearing: fish and amphibians*, pp.363-411.