

References: United States Coast Guard Alaska Facilities

- ABR. 2016. Protected-Species Monitoring at the Kodiak Ferry Terminal & Dock Improvements Project, Kodiak, Alaska, 2015–2016.
- Ahroon, W.A., R.P. Hamernik, and S.-F., Lei. 1996. The effects of reverberant blast waves on the auditory system. *Journal of the Acoustical Society of America* 100:2247-2257.
- Alaska Fisheries Science Center (AFSC). 2021. Geospatial dataset describing observed haul-out locations used for coastal aerial surveys of harbor seals in Alaska. Accessed at: https://services2.arcgis.com/C8EMgrsFcRFL6LrL/arcgis/rest/services/pv_cst_haulout/FeatureServer
- American National Standards Institute (ANSI). 1986. Methods of measurement for impulse noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.
- American National Standards Institute (ANSI). 1995. Bioacoustical Terminology (ANSI S3.20-1995). Acoustical Society of America, Woodbury, NY.
- American National Standards Institute (ANSI). 2013. Performance and Calibration of Reference Sound Sources. Acoustical Society of America, Woodbury, NY.
- Antonelis, G. A., & Fiscus, C. H. (1980). The pinnipeds of the California Current. *CalCOFI Rep*, 21(11).
- Archer, F.I., S.L. Mesnick, and A.C. Allen. 2010. Variation and predictors of vessel response behavior in a tropical dolphin community. NOAA Technical Memorandum NMFS-SWFSC-457, National Marine Fisheries Service, 60 p.
- Au, W.W.L. and M. Hastings. 2008. Principles of Marine Bioacoustics. Springer-Verlag, New York.
- Baker, C. S., L. M. Herman, A. Perry, W. S. Lawton, J. M. Straley, A. A. Wolman, G. D. Kaufman, H. E. Winn, J. D. Hall, J. M. Reinke, and J. Ostman. 1986. Migratory movement and population structure of humpback whales (*Megaptera novaeangliae*) in the central and eastern North Pacific. *Mar. Ecol. Prog. Ser.* 31:105-119.
- Baker, J. et al. 1990. Influence of seasonal migration on geographic distribution of mitochondrial DNA haplotypes in humpback whales. *Nature* 344:238-240.
- Barlow, J. 1995. The abundance of cetaceans in California waters. Part I: Ship surveys in summer and fall of 1991. *Fish. Bull.* 93: 1-14.
- Barlow, J. 1997. Preliminary estimates of cetacean abundance off California, Oregon and Washington based on a 1996 ship survey and comparisons of passing and closing modes. Administrative Report LJ- 97-11. Southwest Fisheries Science Center, National Marine Fisheries Service, P.O. Box 271, La Jolla, CA 92038. 25p.
- Barlow, J. 2003. Preliminary estimates of the abundance of cetaceans along the U.S. west coast: 1991-2001. Admin. Rep. LJ-03-03. Nat. Mar. Fish. Serv., Southwest Fish. Sci. Center, La Jolla, CA. 31 p.

Barlow, J. 2010. Cetacean abundance in the California Current estimated from a 2008 shipbased line-transect survey. NOAA Tech. Memo. NMFS NOAA-TM-NMFS-SWFSC456. U.S. Dept. of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service, and Southwest Fisheries Science Centre. 19 p.

Becker, E.A. 2007. Predicting seasonal patterns of California cetacean density based on remotely sensed environmental data. Ph.D. Thesis, Univ. Calf. Santa Barbara, Santa Barbara, CA. 284 p.

Bettridge, S., et al. 2015. Status review of the humpback whale (*Megaptera novaeangliae*) under the Endangered Species Act. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-SWFSC-540, 240 p.

Bigg, M. A. 1969. The harbor seal in British Columbia. Bull. Fish. Res. Board Can. 172:1-33.

Bigg, M. A. 1981. Harbour seal: *Phoca vitulina* Linnaeus, 1758, and *Phoca largha* Pallas, 1811, p. 1-27. In S. H. Ridgway and R. J. Harrison (eds.), Handbook of Marine Mammals. Volume 2: Seals. Academic Press, London, UK.

Bigg, M.A., P.F. Olesiuk, G.M. Ellis, J.K.B. Ford, and K.C. Balcomb III. 1990. Social organization and genealogy of resident killer whales (*Orcinus orca*) in the coastal waters of British Columbia and Washington State. Rep. Int. Whaling Comm. Special Issue 12: 386-406.

Blecha, F. 2000. Immune system response to stress. Pages 111-122 in G.P. Moberg and J.A. Mench, eds. The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare. CABI Publishing, Oxon, United Kingdom.

Braham, H.W., and M.E. Dahleim. 1982. Killer whales in Alaska document in the Platforms of Opportunity Program. Rep. Int. Whaling Comm., 32: 643-646.

Branstetter, B.K., J.S. Trickey, K. Bakhtiari, A. Black, H. Aihara, and J.J. Finnegan. 2013. Auditory masking patterns in bottlenose dolphins (*Tursiops truncatus*) with natural, anthropogenic, and synthesized noise. Journal of the Acoustical Society of America 133 (3):1811-1818.

Brownell, R.L., W.A. Walker, and K.A. Forney. 1999. Pacific white-sided dolphin *Lagenorhynchus obliquidens* (Gray, 1828). p. 57-84 In: S.H. Ridgway and S.R. Harrison (eds.), Handbook of marine mammals, Vol. 6: The second book of dolphins and porpoises. Academic Press, London, UK. 486 p.

Buchanan, J.B., D.H. Johnson, E.L. Greda, G.A. Green, T.R. Wahl, and S.J. Jeffries. 2001. Wildlife of coastal and marine habitats. p. 389-422 In: D.H. Johnson and T.A. O'Neil (eds.), Wildlife-habitat relationships in Oregon and Washington. Oregon State University Press.

Burdin, A.M., A.L. Bradford, G.A. Tsidulko, and M. Sidorenko. 2011. Status of western gray whales off northeastern Sakhalin Island and eastern Kamchatka, Russia in 2010. Scientific Committee Report SC/63/BRG8, International Whaling Commission: 10.

Calambokidis, J., et al. 1997. Abundance and population structure of humpback whales in the North Pacific basin. Final Contract Report 50ABNF500113 to Southwest Fisheries Science Center, 8901 La Jolla Shores Drive, La Jolla, CA 92037. 72 p.

- California Department of Transportation (Caltrans). 2015. Buehler, D., R. Oestman, J. Reyff, K. Pommerenck, B. Mitchell. 2015. Technical Guidance for Assessment and Mitigation of the Hydroacoustic Effects of Pile Driving on Fish. Written for the California Dept. of Transportation, Div. of Environmental Analysis, Environmental Engineering, Hazardous Waste, Air, Noise, Paleontology Office. Sacramento, CA.
- California Department of Transportation (Caltrans). 2020. Molnar, M., Buehler, D., R. Oestman, J. Reyff, K. Pommerenck, B. Mitchell. 2015. Technical Guidance for Assessment and Mitigation of the Hydroacoustic Effects of Pile Driving on Fish. Written for the California Dept. of Transportation, Div. of Environmental Analysis, Environmental Engineering, Hazardous Waste, Air, Noise, Paleontology Office. Sacramento, CA.
- Carlson, T.J., D.L. Woodruff, G.E. Johnson, N.P. Kohn, G.R. Ploskey, M.A. Weiland, et al. 2005. Hydroacoustic measurements during pile driving at the Hood Canal Bridge, September through November 2004. PNWD-3621, Prepared by Battelle Marine Sciences Laboratory for the Washington State Department of Transportation: 165.
- Carretta, J.V., K.A. Forney, E.M. Oleson, D.W. Weller, A.R. Lang, J. Baker, M.M. Muto, B. Hanson, A.J. Orr, H. Huber, M.S. Lowry, J. Barlow, J.E. Moore, D. Lynch, L. Carswell, and R.L. Brownell Jr. 2020. Draft U.S. Pacific Marine Mammal Stock Assessments: 2020. NOAA Tech. Memo. NOAA-TM-NMFS-SWFSC-629. Nat. Mar. Fish. Serv., Southwest Fish. Sci. Center, La Jolla, CA. 407 p. Available online: <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessment-reports-region>
- Carretta, J.V., E.M. Oleson, K.A. Forney, M.M. Muto, D.W. Weller, A.R. Lang, J. Baker, B. Hanson, A.J. Orr, J. Barlow, J.E. Moore, and R.L. Brownell Jr. 2022. U.S. Pacific Marine Mammal Stock Assessments: 2021. U.S. Department of Commerce. National Oceanic and Administrative Association Technical Memorandum NMFS-SWFSC-663.
- Casper, B.M., M.B. Halvorsen, F. Matthews, T.J. Carlson, and A.N. Popper. 2013. Recovery of barotrauma injuries resulting from exposure to pile driving sound in two sizes of hybrid striped bass. PLoS ONE 8 (9):e73844.
- Cooke, J.G. 2018. *Balaenoptera physalus*. The IUCN Red List of Threatened Species 2018: e.T2478A50349982. <http://dx.doi.org/10.2305/IUCN.UK.20182.RLTS.T2478A50349982.en>.
- Cott, P.A., A.N. Popper, D.A. Mann, J.K. Jorgenson, and B.W. Hanna. 2012. Impacts of river-based air gun seismic activity on northern fishes. Advances in Experimental Medicine and Biology 730:367-369.
- Croll, D.A., C.W. Clark, J. Calambokidis, W.T. Ellison, and B.R. Tershy. 2001. Effect of anthropogenic low-frequency noise on the foraging ecology of *Balaenoptera* whales. Animal Conservation 4(1):13-27.
- Dahl, P. H., Keith Jenkins, A., Casper, B., Kotecki, S. E., Bowman, V., Boerger, C., ... & Popper, A. N. (2020). Physical effects of sound exposure from underwater explosions on Pacific sardines (*Sardinops sagax*). *The Journal of the Acoustical Society of America*, 147(4), 2383-2395.
- Dahlheim, ME, P.A. White, and J.M. Waite. 2009. Cetaceans of Southeast Alaska: distribution and seasonal occurrence. Journal of Biogeography. 36: 410–426.

- DeMaster, D. 2014. Results of Steller sea lion surveys in Alaska, June-July 2013. Memorandum to J. Balsiger, J. Kurland, B. Gerke, and L. Rotterman, January 27, 2014, NMFS Alaska Regional Office, Juneau AK. Available from Alaska Fisheries Science Center, NMFS, 7600 Sand Point Way NE, Seattle, WA 98115.
- Di Iorio, L. and C.W. Clark. 2009. Exposure to seismic survey alters blue whale acoustic communication. *Biology Letters* 6 (1):51-54.
- Dohl, T.P., K.S. Norris, R.C. Guess, J.D. Bryant, and M.W. Honig. 1980. Summary of marine mammal and seabird surveys of the Southern California Bight area, 1975–1978. Part II. Cetaceans of the Southern California Bight. Final Report to the Bureau of Land Management, NTIS Rep. No. PB81248189. 414 p.
- Dohl, T.P., R.C. Guess, M.L. Duman, and R.C. Helm. 1983. Cetaceans of central and northern California, 1980–1983: Status, abundance, and distribution. Final Report to the Minerals Management Service, Contract No. 14-12-0001-29090. 284 p.
- Edwards, E.F., C. Hall, T.J. Moore, C. Sheredy, and J.V. Redfern. 2015. Global distribution of fin whales *Balaenoptera physalus* in the post-whaling era (1980–2012). *Mamm. Rev.* 45(4):197-214.
- Ellison, W.T., B. Southall, C.W. Clark, and A.S. Frankel. 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology* 26(1):21-28.
- Erbe, C. 2008. Critical ratios of beluga whales (*Delphinapterus leucas*) and masked signal duration. *Journal of the Acoustical Society of America* 124 (4):2216-2223.
- Erbe, C., C. Reichmuth, K. Cunningham, K. Lucke, and R. Dooling. 2016. Communication masking in marine mammals: A review and research strategy. *Marine Pollution Bulletin* 103 (1-2):15-38.
- Everitt, R.D., C.H. Fiscus, and R.L. DeLong. 1980. Northern Puget Sound marine mammals. Interagency Energy/Environment R&D Program Report EPA-600/7-80-139, Prepared by National Marine Fisheries Service for Environmental Protection Agency 150p.
- Fair, P.A. and P.R. Becker. 2000. Review of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery* 7 (4):335-354.
- Fay, R.R. 2009. Soundscapes and the sense of hearing of fishes. *Integrative Zoology* 4: 26-32.
- Fay, R.R., A.N. Popper, and J.F. Webb. 2008. Introduction to fish bioacoustics. In: Webb, J.F., R.R. Fay, and A.N. Popper, eds. *Fish Bioacoustics*. Springer Handbook of Auditory Research 32:1-15.
- Ferguson, M.C., C. Curtice, & J. Harrison. 2015. Biologically Important Areas for Cetaceans Within U.S. Waters -- Gulf of Alaska Region. *Aquatic Mammals*. 41. 65-78. 10.1578/AM.41.1.2015.65.
- Fewtrell, J.L., and R.D. McCauley. 2012. Impact of air gun noise on the behaviour of marine fish and squid. *Marine Pollution Bulletin* 64: 984-993.
- Finneran, J.J. 2015. Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *Journal of the Acoustical Society of America* 138:1702-1726.

- Finneran, J.J. 2016. Auditory weighting functions and TTS/PTS exposure functions for marine mammals exposed to underwater noise. Technical Report. San Diego: SPAWAR.
- Finneran, J.J. and A.K. Jenkins. 2012. Criteria and thresholds for U.S. Navy acoustic and explosive effects analysis. Technical Report, Space and Naval Warfare Systems Center Pacific, U.S. Navy: 64.
- Finneran, J.J. and Schlundt, C.E., 2013. Effects of fatiguing tone frequency on temporary threshold shift in bottlenose dolphins (*Tursiops truncatus*). *The Journal of the Acoustical Society of America*, 133(3), pp.1819-1826.
- Finneran, J.J. and Schlundt, C.E., 2010. Frequency-dependent and longitudinal changes in noise-induced hearing loss in a bottlenose dolphin (*Tursiops truncatus*). *The Journal of the Acoustical Society of America*, 128(2), pp.567-570.
- Finneran, J.J., C.E. Schlundt, D.A. Carder, J.A. Clark, J.A. Young, J.B. Gaspin, and S.H. Ridgway. 2000. Auditory and behavioral responses of bottlenose dolphins (*Tursiops truncatus*) and a beluga whale (*Delphinapterus leucas*) to impulsive sounds resembling distant signatures of underwater explosions. *Journal of the Acoustical Society of America* 108:417-431.
- Finneran, J.J., C.E. Schlundt, R. Dear, D.A. Carder, and S.H. Ridgway. 2002. Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *Journal of the Acoustical Society of America* 111:2929-2940.
- Fisher, H. D. 1952. The status of the harbour seal in British Columbia, with particular reference to the Skeena River. *Bull. Fish. Res. Board Can.* 93:1-58
- Foote, A.D., R.W. Osborne, and A.R. Hoelzel. 2004. Whale-call response to masking boat noise. *Nature* 428:910.
- Ford, J.K., Durban, J. W., Ellis, G.M., Towers, J.R., Pilkington, J.F., Barrett-Lennard, L.G. and Andrews, R.D. 2012. New insights into the northward migration route of gray whales between Vancouver Island, British Columbia, and southeastern Alaska. *Marine Mammal Science*. doi: 10.1111/j.1748-7692.2012.00572.x
- Forney, K.A., and J. Barlow. 1998. Seasonal patterns in the abundance and distribution of California cetaceans, 1991–1992. *Mar. Mamm. Sci.* 14 (3):460-489.
- Forney, K.A., J. Barlow, and J.V. Carretta. 1995. The abundance of cetaceans in California waters. Part II: aerial surveys in winter and spring of 1991 and 1992. *Fish. Bull.* 93:15-26.
- Fritz, L., K. Sweeney, R. Towell, and T. Gelatt. 2016. Aerial and ship-based surveys of Steller sea lions (*Eumetopias jubatus*) conducted in Alaska in June-July 2013 through 2015, and an update on the status and trend of the western distinct population segment in Alaska. U.S. Dep. Commer., NOAA Tech. Memo. NMFS-AFSC-321, 72 p.
- Gallo-Reynoso J.P., and J.L. Solórzano-Velasco JL. 1991. Two new sightings of California sea lions on the southern coast of México. *Mar. Mamm. Sci.* 7:96.

Gambell, R. 1985. Fin whale *Balaenoptera physalus* (Linnaeus, 1758). p. 171-192 In: S.H. Ridgway and R. Harrison (eds.), Handbook of marine mammals, Vol. 3: The sirenians and baleen whales. Academic Press, London, UK. 362 p.

Gentry, R.L. 1981. Northern fur seal--*Callorhinus ursinus* (Linnaeus, 1758). In: S.H. Ridgway and R.J. Harrison (editors), Handbook of marine mammals, vol. 1: The walrus, Sea lions, fur seals and sea otter, p. 143-160. Academic Press, New York. 2 vol.

Gentry, R.L. 2009. Northern fur seal, *Callorhinus ursinus*. p. 788-791 In: W.F. Perrin, B. Würsig, and J.G.M. Thewissen (eds.), Encyclopedia of marine mammals, 2nd ed. Academic Press, San Diego, CA. 1316 p.

Green, G., J.J. Brueggeman, R.A. Grotfendt, C.E. Bowlby, M.L. Bonnell, and K.C. Balcomb, III. 1992. Cetacean distribution and abundance off Oregon and Washington. Ch. 1. In: Oregon and Washington Marine Mammal and Seabird Surveys. OCS Study 91-0093. Final Report prepared for Pacific OCS Region, Minerals Management Service, U.S. Department of the Interior, Los Angeles, California.

Green, G.A., R.A. Grotfendt, M.A. Smulter, C.E. Bowlby, and R.A. Rowlett. 1993. Delphinid aerial surveys in Oregon and Washington offshore waters. Rep. from Ebasco Environmental, Bellevue, WA.

Greenbusch Group. 2018. Elliott Bay seawall project season 2 (2015), revised acoustic monitoring report. The Greenbusch Group, Inc. Seattle, Washington.

Guan, S, R. Miner. 2020. Underwater noise characterization of down-the-hole pile driving activities off Biorka Island, Alaska. Mar Poll Bull 160.
<https://www.sciencedirect.com/science/article/pii/S0025326X20307827>

Hall, J. 1979. A survey of cetaceans of Prince William Sound and adjacent waters: their numbers and seasonal movements. Unpubl. Rep. to Alaska Outer Continental Shelf Environmental Assessment Programs. NOAA OSCEAP Juneau Project Office, Juneau, AK.

Halvorsen, M.B., D.G. Zeddes, W.T. Ellison, D.R. Chicoine, and A.N. Popper. 2012a. Effects of mid-frequency active sonar on hearing in fish. Journal of the Acoustical Society of America 131 (1):599-607.

Halvorsen, M.B., B.M. Casper, C.M. Woodley, T.J. Carlson, and A.N. Popper. 2012b. Threshold for onset of injury in chinook salmon from exposure to impulsive pile driving sounds. PLoS ONE 7 (6).

Hastings, K. K., K. J. Frost, M. A. Simpkins, G. W. Pendleton, U. G. Swain, and R. J. Small. 2004. Regional differences in diving behavior of harbor seals in the Gulf of Alaska. Can. J. Zool. 82:1755-1773.

Hastings, K.K. et al. 2020. Demographic consequences and characteristics of recent population mixing and colonization in Steller sea lions, *Eumetopias jubatus*. Journal of Mammalogy 101:107–120,
<https://doi.org/10.1093/jmammal/gyz192>.

- Hastings, M.C., and A.N. Popper. 2005. Effects of sound on fish. Technical report for Jones and Stokes to California Department of Transportation.
- Hemilä, S., S. Nummela, A. Berta, and T. Reuter. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints. *Journal of the Acoustical Society of America* 120(6):3463-3466.
- Henderson, D., B. Hu, and E. Bielefeld. 2008. Patterns and mechanisms of noise-induced cochlear pathology. pp. 195-217 In Schacht, J., A.N. Popper, and R.R Fay (Eds.) *Auditory Trauma, Protection, and Repair*. New York: Springer.
- Heyvaert, C., and Reyff, J. (2021). Tenakee Ferry Terminal Improvements Project; Pile Driving and Drilling Sound Source Verification, Tenakee Springs, Alaska. Technical report by Illingworth & Rodkin, Inc., Cotati, CA for the Alaska Department of Transportation and Public Facilities. 217 pp.
- Hildebrand, J.A. 2009. Anthropogenic and natural sources of ambient noise in the ocean. *Marine Ecology Progress Series* 395:5-20.
- Holberton, R.L., B. Helmuth, and J.C. Wingfield. 1996. The corticosterone stress response in gentoo and king penguins during the non-fasting period. *Condor* 98 (4):850-854.
- Holt, M.M., D.P. Noren, V. Veirs, C.K. Emmons, and S. Veirs. 2009. Speaking up: killer whales (*Orcinus orca*) increase their call amplitude in response to vessel noise. *Journal of the Acoustical Society of America* 125 (1):EL27-32.
- Hood, L.C., P.D. Boersma, and J.C. Wingfield. 1998. The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). *Auk* 115 (1):76-84.
- Houser, D.S. and P.W. Moore. 2014. Report on the current and future status of underwater hearing research. Report NMMF-001-14, National Marine Mammal Foundation: 46.
- Huber H.R. 1991. Changes in the distribution of California sea lions north of the breeding rookeries during the 1982–83 El Niño. p. 129-137 In: F. Trillmich and K.A. Ono (eds.), *Pinnipeds and El Niño/responses to environmental stress*. Springer-Verlag, Berlin. 293 p.
- IWC (International Whaling Commission). 2012. Extracts from the IWC64 Scientific Committee report relevant to the WGWAP. International Whaling Commission: 11.
- Jefferson, T.A., M.A. Webber, and R.L. Pitman. 2015. *Marine mammals of the world: a comprehensive guide to their identification*, 2nd edit. Academic Press, London, U.K. 608 p.
- Jessop, T.S., A.D. Tucker, C.J. Limpus, and J.M. Whittier. 2003. Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. *General and Comparative Endocrinology* 132 (1):161-170.
- Jones, M. L. et al. 1984. *The Gray Whale*. Elsevier Publishing, New York 600 pp.

- Jorgenson, J.K., and E.C. Gyselman. 2009. Hydroacoustic measurements of the behavioral response of arctic riverine fishes to seismic airguns. *Journal of the Acoustical Society of America* 126 (3):1598-1606.
- Kajimura, H. 1984. Opportunistic feeding of the northern fur seal, *Callorhinus ursinus*, in the eastern North Pacific Ocean and eastern Bering Sea. NOAA Tech. Rep. NMFS-SSRF779. 49 p.
- Kastak, D., and R.J. Schusterman. 1999. In-air and underwater hearing sensitivity of a northern elephant seal (*Mirounga angustirostris*). *Canadian Journal of Zoology* 77:1751-1758.
- Kastak, D., Mulsow, J., Ghoul, A. and Reichmuth, C., 2008. Noise-induced permanent threshold shift in a harbor seal. *The Journal of the Acoustical Society of America*, 123(5), pp.2986-2986.
- Kastak, D., Reichmuth, C., Holt, M. M., Mulsow, J., Southall, B. L., & Schusterman, R. J. (2007). Onset, growth, and recovery of in-air temporary threshold shift in a California sea lion (*Zalophus californianus*). *The Journal of the Acoustical Society of America*, 122(5), 2916-2924.
- Kastak, D., Southall, B.L., Schusterman, R.J., and Kastak, C.R. (2005). "Underwater temporary threshold shift in pinnipeds: effects of noise level and duration," *J. Acoust. Soc. Am.* 118, 3154-3163.
- Kastelein, R.A., et al. 2016. Pile driving playback sounds and temporary threshold shift in harbor porpoises (*Phocoena phocoena*): Effect of exposure duration. *The Journal of the Acoustical Society of America* 139(5):2842-2851.
- Kastelein, R.A., D. de Haan, N. Vaughan, C. Staal, and N.M. Schooneman. (2001). The influence of three acoustic alarms on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research* 52 (4):351-371.
- Kastelein, R.A., Gransier, R., Hoek, L., Macleod, A., and Terhune, J.M. (2012b). "Hearing threshold shifts and recovery in harbor seals (*Phoca vitulina*) after octave-band noise exposure at 4 kHz," *J. Acoust. Soc. Am.* 132, 2745-2761.
- Kastelein, R.A., Gransier, R., Hoek, L., and Olthuis, J. (2012a). "Temporary threshold shifts and recovery in a harbor porpoise (*Phocoena phocoena*) after octave-band noise at 4 kHz," *J. Acoust. Soc. Am.* 132, 3525-3537.
- Kastelein, R. A., Helder-Hoek, L., Defillet, L. N., Huijser, L. A., Terhune, J. M., & Gransier, R. (2021). Temporary Hearing Threshold Shift in California Sea Lions (*Zalophus californianus*) Due to One-Sixth-Octave Noise Bands Centered at 2 and 4 kHz: Effect of Duty Cycle and Testing the Equal-Energy Hypothesis. *Aquatic Mammals*, 47(4).
- Kastelein, R. A., Helder-Hoek, L., Defillet, L. N., Acoleyen, L. V., Huijser, L. A., & Terhune, J. M. (2022). Temporary Hearing Threshold Shift in California Sea Lions (*Zalophus californianus*) Due to One-Sixth-Octave Noise Bands Centered at 0.6 and 1 kHz. *Aquatic Mammals*, 48(3).
- Kastelein, R. A., N. Jennings, W. C. Verboom, D. De Haan, and N. M. Schooneman. (2006). Differences in the response of a striped dolphin (*Stenella coeruleoalba*) and a harbour porpoise (*Phocoena phocoena*) to an acoustic alarm. *Marine Environmental Research*, 61(3), 363-378.
- Kastelein, R.A., van Schie, R., Verboom, W.C., and de Haan, D. (2005). "Underwater hearing sensitivity of a male and a female Steller sea lion (*Eumetopias jubatus*)," *J. Acoust. Soc. Am.* 118, 1820-1829.
- Kastelein, R.A., Wensveen, P., Hoek, L., and Terhune, J.M. (2009). "Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz," *J. Acoust. Soc. Am.* 126, 476-483.

- Ketten, D.R., Simmons, J.A., Riquimaroux, H. and Simmons, A.M., 2021. Functional analyses of peripheral auditory system adaptations for echolocation in air vs. water. *Frontiers in Ecology and Evolution*, 9, p.661216.
- Krausman, P.R., L.K. Harris, C.L. Blasch, K.K.G. Koenen, and J. Francine. 2004. Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. *Wildlife Monographs* 157:1-41.
- Kryter, K.D., W.D. Ward, J.D. Miller, and D.H. Eldredge. 1966. Hazardous exposure to intermittent and steady-state noise. *Journal of the Acoustical Society of America* 39:451-464.
- Lankford, S.E., T.E. Adams, R.A. Miller, and J.J. Cech. 2005. The cost of chronic stress: Impacts of a nonhabituated stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology* 78:599-609.
- Laughlin, J. 2010. Underwater Sound Levels from Pile Installation at the Port Townsend Ferry Terminal. Prepared for Washington State Department of Transportation.
- Lerma, D. 2014. Naval Base Point Loma Fleet Logistics Center Fuel Pier Replacement Project: Acoustic, marine mammal, green sea turtle, and California least tern monitoring report. Prepared by Tierra Data Inc. for Naval Facilities Engineering Command Southwest: 250.
- Lowry, M.S., P. Boveng, R.J. DeLong, C.W. Oliver, B.S. Stewart, H.DeAnda, and J. Barlow. 1992. Status of the California sea lion (*Zalophus californianus californianus*) population in 1992. Admin. Rep. LJ-92-32. Southwest Fisheries Science Center, National Marine Fisheries Service, La Jolla, CA 92038. 34 p.
- Lusseau, D. and L. Bejder. 2007. The long-term consequences of short-term responses to disturbance experiences from whale watching impact assessment. *International Journal of Comparative Psychology* 201(2-3):228-236.
- Madsen, P.T., M. Johnson, P.J.O. Miller, N.A. Soto, J. Lynch, and P. Tyack. 2006. Quantitative measures of air-gun pulses recorded on sperm whales (*Physeter macrocephalus*) using acoustic tags during controlled exposure experiments. *Journal of the Acoustical Society of America* 120(4):2366-2379.
- Maniscalco, J., K. Wynne, K. Pitcher, M. Hanson, S. Melin, and S. Atkinson. 2004. The occurrence of California sea lions (*Zalophus californianus*) in Alaska. *Aquatic Mammals* 30:427-433.
- Mate, B., A. Bradford, G. Tsidulko, V. Vertyankin, and V. Ilyashenko. 2011. Late-feeding season movements of a western North Pacific gray whale off Sakhalin Island, Russia and subsequent migration into the eastern North Pacific. Scientific Committee Report SC/63/BRG23, International Whaling Commission: 7.
- Miller, J.D. 1974. Effects of noise on people. *Journal of the Acoustical Society of America* 56:729-764.
- Miller, P.J.O., N. Biassoni, A. Samuels, and P.L. Tyack. 2000. Whale songs lengthen in response to sonar. *Nature* 405 (6789):903.
- Moberg, G.P. 1987. Problems in defining stress and distress in animals. *J Am Vet Med Assoc*. 191(10):1207-11.

- Moberg, G.P. 2000. Biological response to stress: Implications for animal welfare. Pages 1-21 in G.P. Moberg and J.A. Mench, eds. *The Biology of Animal Stress: Basic Principles and Implications for Animal Welfare*. CABI Publishing, Oxon, United Kingdom.
- Mooney, T. A., Nachtigall, P. E., Breese, M., Vlachos, S., & Au, W. W. (2009). Predicting temporary threshold shifts in a bottlenose dolphin (*Tursiops truncatus*): The effects of noise level and duration. *The Journal of the Acoustical Society of America*, 125(3), 1816-1826.
- Muto, M. M. et al. 2020. Alaska Marine Mammal Stock Assessments, 2019. NOAA Tech Memo NMFS-AFSC-404.
- Muto, M. M. et al. 2022. Alaska Marine Mammal Stock Assessments, 2021.
<https://media.fisheries.noaa.gov/2022-08/NOAA-TM-AFSC-441.pdf> 304 pages
- Nachtigall, P.E., Supin, A.Y., Pacini, A.F. and Kastelein, R.A., 2018. Four odontocete species change hearing levels when warned of impending loud sound. *Integrative zoology*, 13(2), pp.160-165.
- National Institute for Occupational Safety and Health (NIOSH). 1998. Criteria for a recommended standard: Occupational noise exposure. United States Department of Health and Human Services, Cincinnati, OH.
- National Marine Fisheries Service (NMFS). 2016. Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing (Version 2.0): Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. U.S. Department of Commerce, NOAA. NOAA Technical Memorandum NMFS-OPR-59, 189 p.
- National Marine Fisheries Service (NMFS). 2018. 2018 Revisions to: Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing: Underwater Acoustic Thresholds for Onset of Permanent and Temporary Threshold Shifts. U.S. Department of Commerce, NOAA. NOAA Technical Memorandum NMFS-OPR-55, 169 p.
- National Marine Fisheries Service (NMFS). 2022. Species Directory: Gray Whale.
<https://www.fisheries.noaa.gov/species/gray-whale>. Accessed 1/10/2023.
- National Research Council (US) Committee on Potential Impacts of Ambient Noise in the Ocean on Marine Mammals. Ocean Noise and Marine Mammals. Washington (DC): National Academies Press (US); 2003. PMID: 25057640.
- National Research Council (NRC). 2005. Marine mammal populations and ocean noise: Determining when noise causes biologically significant effects. National Academy of Sciences: 142.
- Nedwell, J. and B. Edwards. 2002. Measurements of underwater noise in the Arun River during piling at County Wharf, Littlehampton.
<https://pdfs.semanticscholar.org/3d8e/36e697d8bcf2fb96509149dc7e0f8e40892a.pdf>
- Nowacek, D.P., M.P. Johnson, and P.L. Tyack. 2004. North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. Proceedings of the Royal Society of London B: Biological Sciences 271(1536):227-231.
- Oestman, R., D. Buehler, J. Reyff, and R. Rodkin. 2009. Technical guidance for assessment and mitigation of the hydroacoustic effects of pile driving on fish. Prepared by ICF Jones & Stokes and Illingworth & Rodkin, Inc. for the California Department of Transportation: 298.

- Parks, S.E., C.W. Clark, and P.L. Tyack. 2007. Short- and long-term changes in right whale calling behavior: The potential effects of noise on acoustic communication. *Journal of the Acoustical Society of America* 122 (6):3725-3731.
- Paxton, A.B., J.C. Taylor, D.P. Nowacek, J. Dale, E. Cole, C.M. Voss, and C.H. Peterson. 2017. Seismic survey noise disrupted fish use of a temperate reef. *Marine Policy* 78: 68-73.
- Pearson, W.H., J.R. Skalski, and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on behavior of captive rockfish (*Sebastodes spp.*). *Canadian Journal of Fisheries and Aquatic Sciences* 49:1343-1356.
- Pelland, N.A., J.T. Sterling, M.A. Lea, N.A. Bond, R.R. Ream, C.M. Lee, and C.C. Eriksen. 2014. Female northern fur seals (*Callorhinus ursinus*) off the Washington (USA) coast: upper ocean variability and links to top predator behavior. *PLoS ONE* 9(8):e101268. <http://dx.doi.org/doi:10.1371/journal>
- Pena, H., N.O. Handegard, and E. Ona. 2013. Feeding herring schools do not react to seismic air gun surveys. *ICES Journal of Marine Science* 70 (6):1174-1180.
- Perry, A., C. S. Baker, and L. M. Herman. 1990. Population characteristics of individually identified humpback whales in the central and eastern North Pacific: a summary and critique. *Rep. Int. Whal. Comm. (Special Issue 12)*:307-317.
- Perry, S.L., D.P. DeMaster, and G.K. Silber. 1999. The fin whale. *Mar. Fish. Rev.* 61(1):44-51.
- Popper, A.N. and M.C. Hastings. 2009. The effects of anthropogenic sources of sound on fishes. *Journal of Fish Biology* 75 (3):455-489.
- Ream, R.R., J.T. Sterling, and T.R. Loughlin. 2005. Oceanographic features related to northern fur seal migratory movements. *Deep-Sea Res. II*: 823-843.
- Reichmuth, C. and M.M. Holt. 2013. Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A: Neuroethology, Sensory, Neural and Behavioral Physiology* 199(6):491-507.
- Reichmuth, C., A. Ghoul, J.M. Sillis, A. Rouse, and B.L. Southall. 2016. Low-frequency temporary threshold shift not observed in spotted or ringed seals exposed to single air gun impulses. *Journal of the Acoustical Society of America* 140:2648-2658.
- Reichmuth, C., Sills, J. M., Mulsow, J., & Ghoul, A. (2019). Long-term evidence of noise-induced permanent threshold shift in a harbor seal (*Phoca vitulina*). *The Journal of the Acoustical Society of America*, 146(4), 2552-2561.
- Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. *Marine Mammals and Noise*. Academic Press, Inc., San Diego, CA.
- Rolland, R.M. et al. 2012. Evidence that ship noise increases stress in right whales. *Proceedings Royal Society London B*. 279.
- Romano, T., M. Keogh, and K. Danil. 2002a. Investigation of the effects of repeated chase and encirclement on the immune system of spotted dolphins (*Stenella attenuata*) in the eastern tropical Pacific. *Administrative Report LJ-02-35C*, National Marine Fisheries Service: 37.

- Romano, T.A., D.L. Felten, S.Y. Stevens, J.A. Olschowka, V. Quaranta, and S.H. Ridgway. 2002b. Immune response, stress, and environment: Implications for cetaceans. Pages 253-279 in C.J. Pfeiffer, ed. Molecular and Cell Biology of Marine Mammals. Krieger Publishing Co., Malabar, Florida.
- Romano, T.A., M.J. Keogh, C. Kelly, P. Feng, L. Berk, C.R. Schlundt, et al. 2004. Anthropogenic sound and marine mammal health: Measures of the nervous and immune systems before and after intense sound exposure. Canadian Journal of Fisheries and Aquatic Sciences 61:1124-1134.
- Santulli, A., A. Modica, C. Messina, L. Ceffa, A. Curatolo, G. Rivas, et al. 1999. Biochemical responses of European sea bass (*Dicentrarchus labrax* L.) to the stress induced by offshore experimental seismic prospecting. Marine Pollution Bulletin 38 (12):1105-1114.
- Scheffer, V. B., and J. W. Slipp. 1944. The harbor seal in Washington State. Am. Midland Nat. 32:373-416.
- Schlundt, C.E., J.J. Finneran, D.A. Carder, and S.H. Ridgway. 2000. Temporary shift in masked hearing thresholds of bottlenose dolphins, *Tursiops truncatus*, and white whales, *Delphinapterus leucas*, after exposure to intense tones. Journal of the Acoustical Society of America 107:3496-3508.
- Scholik, A.R. and H.Y. Yan. 2001. The effects of underwater noise on auditory sensitivity of fish. Proceedings of the Institute of Acoustics 23(4):27.
- Scholik, A. R. and H. Y. Yan. 2002. The effects of noise on the auditory sensitivity of the bluegill sunfish, *Lepomis macrochirus*. Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology 133(1): 43-52.
- Selye, H. 1950. Stress and the general adaptation syndrome. British Medical Journal 1(4667):1383-1394.
- Sergeant, D.E. 1977. Stocks of fin whales *Balaenoptera physalus* L. in the North Atlantic Ocean. Rep. Int. Whal. Comm. 27:460-473.
- Sills, J. M., Ruscher, B., Nichols, R., Southall, B. L., & Reichmuth, C. (2020). Evaluating temporary threshold shift onset levels for impulsive noise in seals. *The Journal of the Acoustical Society of America*, 148(5), 2973-2986.
- Skalski, J.R., W.H. Pearson, and C.I. Malme. 1992. Effects of sounds from a geophysical survey device on catch-per-unit-effort in a hook-and-line fishery for rockfish (*Sebastodes spp.*). Canadian Journal of Fisheries and Aquatic Sciences 49(7):1357-1365.
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, et al. 2007. Marine mammal noise exposure criteria: initial scientific recommendations. Aquatic Mammals 33(4):411-521.
- Southall, B.L., Finneran, J.J., Reichmuth, C., Nachtigall, P.E., Ketten, D.R., Bowles, A.E., Ellison, W.T., Nowacek, D.P. and Tyack, P.L., 2019. Marine mammal noise exposure criteria: Updated scientific recommendations for residual hearing effects. *Aquatic Mammals*, 45(2), pp.125-232.
- Stafford, K.M., J.J. Citta, S.E. Moore, M.A. Daher, and J.E. George. 2009. Environmental correlates of blue and fin whale call detections in the North Pacific Ocean from 1997 to 2002. Mar. Ecol. Prog. Ser. 395:37-53.

Thorson, P. and J.A. Reyff. 2006. San Francisco-Oakland Bay Bridge East Span Seismic Safety Project: marine mammal and acoustic monitoring for the marine foundations at piers E2 and T1, January September 2006. Prepared by SRS Technologies and Illingworth & Rodkin, Inc. for the California Department of Transportation, 51 p.

Turnagain Marine Construction. 2018. Monthly Marine Mammal Monitoring Reports from monitoring at Biorka Island in September during construction of the Federal Aviation Administration's Biorka Dock Replacement Project. Logs submitted to National Marine Fisheries Service by Turnagain Marine Construction.

Urban R., J., D. Weller, O. Tyurneva, S. Swartz, A. Bradford, Y. Yakovlev, et al. 2013. Report on the photographic comparison of the Sakhalin Island and Kamchatka Peninsula with the Mexican gray whale catalogue. Scientific Committee report SC/65/BRG04, International Whaling Commission: 5.

U.S. Navy. 2012. Naval Base Kitsap at Bangor Test Pile Program, Bangor, Washington. Final Marine Mammal Monitoring Report. Prepared for Naval Facilities Engineering Northwest.

U.S. Navy. 2016a. Puget Sound Naval Shipyard Intermediate Maintenance Facility Pier 6 Fender Pile Replacement Project Acoustic Monitoring Results. Naval Surface Warfare Center, West Bethesda, MD.

U.S. Navy. 2016b. Monitoring Report for Fuel Pier Replacement Project (P-151) at Naval Base Point Loma, San Diego, CA 8 October 2015 to 30 April 2016. Prepared by Tierra Data Inc. for NAVFAC SW.

U.S. Navy. 2019. U.S. Navy Marine Species Density Database Phase III for the Northwest Training and Testing Study Area. NAVFAC Pacific Technical Report. Naval Facilities Engineering Command Pacific, Pearl Harbor, HI. 262 pp.

U.S. Navy. 2020. U.S. Navy Marine Species Density Database Phase III for the Gulf of Alaska Training and Testing Study Area. NAVFAC Pacific Technical Report. Naval Facilities Engineering Command Pacific, Pearl Harbor, HI.

Wade, P. 2021. Estimates of abundance and migratory destination for North Pacific humpback whales in both summer feeding areas and winter mating and calving areas. International Whaling Commission. SC/68c/IA/03. 32p. <https://archive.iwc.int/>.

Ward, W.D. 1960. Recovery from high values of temporary threshold shift. Journal of the Acoustical Society of America 32:497-500.

Ward, W.D., A. Glorig, and D.L. Sklar. 1958. Dependence of temporary threshold shift at 4 kc on intensity and time. Journal of the Acoustical Society of America 30:944-954.

Ward, W.D., A. Glorig, and D.L. Sklar. 1959. Temporary threshold shift from octave-band noise: Application to damage-risk criteria. Journal of the Acoustical Society of America 31:522 528.

Wardle, C.S., T.J. Carter, G.G. Urquhart, A.D.F. Johnstone, A.M. Ziolkowski, G. Hampson, and D. Mackie. 2001. Effects of seismic air guns on marine fish. Continental Shelf Research 21:1005-1027.

- Wartzok, D., and D.R. Ketten. 1999. Marine mammal sensory systems. pp 117-175 In J.E. Reynolds II & S.A. Rommel (Eds.), *Biology of Marine Mammals*. Washington, DC: Smithsonian Institution Press.
- Wartzok, D., A.N. Popper, J. Gordon, and J. Merrill. 2003. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal* 37(4):6-15.
- Wartzok, D., Poppper, A.N., Gordon, J. and Merrill, J., 2004. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal*, 37(4).
- Washington State Department of Transportation (WSDOT). 2020. SR 525 Mukilteo Ferry Terminal (Phase 3) Marine Structures Project. Underwater Noise Monitoring Report. March 2020. <https://wsdot.wa.gov/sites/default/files/2022-06/ENV-Noise-Monrpt-Mukilteo2020.pdf>
- Weilgart, L.S. 2007. A brief review of known effects of noise on marine mammals. *International Journal of Comparative Psychology* 201(2-3):159-168.
- Weise, M. J., D. P. Costa, and R. M. Kudela. 2006. Movement and diving behavior of male California sea lion (*Zalophus californianus*) during anomalous oceanographic conditions of 2005 compared to those of 2004. *Geophys. Res. Lett.* 33, L22S10. <http://dx.doi.org/doi:10.1029/2006GL027113>.
- Weller, D.W., A. Klimek, A.L. Bradford, J. Calambokidis, A.R. Lang, B. Gisborne, et al. 2011. Movements of western gray whales from the Okhotsk Sea to the eastern North Pacific. Scientific Committee Report SC/63/BRG6, International Whaling Commission: 5.
- Wiles, G.J. 2017. Periodic status review for the blue, fin, sei, North Pacific right, and sperm whales in Washington. Washington Department of Fish and Wildlife, Olympia, Washington. 46 + iii pp. Accessed through: https://wdfw.wa.gov/publications/01909/draft_wdfw01909.pdf
- Yazvenko, S.B., T.L. McDonald, S.A. Blokhin, S.R. Johnson, H.R. Melton, M.W. Newcomer, et al. 2007. Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment* 134(1-3):93-106.
- Young, N.C., Muto, M.M. Helker, V.T., Delean, B.J., Freed, J.C., Angliss, R.P., Friday, N.A., Boveng, P.L., et al. 2023. Draft Alaska Marine Mammal Stock Assessments, 2022. <https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessment-reports>
- Zelick, R., and D.A. Mann. 1999. Acoustic communication in fishes and frogs. In: Fay, R.R. and A.N. Popper, eds. *Comparative hearing: Fishes and amphibians*. Springer-Verlag, New York.
- Zerbini, A. N., Waite, J. M., Laake, J. L., and Wade, P. R. (2006). Abundance, trends and distribution of baleen whales off Western Alaska and the central Aleutian Islands. *Deep Sea Res. Part I Oceanogr. Res. Pap.* 53, 1772–1790. doi: 10.1016/j.dsr.2006.08.009