

References for Invenergy Wind Offshore, LLC – Proposed IHA

- AMERICAN NATIONAL STANDARDS INSTITUTE 1986. Methods of measurement for impulse noise. *Acoustical Society of America*. Woodbury, NY: Acoustical Society of America.
- AMERICAN NATIONAL STANDARDS INSTITUTE 1995. Bioacoustical terminology. *Acoustical Society of America*. Woodbury, NY: Acoustical Society of America.
- AU, W. W. L. & HASTINGS, M. C. 2008. *Principles of marine bioacoustics*, Springer.
- BARCO, S. G., MCLELLAN, W. A., ALLEN, J. M., ASMUTIS-SILVIA, R. A., MALLON-DAY, R., MEAGHER, E. M., PABST, D. A., ROBBINS, J., SETON, R. E., SWINGLE, W. M., WEINRICH, M. T. & CLAPHAM, P. J. 2002. Population identity of humpback whales (*Megaptera novaeangliae*) in the waters of the US mid-Atlantic states. *Journal of Cetacean Research and Management*, 4, 135-141.
- BETTRIDGE, S. O. M., BAKER, C. S., BARLOW, J., CLAPHAM, P., FORD, M. J., GOUVEIA, D., MATTILA, D. K., PACE III, R. M., ROSEL, P. E. & SILBER, G. K. 2015. Status review of the humpback whale (*Megaptera novaeangliae*) under the Endangered Species Act. *National Oceanic and Atmospheric Administration*. National Oceanic and Atmospheric Administration.
- BRUEGGEMAN, J. J., GREEN, G. A., GROTEFENDT, R. A. & CHAPMAN, D. G. 1987. Aerial surveys of endangered cetaceans and other marine mammals in the northwestern Gulf of Alaska and southeastern Bering Sea. *NOAA/OCSEAP Environmental Assessment of the Alaskan Continental Shelf. Final Reports of Principal Investigators*.
- CETAP 1982. A characterization of marine mammals and turtles in the mid- and north- Atlantic areas of the U.S. outer continental shelf. In: CETACEAN AND TURTLE ASSESSMENT PROGRAM (ed.) *Executive Summary for 1979*. Kingston, RI: Bureau of Land Management,.
- CHRISTAL, J., WHITEHEAD, H. & LETTEVALL, E. 1998. Sperm whale social units: Variation and change. *Canadian Journal of Zoology*, 76, 1431-1440.
- CROCKER, S. E. & FRATANTONIO, F. D. 2016. Characteristics of sounds emitted during high-resolution marine geophysical surveys. *Bureau of Ocean Energy Management*,. Naval Undersea Warfare Center Division Newport United States.
- DAVIS, G. E., BAUMGARTNER, M. F., BONNELL, J. M., BELL, J., BERCHOK, C., BORT THORNTON, J., BRAULT, S., BUCHANAN, G., CHARIF, R. A. & CHOLEWIAK, D. 2017. Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. *Scientific Reports*, 7, 13460.

- ELLISON, W. T., SOUTHALL, B. L., CLARK, C. W. & FRANKEL, A. S. 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology*, 26, 21-28.
- ESTABROOK, B. J., HODGE, K. B., SALISBURY, A., RAHAMAN, A., PONIRAKIS, D., HARRIS, D. V., ZEH, J. M., PARKS, S. E. & RICE, A. N. 2021. Final Report for New York Bight Whale Monitoring Passive Acoustic Surveys October 2017–October 2020. Contract C009925. *New York State Department of Environmental Conservation*. East Setauket, NY: New York State Department of Environmental Conservation.
- FINNERAN, J. J. 2015. Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *The Journal of the Acoustical Society of America*, 138, 1702-1726.
- GARRISON, L. P. & ROSEL, P. E. 2017. Partitioning short-finned and long-finned pilot whale bycatch estimates using habitat and genetic information. *Southeast Fisheries Science Center, Protected Resources and Biodiversity Division*, 75.
- GOWANS, S. & WHITEHEAD, H. 1995. Distribution and habitat partitioning by small odontocetes in the Gully, a submarine canyon on the Scotian Shelf. *Canadian Journal of Zoology*, 73, 1599-1608.
- HAMAZAKI, T. 2002. Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic Ocean (from Cape Hatteras, North Carolina, USA to Nova Scotia, Canada). *Marine Mammal Science*, 18, 920-939.
- HASTINGS, M. C. & POPPER, A. N. 2005. Effects of Sound on Fish. *In: TRANSPORTATION, C. D. O. (ed.) California Department of Transportation*. Sacramento, CA: California Department of Transportation,.
- HAYES, S. A., JOSEPHSON, E., MAZE-FOLEY, K. S. & ROSEL, P. E. 2017. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2016. *In: SERVICE, N. M. F. (ed.) National Oceanic and Atmospheric Administration*. National Oceanic and Atmospheric Administration.
- HAYES, S. A., JOSEPHSON, E., MAZE-FOLEY, K. S. & ROSEL, P. E. 2018. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2017. *In: SERVICE, N. M. F. (ed.) National Oceanic and Atmospheric Administration*. Second ed.: National Oceanic and Atmospheric Administration.
- HAYES, S. A., JOSEPHSON, E., MAZE-FOLEY, K. S. & ROSEL, P. E. 2019. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2018. *In: SERVICE, N. M. F. (ed.) National Oceanic and Atmospheric Administration*. National Oceanic and Atmospheric Administration.
- HAYES, S. A., JOSEPHSON, E., MAZE-FOLEY, K. S. & ROSEL, P. E. 2020. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2019. *In: SERVICE, N. M. F. (ed.)*

- National Oceanic and Atmospheric Administration*. National Oceanic and Atmospheric Administration.
- HAYES, S. A., JOSEPHSON, E., MAZE-FOLEY, K. S., ROSEL, P. E. & TUREK, J. 2021. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2020. *In: SERVICE, N. M. F. (ed.) National Oceanic and Atmospheric Administration*. National Oceanic and Atmospheric Administration.
- HAYES, S. H., JOSEPHSON, E., MAZE-FOLEY, K. S., ROSEL, P. E. & WALLACE, J. 2022. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2021. *In: NORTHEAST FISHERIES SCIENCE, C. (ed.) National Oceanic and Atmospheric Administration*. National Oceanic and Atmospheric Administration.
- HEMILÄ, S., NUMMELA, S., BERTA, A. & REUTER, T. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints. *The Journal of the Acoustical Society of America*, 120, 3463-3466.
- JENSEN, A. S., SILBER, G. K. & CALAMBOKIDIS, J. 2003. Large whale ship strike database. *In: SERVICE, N. M. F. (ed.) National Oceanic and Atmospheric Administration*. National Oceanic and Atmospheric Administration.
- KASTELEIN, R. A., WENSVEEN, P., HOEK, L. & TERHUNE, J. M. 2009. Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. *The Journal of the Acoustical Society of America*, 126, 476-483.
- KRAUS, S. D., KENNEY, R. D., MAYO, C. A., MCLELLAN, W. A., MOORE, M. J. & NOWACEK, D. P. 2016. Recent scientific publications cast doubt on North Atlantic right whale future. *Frontiers in Marine Science*, 3, 3.
- KREMSER, U., KLEMM, P. & KÖTZ, W.-D. 2005. Estimating the risk of temporary acoustic threshold shift, caused by hydroacoustic devices, in whales in the Southern Ocean. *Antarctic Science*, 17, 3-10.
- LABRECQUE, E., CURTICE, C., HARRISON, J., VAN PARIJS, S. M. & HALPIN, P. N. 2015. Biologically Important Areas for cetaceans within US waters-East coast region. *Aquatic Mammals*, 41, 17.
- MITSON, R. B. 1995. Underwater noise of research vessels: review and recommendations. *In: ICES (ed.) ICES Cooperative Research Report*. ICES Cooperative Research Reports (CRR).
- NIOSH 1998. Occupational noise exposure. *In: HEALTH, N. I. F. O. S. A. (ed.) National Institute for Occupational Safety and Health*. Cincinnati, OH: U.S. Department of Health and Human Services.
- NMFS 2018. 2018 revision to: Technical guidance for assessing the effects of anthropogenic sound on marine mammal hearing (version 2.0): Underwater thresholds for onset of permanent and temporary threshold shifts. *In: RESOURCES, O. O. P. (ed.) National*

Oceanic and Atmospheric Administration. Silver Spring, MD: National Oceanic and Atmospheric Administration.

- NMFS 2020. Interim recommendations for sound source level and propagation analysis for high resolution geophysical (HRG) sources. *In: RESOURCES*, O. O. P. (ed.). National Marine Fisheries Service.
- NORTHRIDGE, S., TASKER, M., WEBB, A., CAMPHUYSEN, K. & LEOPOLD, M. 1997. White-beaked *Lagenorhynchus albirostris* and Atlantic white-sided dolphin *L. acutus* distributions in northwest European and US North Atlantic waters. *Reports of the International Whaling Commission*, 47, 797-805.
- PACE III, R. M., CORKERON, P. J. & KRAUS, S. D. 2017. State-space markrecapture estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecology and Evolution*, 7, 8730-8741.
- PALKA, D., AICHINGER DIAS, L., BROUGHTON, E., CHAVEZ-ROSALES, S., CHOLEWIAK, D., DAVIS, G., DEANGELIS, A., GARRISON, L., HAAS, H. & HATCH, J. 2021. Atlantic marine assessment program for protected species: FY15-FY19. *In: INTERIOR*, D. O. T. (ed.). Bureau of Ocean Energy Management.
- PALKA, D., CHAVEZ-ROSALES, S., JOSEPHSON, E., CHOLEWIAK, D., HAAS, H., GARRISON, L., JONES, M., SIGOURNEY, D., WARING, G. & JECH, M. 2017. Atlantic marine assessment program for protected species: 2010-2014. *In: INTERIOR*, D. O. T. (ed.). Bureau of Ocean Energy Management.
- PAYNE, M. & HEINEMANN, D. W. 1990. A distributional assessment of cetaceans in the shelf and shelf edge waters of the northeastern United States based on aerial and shipboard surveys, 1978-1988. *In: CENTER*, N. M. F. S. (ed.) *National Oceanographic and Atmospheric Administration*. Woods Hole, MA: National Oceanographic and Atmospheric Administration.
- REICHMUTH, C., HOLT, M. M., MULSOW, J., SILLS, J. M. & SOUTHALL, B. L. 2013. Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A*, 199, 491-507.
- RICHARDSON, W. J., GREENE JR, C. R., MALME, C. I. & THOMPSON, D. H. 2005. *Marine mammals and noise*, Academic Press.
- ROBERTS, J. J., BEST, B. D., MANNOCCI, L., FUJIOKA, E. I., HALPIN, P. N., PALKA, D. L., GARRISON, L. P., MULLIN, K. D., COLE, T. V. N. & KHAN, C. B. 2016. Habitat-based cetacean density models for the US Atlantic and Gulf of Mexico. *Scientific Reports*, 6, 22615.
- ROBERTS, J. J. & HALPIN, P. N. 2022. Updated habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico. *In: LABORATORY*, D. U. M. G. E. (ed.) *Habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico*.

- ROBINSON, W. J., CLERC, J., VUKOVICH, M. & PEMBROKE, A. 2021. Digital aerial baseline survey of marine wildlife in support of offshore wind energy - Overview and summary. In: AUTHORITY, N. Y. S. E. R. A. D. (ed.) *Report to New York State Energy Research and Development*. Albany, NY.
- SELZER, L. A. & PAYNE, P. M. 1988. The distribution of white-sided (*Lagenorhynchus acutus*) and common dolphins (*Delphinus delphis*) vs. environmental features of the continental shelf of the northeastern United States. *Marine Mammal Science*, 4, 141-153.
- SERGEANT, D. E., MANSFIELD, A. W. & BECK, B. 1970. Inshore records of cetacea for eastern Canada, 1949–68. *Journal of the Fisheries Board of Canada*, 27, 1903-1915.
- SMITH, T. D., ALLEN, J., CLAPHAM, P. J., HAMMOND, P. S., KATONA, S., LARSEN, F., LIEN, J., MATTILA, D., PALSBØLL, P. J. & SIGURJÓNSSON, J. 1999. An ocean-basin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). *Marine Mammal Science*, 15, 1-32.
- SOUTHALL, B. L., BOWLES, A. E., ELLISON, W. T., FINNERAN, J. J., GENTRY, R. L., GREENE JR., C. R., KASTAK, D., KETTEN, D. R., MILLER, J. H., NACHTIGALL, P. E., RICHARDSON, W. J., THOMAS, J. A. & TYACK, P. L. 2007. Marine Mammal Noise Exposure Criteria: Initial Scientific Recommendations. *Aquatic Mammals*, 33, 411-521.
- SOUTHALL, B. L., FINNERAN, J. J., REICHMUTH, C., NACHTIGALL, P. E., KETTEN, D. R., BOWLES, A. E., ELLISON, W. T., NOWACEK, D. P. & TYACK, P. L. 2019. Marine mammal noise exposure criteria: Updated scientific recommendations for residual hearing effects. *Aquatic Mammals*, 45, 125-232.
- SOUTHALL, B. L., NOWACEK, D. P., BOWLES, A. E., SENIGAGLIA, V., BEJDER, L. & TYACK, P. L. 2021. Marine mammal noise exposure criteria: Assessing the severity of marine mammal behavioral responses to human noise. *Aquatic Mammals*, 47, 421-464.
- STEVICK, P. T., ALLEN, J., CLAPHAM, P. J., FRIDAY, N., KATONA, S. K., LARSEN, F., LIEN, J., MATTILA, D. K., PALSBØLL, P. J. & SIGURJÓNSSON, J. 2003. North Atlantic humpback whale abundance and rate of increase four decades after protection from whaling. *Marine Ecology Progress Series*, 258, 263-273.
- TORRES, L. G., ROSEL, P. E., D'AGROSA, C. & READ, A. J. 2003. Improving Management of Overlapping Bottlenose Dolphin Ecotypes through Spatial Analysis and Genetics. *Marine Mammal Science*, 19, 502-514.
- URICK, R. J. 1983. *Principles of underwater sound*, Westport, CT, Peninsula Publishing.
- WARD, W. D. 1997. Effects of high intensity sound. In: CROCKER, M. J. (ed.) *Encyclopedia of Acoustics*. New York, NY: John Wiley and Sons, Inc.

- WARING, G. T., JOSEPHSON, E., FAIRFIELD, C. P. & MAZE-FOLEY, K. S. 2007a. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2006. *In: SERVICE, N. M. F. (ed.) National Oceanic and Atmospheric Administration.*
- WARING, G. T., JOSEPHSON, E., MAZE-FOLEY, K. S. & ROSEL, P. E. 2007b. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2007. *In: SERVICE, N. M. F. (ed.) National Oceanic and Atmospheric Administration.* National Oceanic and Atmospheric Administration.
- WARING, G. T., JOSEPHSON, E., MAZE-FOLEY, K. S. & ROSEL, P. E. 2014. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2013. *In: SERVICE, N. M. F. (ed.) National Oceanic and Atmospheric Administration.*
- WARING, G. T., JOSEPHSON, E., MAZE-FOLEY, K. S. & ROSEL, P. E. 2016. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2015. *In: SERVICE, N. M. F. (ed.) National Oceanic and Atmospheric Administration.* National Oceanic and Atmospheric Administration.
- WARTZOK, D. & KETTEN, D. R. 1999. Marine mammal sensory systems. *In: REYNOLDS, J. E. & ROMMEL, S. A. (eds.) Biology of marine mammals.* Washington, DC: Smithsonian Institution Press.
- WESTGATE, A. J. & READ, A. J. 1998. Applications of new technology to the conservation of porpoises. *Marine Technology Society. Marine Technology Society Journal*, 32, 70.
- ZOIDIS, A. M., LOMAC-MACNAIR, K. S., IRELAND, D. S., RICKARD, M. E., MCKOWN, K. A. & SCHLESINGER, M. D. 2021. Distribution and density of six large whale species in the New York Bight from monthly aerial surveys 2017 to 2020. *Continental Shelf Research*, 230, 104572.