

Atlantic Shores 2023-2024 HRG IHA

Reference List

- ANSI (American National Standards Institute). 1986. Methods of Measurement for Impulse Noise 3 (ANSI S12.7-1986). Acoustical Society of America, Woodbury, NY.
- ANSI (American National Standards Institute). 1995. Bioacoustical Terminology (ANSI S3.20-1995). Acoustical Society of America, Woodbury, NY.
- Atlantic Shores Offshore Wind. 2021. Commercial Lease of Submerged Lands for Renewable Energy Development on the Outer Continental Shelf, OCS-A 0499 – Incidental Harassment Authorization Renewal. Submitted March 2, 2021.
- Au, W.W.L. and M.C. Hastings. 2008. Principles of Marine Bioacoustics. Springer, New York.
- Crocker, S.E., and F.D. Fratantonio. 2016. Characteristics of sounds emitted during high resolution marine geophysical surveys. NUWC-NPT Technical Report 12,203, Naval Undersea Warfare Center Division: 265.
- CWFNJ (Conserve Wildlife Foundation of New Jersey). 2015. Harbor Seals in New Jersey <https://www.arcgis.com/apps/MapJournal/index.html?appid=d2266f32c36449e0b9630453e56c3888&webmap=564588c5cff04fa990aab644400475f9>.
- Gomez, C., J.W. Lawson, A.J. Wright, A.D. Buren, D. Tollit and V. Lesage. 2016. A systematic review on the behavioural responses of wild marine mammals to noise: The disparity between science and policy. Can. J. Zool. 94:801–819.
- Hatch, L.T., Clark, C.W., Van Parijs, S.M., Frankel, A.S. and Ponirakis, D.W., 2012. Quantifying loss of acoustic communication space for right whales in and around a US National Marine Sanctuary. Conservation Biology, 26(6), pp.983-994.
- Hemila, S., S. Nummela, A. Berta, and T. Reuter. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints. Journal of the Acoustical Society of America 120 (6):3463-3466.
- Hildebrand, J.A., 2009. Anthropogenic and natural sources of ambient noise in the ocean. Marine Ecology Progress Series, 395, pp.5-20.

- Kastelein, R.A., P. Wensveen, L. Hoek, and J.M. Terhune. 2009. Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. *Journal of the Acoustical Society of America* 126 (1):476-483.
- Marsh, H. and Sinclair, D.F., 1989. Correcting for visibility bias in strip transect aerial surveys of aquatic fauna. *The Journal of Wildlife Management*, pp.1017-1024.
- McKenna, M.F., Ross, D., Wiggins, S.M. and Hildebrand, J.A., 2012. Underwater radiated noise from modern commercial ships. *The Journal of the Acoustical Society of America*, 131(1), pp.92-103.
- National Marine Fisheries Service. 2020. Recommendation for sound source level and propagation analysis for high resolution geophysical (HRG) sources. Available online at:
<https://www.fisheries.noaa.gov/s3/2023-05/RecommendationsforSoundHRGSourceandTLAnalysis-Final-508V4-OPRI.pdf>.
- National Oceanic and Atmospheric Administration (NOAA). 2023. Draft 2022 U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessment Reports. Available at:
<https://www.fisheries.noaa.gov/national/marine-mammal-protection/marine-mammal-stock-assessment-reports> (Accessed: 24 January 2023).
- Neo, Y.Y., Hubert, J., Bolle, L., Winter, H.V., Ten Cate, C. and Slabbekoorn, H., 2016. Sound exposure changes European seabass behaviour in a large outdoor floating pen: Effects of temporal structure and a ramp-up procedure. *Environmental pollution*, 214, pp.26-34.
- Nichols, T.A., Anderson, T.W. and Širović, A., 2015. Intermittent noise induces physiological stress in a coastal marine fish. *PLoS One*, 10(9), p.e0139157.
- NIOSH (National Institute for Occupational Safety and Health). 1998. Criteria for a Recommended Standard: Occupational Noise Exposure. United States Department of Health and Human Services, Cincinnati, OH.
- NMFS. 2018. 2018 revision to: Technical guidance for assessing the effects of anthropogenic sound on marine mammal hearing (Version 2.0). NOAA Technical Memorandum NMFS-OPR-59, National Marine Fisheries Service: 178.
- NOAA GARFO. 2021. Programmatic Consultation pursuant to section 7 of the Endangered Species Act (ESA) of 1973, concerning the effects of the certain site assessment and site characterization

activities to be carried out to support the siting of offshore wind energy development projects off the U.S. Atlantic coast. Letter from Jennifer Anderson, Assistant Regional Administrator for Protected Resources, NOAA NMFS GARFO to James F. Bennett, Program Manager, Office of Renewable Energy Programs, U.S. Department of the Interior, Bureau of Ocean Energy Management. Published June 29, 2021 (revised September 2021).

NRC (National Research Council). 2003. Ocean noise and marine mammals. National Academy of Sciences: 220.

Oleson, E. M., Baker, J., Barlow, J., Moore, J. E., Wade, P. 2020. North Atlantic Right Whale Monitoring and Surveillance: Report and Recommendations of the National Marine Fisheries Service's Expert Working Group. NOAA Tech. Memo. NMFS-F/OPR-64, 47 p.

Oleson, E. M., Baker, J., Barlow, J., Moore, J. E., Wade, P. 2020. North Atlantic Right Whale Monitoring and Surveillance: Report and Recommendations of the National Marine Fisheries Service's Expert Working Group. NOAA Tech. Memo. NMFS-F/OPR-64, 47 p.

Radford, A.N., Purser, J., Bruintjes, R., Voellmy, I.K., Everley, K.A., Wale, M.A., Holles, S. and Simpson, S.D., 2016. Beyond a simple effect: variable and changing responses to anthropogenic noise. In *The effects of noise on aquatic life II* (pp. 901-907). Springer New York.

Reichmuth, C. 2013. Equal loudness contours and possible weighting functions for pinnipeds. *Journal of the Acoustical Society of America* 134: 4210.

Richardson, W.J. and C.I. Malme. 1993. Man-made noise and behavioral responses. Pp. 631-700 In J.J. Burns, J.J. Montague, and C.J. Cowles (eds.). *The Bowhead Whale*. Soc. Mar. Mammal., Spec. Publ. No. 2.

Richardson, W.J., C.R. Greene, C.I. Malme, and D.H. Thomson. 1995. *Marine Mammals and Noise*. Academic Press, Inc., San Diego, California.

Roberts JJ, Yack TM, Halpin PN (2023) Marine mammal density models for the U.S. Navy Atlantic Fleet Training and Testing (AFTT) study area for the Phase IV Navy Marine Species Density Database (NMSDD). Document version 1.3. Report prepared for Naval Facilities Engineering Systems Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, North Carolina.

- Roberts, J.J., B.D. Best, L. Mannocci, E. Fujioka, P.N. Halpin, D.L. Palka, L.P. Garrison, K.D. Mullin, T.V.N. Cole, C.B. Khan, W.M. McLellan, D.A. Pabst, and G.G. Lockhart. 2016. Habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico. *Scientific Reports* 6: 22615. <https://doi.org/10.1038/srep22615>.
- Rolland, R.M., S.E. Parks, K.E. Hunt, M. Castellote, P.J. Corkeron, D.P. Nowacek, et al. 2012. Evidence that ship noise increases stress in right whales. *Proceedings of the Royal Society of London Series B Biological Sciences* 279 (1737):2363-2368.
- Ruppel, C.D.;Weber, T.C.; Staaterman, E.R.; Labak, S.J.; Hart, P.E. Categorizing Active Marine Acoustic Sources Based on Their Potential to Affect Marine Animals. *J. Mar. Sci. Eng.* 2022, 10, 1278. <https://doi.org/10.3390/jmse10091278>.
- Southall, B.L., A.E. Bowles, W.T. Ellison, J.J. Finneran, R.L. Gentry, C.R. Greene, et al. 2007. Marine mammal noise exposure criteria: Initial scientific recommendations. *Aquatic Mammals* 33 (4):411- 521.
- Thode, A.M., Blackwell, S.B., Conrad, A.S., Kim, K.H. and Michael Macrander, A., 2017. Decadal-scale frequency shift of migrating bowhead whale calls in the shallow Beaufort Sea. *The Journal of the Acoustical Society of America*, 142(3), pp.1482- 1502.
- Wartzok, D. and D.R. Ketten. 1999. Marine mammal sensory systems. Pages 117-175 in J.E. Reynolds and S.A. Rommel, eds. *Biology of Marine Mammals*. Smithsonian Institution Press, Washington.