FMP BSAI crab quotas and directed harvest (includes CDQ) in metric tons from 1960 precent

| from 1960-present | | | | | | | | | | | | | | | | | | | |
|---|--------------------------------------|--------------------|--------------------|---------------------|----------------------|---------------------|--------------------|--------------------|--------------------|---------------------|----------------------|---------------------|--------------------|--------------------|--------------------|---------------------|----------------------|---------------------|-------------------|
| | | | | 2023/2 | 24 | | | | | 2022/2 | 3 | | | | | 2021/2 | 2 | | |
| Fishery | Area | OFL | ABC | total TAC | IFQ | CDQ | harvest | OFL | ABC | total TAC | IFQ | CDQ | harvest | OFL | ABC | total TAC | IFQ | CDQ | harves |
| Bristol Bay red king crab (BBR) | Bristol Bay | 4,420.0 | 3,540.0 | 975.2 | 877.7 | 97.5 | TBD | 3,040.0 | 2,430.0 | | Fishery C | losed | | 2,230.0 | 1,780.0 | | Fishery (| Closed | |
| Saint Matthew blue king crab (SMB) | Saint Matthew | | | | Fishery (| | | 66.0 | 50.0 | | Fishery C | losed | | 50.0 | 40.0 | | Fishery (| Closed | |
| Pribilof Island golden king crab ^c (PIG) | Pribilof Islands (PI) | 114.0 ^d | 85.0 ^d | 59.0 ^{c,d} | NA | NA | TBD | 93.0 ^d | 70.0 ^d | 59.0 ^{c,d} | NA | NA | 19.0 ^d | 93.0 ^d | 70.0 ^d | 59.0 ^{c,d} | NA | NA | 15.5 ^d |
| Pribilof Island red and blue king | PI red and blue king crab combined | | | | | | | | | | | | | | | | | | |
| crab (PIK) | PI red king crab only | 685.0 | 514.0 | | Fishery (| Closed | | 685.0 | 514.0 | | Fishery C | losed | | 860.0 | 650.0 | | Fishery (| Closed | |
| | PI blue king crab only | 1.16 | 0.87 | | Fishery (| Closed | | 1.16 | 0.87 | | Fishery C | losed | | 1.16 | 0.87 | | Fishery (| Closed | |
| Eastern Bering Sea Tanner crab | Bering Sea (BS) East of 166° W | 36,200.0 | 28 960 0 | 344.7 | 310.3 | 34.5 | TBD | 32,810.0 | 26 250 0 | 527.5 | 474.8 | 52.8 | 528.4 | 27,170.0 | 21 740 0 | | Fishery (| Closed | |
| (EBT) | BS West of 166° W | 30,200.0 | 20,500.0 | 598.7 | 538.9 | 59.9 | TBD | 02,010.0 | 20,230.0 | 385.6 | 347.0 | 38.6 | 384.9 | 27,270.0 | 22,7 1010 | 499.0 | 449.1 | 49.9 | 494.3 |
| | BS West of 168° W | | | | | | | | | | | | | | | | | | |
| | BS East of 168° W | | | | | | | | | | | | | | | | | | |
| | BS 163° W to 173° W | | | | | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | | | | | |
| Bering Sea snow crab (BSS) | BS | 15,440.0 | 7,720.0 | | Fishery (| Closed | | 10,300.0 | 7,700.0 | | Fishery C | losed | | 7,500.0 | 5,600.0 | 2,540.1 | 2,286.1 | 254.0 | 2,516.6 |
| Aleutian Islands golden king | Aleutian Islands (AI) East of 174° W | 4,182.0 | 3,137.0 | 1,687.4 | 1,518.6 | 168.7 | TBD | 3,761.0 | 2.821.0 | 1,505.9 | 1,355.3 | 150.6 | 1,506.4 | 4,817.0 | 3.372.0 | 1,637.5 | 1,473.7 | 163.7 | 1,639.6 |
| crab ^a (AIG) | AI West of 174° W | ,, | -, | 821.0 | 738.9 | 82.1 | TBD | -, | _, | 784.7 | 706.2 | 78.5 | 784.4 | ., | -, | 1,052.3 | 947.1 | 105.2 | 992.9 |
| | Al East of 171° W | | | | | | | | | | | | | | | | | | |
| | AI West of 171° W | | | | | | | | | | | | | | | | | | |
| | AI East of 172° W | | | | | | | | | | | | | | | | | | |
| | AI West of 172° W | | | | | | | | | | | | | | | | | | |
| Western Aleutian Islands red | Al West of 179° W | 56.0 | 14.0 | | Fishery (| Closed | | 56.0 | 14.0 | | Fishery C | losed | | 56.0 | 14.0 | | Fishery (| Closed | |
| king crab ^b (WAI) | AI 171° W to 179° W | | | | Fishery (| Closed | | | | | Fishery C | losed | | | | | Fishery (| Closed | |
| | Petrel Bank (179° W to 179° E) | | | | | | | | | | | | | | | | | | |
| | AI West of 174° W | | | | | | | | | | | | | | | | | | |
| | AI West of 171° W | | | | | | | | | | | | | | | | | | |
| | Al West of 172° W | | | | | | | | | | | | | | | | | | |
| | Al East of 172° W | | | | | | | | | | | | | | | | | | |
| Norton Sound red king crab ^c (NSR) | Norton Sound | 310.0 ^d | 220.0 ^d | 178.0 ^d | 164.7 ^{c,d} | 13.4 ^{c,d} | 193.4 ^d | 300.0 ^d | 180.0 ^d | 154.9 ^d | 143.3 ^{c,d} | 11.6 ^{c,d} | 147.4 ^d | 290.0 ^d | 170.0 ^d | 142.6 ^d | 131.9 ^{c,d} | 10.7 ^{c,d} | 0.4 |

 $^{\rm b}$ Prior to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

Notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set. none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

FMP BSAI crab quotas and directed harvest (includes CDQ) in metric tons

| • | | | | 2020, | /21 | | |
|---|--------------------------------------|--------------------|-------------------|---------------------|---------------------|--------------------|-------------------|
| Fishery | Area | OFL | ABC | total TAC | IFQ | CDQ | harvest |
| Bristol Bay red king crab (BBR) | Bristol Bay | 2,140.0 | 1,610.0 | 1,201.1 | 1,081.0 | 120.1 | 1,200.6 |
| Saint Matthew blue king crab (SMB) | Saint Matthew | 50.0 | 40.0 | | Fishery (| Closed | |
| Pribilof Island golden king crab ^c (PIG) | Pribilof Islands (PI) | 93.0 ^d | 70.0 ^d | 59.0 ^{c,d} | NA | NA | 48.8 ^d |
| Pribilof Island red and blue king | PI red and blue king crab combined | | | | | | |
| crab (PIK) | PI red king crab only | 864.0 | 648.0 | | Fishery (| Closed | |
| | PI blue king crab only | 1.16 | 0.87 | | Fishery (| Closed | |
| Eastern Bering Sea Tanner crab | Bering Sea (BS) East of 166° W | 21 130 0 | 16,900.0 | | Fishery (| Closed | |
| (EBT) | BS West of 166° W | 21,150.0 | 10,500.0 | 1,065.0 | 958.5 | 106.5 | 657.5 |
| | BS West of 168° W | | | | | | |
| | BS East of 168° W | | | | | | |
| | BS 163° W to 173° W | | | | | | |
| | BS | | | | | | |
| Bering Sea snow crab (BSS) | BS | 95,400.0 | 71,550.0 | 20,411.7 | 18,370.5 | 2,041.2 | 20,412.2 |
| Aleutian Islands golden king | Aleutian Islands (AI) East of 174° W | 4,798.0 | 3,599.0 | 1,655.6 | 1,490.1 | 165.6 | 1,655.7 |
| crab ^a (AIG) | AI West of 174° W | 4,730.0 | 3,333.0 | 1,342.6 | 1,208.4 | 134.3 ^a | 1,266.8 |
| | AI East of 171° W | | | | | | |
| | AI West of 171° W | | | | | | |
| | AI East of 172° W | | | | | | |
| | AI West of 172° W | | | | | | |
| Western Aleutian Islands red | AI West of 179° W | 56.0 | 14.0 | | Fishery (| Closed | |
| king crab ^b (WAI) | AI 171° W to 179° W | 30.0 | 14.0 | | Fishery (| Closed | |
| | Petrel Bank (179° W to 179° E) | | | | | | |
| | AI West of 174° W | | | | | | |
| | AI West of 171° W | | | | | | |
| | AI West of 172° W | | | | | | |
| | Al East of 172° W | | | | | | |
| Norton Sound red king crab ^c (NSR) | Norton Sound | 130.0 ^d | 90.0 ^d | 77.2 ^d | 71.4 ^{c,d} | 5.8 ^{c,d} | CF ^d |

 $^{\rm b}\text{Prior}$ to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

Notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set. none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

FMP BSAI crab quotas and directed harvest (includes CDQ) in metric tons from 1960 precent

| from 1960-present | | 1 | | | | | | , | | | | | | | | | | | |
|---|--------------------------------------|--------------------|-------------------|---------------------|---------------------|--------------------|-------------------|--------------------|--------------------|----------------------|----------------------|---------------------|--------------------|--------------------|--------------------|----------------------|----------------------|-------|------------------------|
| | | | | 2019/ | 20 | | | | | 2018/ | | | | | | 20 | 17/18 | | |
| Fishery | Area | OFL | ABC | total TAC | IFQ | CDQ | harvest | OFL | ABC | total TAC | IFQ | CDQ | harvest | OFL | ABC | total TAC | IFQ | CDQ | harves |
| Bristol Bay red king crab (BBR) | Bristol Bay | 3,400.0 | 2,720.0 | 1,722.3 | 1,550.1 | 172.2 | 1,719.8 | 5,340.0 | 4,270.0 | 1,954.1 | 1,758.7 | 195.4 | 1,954.1 | 5,600.0 | 5,040.0 | 2,994.2 | 2,694.8 | 299 | .4 2,994. |
| Saint Matthew blue king crab (SMB) | Saint Matthew | 44.0 | 35.0 | | Fishery C | losed | | 40.0 | 30.0 | | Fishery C | losed | | 120.0 | 100.0 | | Fishery Cl | osed | |
| Pribilof Island golden king crab ^c (PIG) | Pribilof Islands (PI) | 93.0 ^d | 70.0 ^d | 59.0 ^{c,d} | NA | NA | CF^d | 93.0 ^d | 70.0 ^d | 59.0 ^{c,d} | NA | NA | CF ^d | 93.0 ^d | 70.0 ^d | 59.0 ^{c,d} | NA | NA | CF^d |
| Pribilof Island red and blue king | PI red and blue king crab combined | | | | | | | | | | | | | | | | | | |
| crab (PIK) | PI red king crab only | 864.0 | 648.0 | | Fishery C | losed | | 482.0 | 362.0 | | Fishery C | losed | | 482.0 | 362.0 | | Fishery Cl | osed | |
| | PI blue king crab only | 1.16 | 0.87 | | Fishery C | losed | | 1.16 | 0.87 | | Fishery C | losed | | 1.16 | 0.87 | | Fishery Cl | osed | |
| Eastern Bering Sea Tanner crab | Bering Sea (BS) East of 166° W | 28,860.0 | 23 090 0 | | Fishery C | losed | | 20,870.0 | 16 700 N | | Fishery C | losed | | 25,420.0 | 20 330 0 | | Fishery Cl | osed | |
| (EBT) | BS West of 166° W | 20,000.0 | 23,030.0 | | Fishery C | losed | | 20,070.0 | 10,700.0 | 1,106.3 | 995.7 | 110.6 | 1,107.3 | | | 1,134.1 | 1,020.7 | 113.4 | 1,132.5 |
| | BS West of 168° W | | | | | | | | | | | | | | | | | | |
| | BS East of 168° W | | | | | | | | | | | | | | | | | | |
| | BS 163° W to 173° W | | | | | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | | | | | |
| Bering Sea snow crab (BSS) | BS | 54,900.0 | 43,900.0 | 15,430.7 | 13,887.7 | 1,543.1 | 15,433.3 | 29,700.0 | 23,800.0 | 12,510.6 | 11,259.5 | 1,251.1 | 12,509.3 | 28,400.0 | 22,700.0 | 8,600.6 | 7,740.5 | 860 | .1 8,601.7 |
| Aleutian Islands golden king | Aleutian Islands (AI) East of 174° W | 5,249.0 | 3.937.0 | 1,955.0 | 1,759.5 | 195.5 | 1,954.3 | 5,514.0 | 4.136.0 | 1,749.1 | 1,574.2 | 174.9 | 1,748.2 | 6.048.0 | 4,536.0 | 1,501.4 | 1,351.3 | 150 | .1 1,500.6 |
| crab ^a (AIG) | AI West of 174° W | -, | -, | 1,301.8 | 1,171.6 | 130.2 ^a | 1,288.2 | 5,5 = 1.15 | ., | 1,134.0 | 1,020.6 | 113.4ª | 1,134.6 | | ., | 1,013.8 | 907.1 | 106. | 7 ^a 1,013.7 |
| | AI East of 171° W | | | | | | | | | | | | | | | | | | |
| | Al West of 171° W | | | | | | | | | | | | | | | | | | |
| | Al East of 172° W | | | | | | | | | | | | | | | | | | |
| | AI West of 172° W | | | | | | | | | | | | | | | | | | |
| Western Aleutian Islands red | Al West of 179° W | 56.0 | 14.0 | | Fishery C | losed | | 56.0 | 14.0 | | Fishery C | losed | | 56.0 | 14.0 | | Fishery Cl | osed | |
| king crab ^b (WAI) | AI 171° W to 179° W | 30.0 | 20 | | Fishery C | losed | | 30.0 | 1 | | Fishery C | losed | | 30.0 | 20 | | Fishery Cl | osed | |
| | Petrel Bank (179° W to 179° E) | | | | | | | | | | | | | | | | | | |
| | Al West of 174° W | | | | | | | | | | | | | | | | | | |
| | AI West of 171° W | | | | | | | | | | | | | | | | | | |
| | Al West of 172° W | | | | | | | | | | | | | | | | | | |
| | Al East of 172° W | | | | | | | | | | | | | | | | | | |
| Norton Sound red king crab ^c (NSR) | Norton Sound | 110.0 ^d | 90.0 ^d | 68.3 ^{c,d} | 63.2 ^{c,d} | 5.1 ^{c,d} | 35.5 ^d | 200.0 ^d | 160.0 ^d | 144.9 ^{c,d} | 134.0 ^{c,d} | 10.9 ^{c,d} | 148.6 ^d | 300.0 ^d | 240.0 ^d | 225.3 ^{c,d} | 208.4 ^{c,d} | 16.9 | ^{c,d} 222.1 |

^aThe Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set. none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

 $^{^{\}rm b}$ Prior to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

FMP BSAI crab quotas and directed harvest (includes CDQ) in metric tons

| from 1960-present | T | 1 | | 20451: | _ | | | | | 20:- | 14.0 | | | | | 2011 | | | |
|---|--------------------------------------|--------------------|--------------------|----------------------|----------------------|---------------------|--------------------|--------------------|--------------------|----------------------|----------------------|---------------------|--------------------|-------------------|-------------------|---------------------|-----------|--------------------|----------|
| | | | | 2016/1 | | | | | | 2015/ | | | | | | 2014/ | | | |
| Fishery | Area | OFL | ABC | total TAC | IFQ | CDQ | harvest | OFL | ABC | total TAC | IFQ | CDQ | harvest | OFL | ABC | total TAC | IFQ | CDQ | harvest |
| Bristol Bay red king crab (BBR) | Bristol Bay | 6,640.0 | 5,970.0 | 3,841.5 | 3,457.3 | 384.1 | 3,840.4 | 6,730.0 | 6,060.0 | 4,524.1 | 4,071.7 | 452.4 | 4,522.3 | 6,820.0 | 6,140.0 | 4,529.6 | 4,076.6 | 453.0 | 4,530.0 |
| Saint Matthew blue king crab (SMB) | Saint Matthew | 140.0 | 110.0 | | Fishery Clo | osed | | 280.0 | 220.0 | 186.4 | 167.8 | 18.6 | 48.3 | 430.0 | 340.0 | 297.1 | 267.4 | 29.7 | 140.0 |
| Pribilof Island golden king crab ^c (PIG) | Pribilof Islands (PI) | 91.0 ^d | 68.0 ^d | 59.0 ^{c,d} | NA | NA | O ^d | 91.0 ^d | 68.0 ^d | 59.0 ^{c,d} | NA | NA | 0 ^d | 91.0 ^d | 82.0 ^d | 68.0 ^{c,d} | NA | NA | CF^d |
| Pribilof Island red and blue king | PI red and blue king crab combined | | | | | | | | | | | | | | | | | | |
| crab (PIK) | PI red king crab only | 1,492.0 | 1,096.0 | | Fishery Clo | osed | | 2,119.0 | 1,467.0 | | Fishery C | losed | | 1,359.0 | 1,019.0 | | Fishery C | losed | |
| | PI blue king crab only | 1.16 | 0.87 | | Fishery Clo | osed | | 1.16 | 0.87 | | Fishery C | losed | | 1.16 | 0.87 | | Fishery C | losed | |
| Eastern Bering Sea Tanner crab | Bering Sea (BS) East of 166° W | 25,610.0 | 20 400 0 | | Fishery Clo | osed | | 27,190.0 | 21 750 0 | 5,112.9 | 4,601.6 | 511.3 | 5,109.1 | 31.480.0 | 25 190 0 | 3,846.5 | 3,461.8 | 384.6 | 3,833.: |
| (EBT) | BS West of 166° W | 25,610.0 | 20,490.0 | | Fishery Clo | osed | | 27,190.0 | 21,750.0 | 3,808.4 | 3,427.5 | 380.8 | 3,800.6 | 31,460.0 | 25,160.0 | 3,005.1 | 2,704.5 | 300.5 | 2,383.2 |
| | BS West of 168° W | | | | | | | | | | | | | | | | | | |
| | BS East of 168° W | | | | | | | | | | | | | | | | | | |
| | BS 163° W to 173° W | | | | | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | | | | | |
| Bering Sea snow crab (BSS) | BS | 23,700.0 | 21,300.0 | 9,784.0 | 8,805.6 | 978.4 | 9,784.4 | 83,100.0 | 62,300.0 | 18,420.9 | 16,578.8 | 1,842.1 | 18,421.1 | 69,000.0 | 62,100.0 | 30,821.6 | 27,739.5 | 3,082.2 | 30,817.8 |
| Aleutian Islands golden king | Aleutian Islands (AI) East of 174° W | 5 690 0 | 4,260.0 | 1,501.4 | 1,351.3 | 150.1 | 1,500.1 | 5 690 0 | 4,260.0 | 1,501.4 | 1,351.3 | 150.1 | 1,498.0 | 5 690 0 | 4,260.0 | 1,501.4 | 1,351.3 | 150.1 | 1,500.0 |
| crab ^a (AIG) | AI West of 174° W | 3,030.0 | 4,200.0 | 1,013.8 | 907.1 | 106.7ª | 1,014.5 | 3,030.0 | 4,200.0 | 1,351.7 | 1,216.5 | 135.2 ^a | CF | 3,030.0 | 4,200.0 | 1,351.7 | 1,216.5 | 135.2 ^a | CF |
| | AI East of 171° W | | | | | | | | | | | | | | | | | | |
| | AI West of 171° W | | | | | | | | | | | | | | | | | | |
| | AI East of 172° W | | | | | | | | | | | | | | | | | | |
| | AI West of 172° W | | | | | | | | | | | | | | | | | | |
| Western Aleutian Islands red | AI West of 179° W | 56.0 | 34.0 | | Fishery Clo | osed | | 56.0 | 34.0 | | Fishery C | losed | | 56.0 | 34.0 | | Fishery C | losed | |
| king crab ^b (WAI) | AI 171° W to 179° W | 30.0 | 34.0 | | Fishery Clo | osed | | 30.0 | 34.0 | | Fishery C | losed | | 30.0 | 34.0 | | Fishery C | losed | |
| | Petrel Bank (179° W to 179° E) | | | | | | | | | | | | | | | | | | |
| | AI West of 174° W | | | | | | | | | | | | | | | | | | |
| | AI West of 171° W | | | | | | | | | | | | | | | | | | |
| | AI West of 172° W | | | | | | | | | | | | | | | | | | |
| | AI East of 172° W | | | | | | | | | | | | | | | | | | |
| Norton Sound red king crab ^c (NSR) | Norton Sound | 320.0 ^d | 260.0 ^d | 234.6 ^{c,d} | 217.0 ^{c,d} | 17.6 ^{c,d} | 226.9 ^d | 330.0 ^d | 260.0 ^d | 179.0 ^{c,d} | 165.6 ^{c,d} | 13.4 ^{c,d} | 181.9 ^d | 210.0 | 190.0 | 173.6 ^c | 160.6° | 13.0° | 176.5 |

 $^{\rm b}\text{Prior}$ to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

Notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set. none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

FMP BSAI crab quotas and directed harvest (includes CDQ) in metric tons from 1960 precent

| from 1960-present | | | | | | | | | | | | | | | | | | | |
|---|--------------------------------------|-------------------|-------------------|---------------------|-----------|--------------------|----------|-------------------|-------------------|---------------------|-----------|---------|-----------------|-------------------|----------|---------------------|-----------|-------------------|-----------------|
| | | | | 2013 | /14 | | | | | 2012/ | 13 | | | | | 2011/ | 12 | | |
| Fishery | Area | OFL | ABC | total TAC | IFQ | CDQ | harvest | OFL | ABC | total TAC | IFQ | CDQ | harvest | OFL | ABC | total TAC | IFQ | CDQ | harves |
| Bristol Bay red king crab (BBR) | Bristol Bay | 7,070.0 | 6,360.0 | 3,900.9 | 3,510.8 | 390.1 | 3,901.1 | 7,960.0 | 7,170.0 | 3,562.1 | 3,205.9 | 356.2 | 3,560.6 | 8,800.0 | 7,920.0 | 3,553.4 | 3,198.1 | 355.3 | 3,553. |
| Saint Matthew blue king crab (SMB) | Saint Matthew | 560.0 | 450.0 | | Fishery (| Closed | | 1,020.0 | 920.0 | 739.4 | 665.4 | 73.9 | 733.0 | 1,700.0 | 1,540.0 | 1,070.0 | 963.0 | 107.0 | 853.4 |
| Pribilof Island golden king crab ^c (PIG) | Pribilof Islands (PI) | 91.0 ^d | 82.0 ^d | 68.0 ^{c,d} | NA | NA | CF^d | 90.7 ^d | 81.6 ^d | 68.0 ^{c,d} | NA | NA | CF ^d | 81.6 ^d | NA | 68.0 ^{c,d} | NA | NA | CF ^d |
| Pribilof Island red and blue king | PI red and blue king crab combined | | | | | | | | | | | | | | | | | | |
| crab (PIK) | PI red king crab only | 903.0 | 718.0 | | Fishery (| Closed | | 569.0 | 455.0 | | Fishery C | losed | | 393.0 | 307.0 | | Fishery C | Closed | |
| | PI blue king crab only | 1.16 | 1.04 | | Fishery (| Closed | | 1.16 | 1.04 | | Fishery C | losed | | 1.16 | 1.04 | | Fishery C | Closed | |
| Eastern Bering Sea Tanner crab | Bering Sea (BS) East of 166° W | 25,350.0 | 17 920 0 | 663.6 | 597.2 | 66.4 | 660.6 | 19,020.0 | 9 170 0 | | Fishery C | losed | | 2,750.0 | 2,480.0 | | Fishery C | Closed | |
| (EBT) | BS West of 166° W | 25,550.0 | 17,620.0 | 746.2 | 671.5 | 74.6 | 603.5 | 19,020.0 | 8,170.0 | | Fishery C | losed | | 2,730.0 | 2,460.0 | | Fishery C | Closed | |
| | BS West of 168° W | | | | | | | | | | | | | | | | | | |
| | BS East of 168° W | | | | | | | | | | | | | | | | | | |
| | BS 163° W to 173° W | | | | | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | | | | | |
| Bering Sea snow crab (BSS) | BS | 78,100.0 | 70,300.0 | 24,486.3 | 22,037.7 | 2,448.6 | 24,486.4 | 67,800.0 | 61,000.0 | 30,095.9 | 27,086.3 | 3,009.6 | 30,052.6 | 73,500.0 | 66,150.0 | 40,321.7 | 36,289.5 | 4,032.2 | 40,293.0 |
| Aleutian Islands golden king | Aleutian Islands (AI) East of 174° W | 5 690 0 | 5,120.0 | 1,501.4 | 1,351.3 | 150.1 | 1,497.8 | 5 690 0 | 5,120.0 | 1,501.4 | 1,351.3 | 150.1 | 1,503.7 | 5 170 0 | 4,660.0 | 1,428.8 | 1,285.9 | 142.9 | 1,429.0 |
| crab ^a (AIG) | AI West of 174° W | -, | -, | 1,351.7 | 1,216.5 | 135.2 ^a | 1,347.4 | | -, | 1,351.7 | 1,216.5 | 135.2ª | 1,339.3 | -,-: -:- | ., | 1,285.9 | 1,157.3 | 128.6ª | 1,276.4 |
| | AI East of 171° W | | | | | | | | | | | | | | | | | | |
| | AI West of 171° W | | | | | | | | | | | | | | | | | | |
| | AI East of 172° W | | | | | | | | | | | | | | | | | | |
| | AI West of 172° W | | | | | | | | | | | | | | | | | | |
| Western Aleutian Islands red | AI West of 179° W | 56.0 | 34.0 | | Fishery (| Closed | | 56.0 | 34.0 | | Fishery C | losed | | 54.43 | 12.0 | | Fishery C | Closed | |
| king crab ^b (WAI) | AI 171° W to 179° W | 30.0 | 5 | | Fishery (| Closed | | 30.0 | 5 | | Fishery C | losed | | 5 | 12.0 | | Fishery C | Closed | |
| | Petrel Bank (179° W to 179° E) | | | | | | | | | | | | | | | | | | |
| | Al West of 174° W | | | | | | | | | | | | | | | | | | |
| | AI West of 171° W | | | | | | | | | | | | | | | | | | |
| | Al West of 172° W | | | | | | | | | | | | | | | | | | |
| | AI East of 172° W | | | | | | | | | | | | | | | | | | |
| Norton Sound red king crab ^c (NSR) | Norton Sound | 260.0 | 240.0 | 224.8 ^c | 208.0° | 16.9° | 177.7 | 240.0 | 220.0 | 211.1 ^c | 195.3° | 15.8° | 215.9 | 300.0 | 270.0 | 162.4 ^c | 150.2° | 12.2 ^c | 181.8 |

^bPrior to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

Notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set. none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

FMP BSAI crab quotas and directed harvest (includes CDQ) in metric tons

| from 1960-present | | | | 201 | 0/11 | | | | | 200 | 9/10 | | | | | 200 | 08/09 | | |
|---|---|-------------------|-----|---------------------|------------|-------------------|----------|-------------------|-----|---------------------|--------------------|-------------------|----------------|----------|-----|---------------------|------------------|---------------|---------------|
| Fishery | Area | OFL | ARC | total TAC | IFQ | CDQ | harvest | OFL | ΔRC | total TAC | IFQ. | CDQ | harvest | OFL | ARC | total TAC | IFQ | CDQ | harvest |
| Bristol Bay red king crab (BBR) | Bristol Bay | 10,660.0 | | 6,730.9 | 6,057.8 | | 6,728.5 | | | 7,261.6 | 6,535.4 | | | | | 9,237.0 | | 923.7 | |
| Saint Matthew blue king crab (SMB) | Saint Matthew | 1,040.0 | NA | 725.7 | 653.2 | 72.6 | 573.3 | 780.0 | NA | 529.3 | 476.4 | 52.9 | 209.0 | 740.0 | NA | | Fishery | Closed | |
| Pribilof Island golden king crab ^c (PIG) | Pribilof Islands (PI) | 77.1 ^d | NA | 68.0 ^{c,d} | NA | NA | CF^d | 77.1 ^d | NA | 68.0 ^{c,d} | NA | NA | O ^d | NA | NA | 68.0 ^{c,d} | NA | NA | 0 |
| Pribilof Island red and blue king | PI red and blue king crab combined | | | | | | | | | | | | | | | | | | |
| crab (PIK) | PI red king crab only | 350.0 | NA | | Fishery C | losed | | 230.0 | NA | | Fishery C | losed | | 1,510.0 | NA | | Fishery | Closed | |
| | PI blue king crab only | 1.81 | NA | | Fishery C | losed | | 1.81 | NA | | Fishery C | losed | | 1.81 | NA | | Fishery | Closed | |
| Eastern Bering Sea Tanner crab (EBT) | Bering Sea (BS) East of 166° W BS West of 166° W | 1,610.0 | NA | | Fishery C | | | 2,270.0 | NA | 612.4 | 551.1 Fishery C | 61.2 | 600.8 | 7,040.0 | NA | 1,253.3 697.2 | 1,127.9 627.5 | 125.3 69.7 | 830.1 49.7 |
| | BS West of 168° W | | | | risilery C | ioseu | | | | | risilery C | ioseu | | | | 037.2 | 027.3 | 03.7 | 43.7 |
| | BS East of 168° W | | | | | | | | | | | | | | | | | | |
| | BS 163° W to 173° W | | | | | | | | | | | | | | | | | | |
| | BS 103 W to 173 W | | | | | | | | | | | | | | | | | | |
| Bering Sea snow crab (BSS) | BS | 44,400.0 | NA | 24,621.5 | 22,159.3 | 2,462.1 | 24,613.4 | 33,100.0 | NA | 21,780.2 | 19,602.2 | 2,178.0 | 21,778.9 | 35,100.0 | NA | 26,557.9 | 23,902.1 | 2,655.8 | 26,556.9 |
| Aleutian Islands golden king | Aleutian Islands (AI) East of 174° W | F 020 0 | NIA | 1,428.8 | 1,285.9 | 142.9 | 1,428.0 | 4,160.0 | NIA | 1,428.8 | 1,285.9 | 142.9 | 1,429.0 | 4,160.0 | NIA | 1,428.8 | 1,285.9 | 142.9 | 1,426.3 |
| crab ^a (AIG) | Al West of 174° W | 5,020.0 | NA | 1,285.9 | 1,157.3 | 128.6ª | 1,279.4 | 4,160.0 | NA | 1,285.9 | 1,157.3 | 128.6ª | 1,252.7 | 4,160.0 | INA | 1,285.9 | 1,157.3 | 128.6ª | 1,150.2 |
| | Al East of 171° W | | | | | | | | | | | | | | | | | | |
| | Al West of 171° W | | | | | | | | | | | | | | | | | | |
| | Al East of 172° W | | | | | | | | | | | | | | | | | | |
| | AI West of 172° W | | | | | | | | | | | | | | | | | | |
| Western Aleutian Islands red | AI West of 179° W | 54.43 | NΙΔ | | Fishery C | losed | | 226.8 | NΔ | | Fishery C | losed | | 208.7 | NΑ | | Fishery | Closed | |
| king crab ^b (WAI) | AI 171° W to 179° W | 54.45 | INA | | Fishery C | losed | | 220.0 | IVA | | Fishery C | losed | | 200.7 | IVA | | Fishery | Closed | |
| | Petrel Bank (179° W to 179° E) | | | | | | | | | | | | | | | | | | |
| | AI West of 174° W | | | | | | | | | | | | | | | | | | |
| | AI West of 171° W | | | | | | | | | | | | | | | | | | |
| | AI West of 172° W | | | | | | | | | | | | | | | | | | |
| | Al East of 172° W | | | | | | | | | | | | | | | | | | |
| Norton Sound red king crab ^c (NSR) | Norton Sound | 330.0 | NA | 181.4° | 167.8° | 13.6 ^c | 189.3 | 320.0 | NA | 170.1 ^c | 157.3° | 12.8 ^c | 180.3 | 310.0 | NA | 186.9° | 172.9° | 14.0° | 179.2 |

^aThe Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set. none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

 $^{^{\}rm b}\text{Prior}$ to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

FMP BSAI crab quotas and directed harvest (includes CDQ) in metric tons from 1960-present

| from 1960-present | | 1 | 2007/ | /ne | | | 2006/ | 07 | | | 2005/ | 'nc | | | 2005 | | |
|---|--------------------------------------|----------------------|----------------------|---------------------|--------------------|----------------------|----------------------|---------------------|--------------------|----------------------|----------------------|---------------------|--------------------|----------|-------------|--------|-----------|
| | | | | | | | | | | | | | | | | | |
| Fishery | Area | total TAC | IFQ | CDQ | harvest | total TAC | IFQ | CDQ | harvest | total TAC | IFQ | CDQ | harvest | | Open Access | CDQ | harvest |
| Bristol Bay red king crab (BBR) | Bristol Bay | 9,245.6 | 8,321.0 | 924.6 | 9,237.9 | 7,042.9 | 6,338.6 | 704.3 | 7,083.7 | 8,313.9 | 7,482.5 | 831.4 | 8,305.0 | | | | |
| Saint Matthew blue king crab (SMB) | Saint Matthew | | Fishery (| Closed | | | Fishery C | losed | | | Fishery C | losed | | | | | |
| Pribilof Island golden king crab ^c (PIG) | Pribilof Islands (PI) | 68.0 ^{c,d} | NA | NA | 0 ^d | 68.0 ^{c,d} | NA | NA | O ^d | 68.0 ^{c,d} | NA | NA | CF^d | | | | |
| Pribilof Island red and blue king | PI red and blue king crab combined | | | | | | | | | | | | | | | | |
| crab (PIK) | PI red king crab only | | Fishery (| Closed | | | Fishery C | losed | | | Fishery C | losed | | | | | |
| | PI blue king crab only | | Fishery (| Closed | | | Fishery C | losed | | | Fishery C | losed | | | | | |
| Eastern Bering Sea Tanner crab | Bering Sea (BS) East of 166° W | 1,562.6 | 1,406.4 | 156.3 | 718.0 | 850.5 | 765.4 | 85.0 | 635.8 | | Fishery C | losed | | | | | |
| (EBT) | BS West of 166° W | 987.0 | 888.3 | 98.7 | 237.6 | 496.2 | 446.6 | 49.6 | 327.0 | 734.8 | 661.3 | 73.5 | 432.2 | | | | |
| | BS West of 168° W | | | | | | | | | | | | | | | | |
| | BS East of 168° W | | | | | | | | | | | | | | | | |
| | BS 163° W to 173° W | | | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | | | |
| Bering Sea snow crab (BSS) | BS | 28,591.8 | 25,732.6 | 2,859.2 | 28,589.1 | 16,586.1 | 14,927.5 | 1,658.6 | 16,490.7 | 16,866.4 | 15,179.8 | 1,686.6 | 16,771.1 | 9,494.6* | 8,782.5* | 843.1* | 11,290.9* |
| Aleutian Islands golden king | Aleutian Islands (AI) East of 174° W | 1,360.8 | 1,224.7 | 136.1 | 1,356.2 | 1,360.8 | 1,224.7 | 136.1 | 1,357.2 | 1,360.8 | 1,224.7 | 136.1 | 1,300.3 | | | | |
| crab ^a (AIG) | Al West of 174° W | 1,224.7 | 1,102.2 | 122.5 ^a | 1,142.2 | 1,224.7 | 1,102.2 | 122.5 ^a | 1,029.8 | 1,224.7 | 1,102.2 | 122.5 ^a | 1,203.7 | | | | |
| | Al East of 171° W | | | | | | | | | | | | | | | | |
| | Al West of 171° W | | | | | | | | | | | | | | | | |
| | Al East of 172° W | | | | | | | | | | | | | | | | |
| | AI West of 172° W | | | | | | | | | | | | | | | | |
| Western Aleutian Islands red | AI West of 179° W | | Fishery (| Closed | | | Fishery C | losed | | | Fishery C | losed | | | | | |
| king crab ^b (WAI) | AI 171° W to 179° W | | Fishery (| Closed | | | Fishery C | losed | | | Fishery C | losed | | | | | |
| | Petrel Bank (179° W to 179° E) | | | | | | | | | | | | | | | | |
| | Al West of 174° W | | | | | | | | | | | | | | | | |
| | Al West of 171° W | | | | | | | | | | | | | | | | |
| | Al West of 172° W | | | | | | | | | | | | | | | | |
| | Al East of 172° W | | | | | | | | | | | | | | | | |
| Norton Sound red king crab ^c (NSR) | Norton Sound | 142.9 ^{c,d} | 132.2 ^{c,d} | 10.7 ^{c,d} | 141.9 ^d | 205.9 ^{c,d} | 190.5 ^{c,d} | 15.4 ^{c,d} | 204.9 ^d | 167.8 ^{c,d} | 155.2 ^{c,d} | 12.6 ^{c,d} | 181.8 ^d | | | | |

^aThe Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set. none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

Greyed out sections indicate fisheries that did not exist for that year.

Note: Crab Rationalization program starts July 1, 2005.

*There was a calendar year fishery in January of 2005. The fishery opened again under the Crab Rationalization program in Oct 2005 for the 2005/06 season.

 $^{^{\}rm b}$ Prior to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

FMP BSAI crab quotas and directed harvest (includes CDQ) in metric tons from 1960-present

| from 1960-present | | | | | | | | | | | | | | | | | |
|---|--------------------------------------|----------------------|----------------------|--------------------|-----------------------|-----------------------|-----------------------|--------------------|-----------------------|-----------------------|-----------------------|----------------------|-----------------------|-----------------------|------------|-----------------------------------|-----------------------|
| | | | 2004/0 | 5 | | | 2003/0 | 1 | | | 2002/0 | 3 | | | 2001, | /02 | |
| Fishery | Area | total GHL | Open Access | CDQ | harvest | total GHL | Open Access | CDQ | harvest | total GHL | Open Access | CDQ | harvest | total GHL | Open Acces | s CDQ | harvest |
| Bristol Bay red king crab (BBR) | Bristol Bay | 6,996.2 ^d | 6,471.4 ^d | 515.0 ^d | 7,006.7 ^d | 7,127.3 ^d | 6,593.0 ^d | 529.4 ^d | 7,134.2 ^d | 4,205.0 ^d | 3,889.7 ^d | 324.0 ^d | 4,384.8 ^d | 3,243.2 ^d | 3,000. | 0 ^d 280.1 ^d | 3,866.2 |
| Saint Matthew blue king crab (SMB) | Saint Matthew | | Fishery Clo | sed ^d | | | Fishery Clo | sed ^d | | | Fishery Clo | sed ^d | | | Fishery C | Closed ^d | |
| Pribilof Island golden king crab ^c (PIG) | Pribilof Islands (PI) | 68.0 ^d | NA | NA | CF ^d | 68.0 ^d | NA | NA | CF ^d | 68.0 ^d | NA | NA | 68.2 ^d | 68.0 ^d | NA | NA | 66.2° |
| Pribilof Island red and blue king | PI red and blue king crab combined | | Fishery Clo | sed ^d | | | Fishery Clo | sed ^d | | | Fishery Clo | sed ^d | | | Fishery C | Closed ^d | |
| crab (PIK) | PI red king crab only | | | | | | | | | | | | | | | | |
| | PI blue king crab only | | | | | | | | | | | | | | | | |
| Eastern Bering Sea Tanner crab | Bering Sea (BS) East of 166° W | | | | | | | | | | | | | | | | |
| (EBT) | BS West of 166° W | | | | | | | | | | | | | | | | |
| | BS West of 168° W | | Fishery Clo | sed | | | Fishery Clo | sed | | | Fishery Clo | osed | | | Fishery (| Closed | |
| | BS East of 168° W | | Fishery Clo | sed | | | Fishery Clo | sed | | | Fishery Clo | osed | | | Fishery (| Closed | |
| | BS 163° W to 173° W | | | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | | | |
| Bering Sea snow crab (BSS) | BS | 9,448.8 ^d | 8,740.3 ^d | 805.0 ^d | 10,860.1 ^d | 11,616.5 ^d | 10,745.6 ^d | 963.0 ^d | 12,844.4 ^d | 13,979.7 ^d | 12,931.9 ^d | 1,113.0 ^d | 14,802.2 ^d | 12,383.1 ^d | 11,454. | 4 ^d 851.9 ^d | 11,456.1 ^d |
| Aleutian Islands golden king | Aleutian Islands (AI) East of 174° W | 1,360.8 | NA | NA | 1,309.4 | 1,360.8 | NA | NA | 1,350.4 | 1,496.5 | NA | NA | 1,280.0 | 1,360.8 | NA | NA | 1,441.8 |
| crab ^a (AIG) | AI West of 174° W | 1,224.7 | NA | NA | 1,219.4 | 1,224.7 | NA | NA | 1,219.6 | 1,224.7 | NA | NA | 1,197.8 | 1,224.7 | NA | NA | 1,242.9 |
| | AI East of 171° W | | | | | | | | | | | | | | | | |
| | AI West of 171° W | | | | | | | | | | | | | | | | |
| | AI East of 172° W | | | | | | | | | | | | | | | | |
| | AI West of 172° W | | | | | | | | | | | | | | | | |
| Western Aleutian Islands red | Al West of 179° W | | | | | | | | | | | | | | | | |
| king crab ^b (WAI) | AI 171° W to 179° W | | | | | | | | | | | | | | | | |
| | Petrel Bank (179° W to 179° E) | | Fishery Clo | sed | | 226.8 | NA | NA | 217.3 | 226.8 | NA | NA | 229.4 | | Fishery (| Closed | |
| | AI West of 174° W | | | | | | | | | | | | | | | | |
| | AI West of 171° W | | | | | | | | | | | | | | | | |
| | Al West of 172° W | | | | | | | | | | | | | | | | |
| | Al East of 172° W | | | | | | | | | | | | | | | | |
| Norton Sound red king crab ^c (NSR) | Norton Sound | 160.1 ^d | 148.1 ^d | 12.0 ^d | 154.6 ^d | 114.8 ^d | 106.2 ^d | 8.6 ^d | 121.2 ^d | 112.5 ^d | 114.4 ^d | 8.4 ^d | 117.8 ^d | 137.4 ^d | 127. | 1 ^d 10.3 ^d | 130.7° |

^aThe Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set. none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

 $^{^{\}rm b}$ Prior to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

FMP BSAI crab quotas and directed harvest (includes CDQ) in metric tons

| from 1960-present | | | | | | ı | | | | ı | | | | | | | |
|---|--------------------------------------|-----------------------|-----------------------|--------------------|-----------------------|-----------------------|-----------------------|----------------------|-----------------------|------------------------|------------------------|----------------------|------------------------|-----------------------|-----------------------|-----------------------|----------|
| | | | 2000/03 | 1 | | | 1999/20 | | | | 1998/99 | | | 1997 | 7/98 | 1996 | |
| Fishery | Area | total GHL | Open Access | CDQ | harvest | total GHL | Open Access | CDQ | harvest | total GHL | Open Access | CDQ | harvest | total GHL | harvest | total GHL | harvest |
| Bristol Bay red king crab (BBR) | Bristol Bay | 3,787.5 ^d | 3,503.6 ^d | 276.8 ^d | 3,737.9 ^d | 4,835.3 ^d | 4,593.5 ^d | 263.4 ^d | 5,368.7 ^d | 7,438.9 ^d | 7,166.8 ^d | 238.2 ^d | 6,805.4 ^d | 3,175.2 ^d | 4,042.1 ^d | 2,268.0 ^d | 3,866.0 |
| Saint Matthew blue king crab (SMB) | Saint Matthew | | Fishery Clo | sed ^d | | | Fishery Clo | sed ^d | | 1,859.5 ^d | 1,814.4 ^d | 45.1 ^d | 1,346.5 ^d | 2,268.0 ^d | 2,109.1 ^d | 1,950.4 ^d | 1,396.6 |
| Pribilof Island golden king crab ^c (PIG) | Pribilof Islands (PI) | 68.0 ^d | NA | NA | 57.7 ^d | 90.7 ^d | NA | NA | 80.3 ^d | none ^d | NA | NA | 16.2 ^d | none ^d | 81.3 ^d | none ^d | 149.2 |
| Pribilof Island red and blue king | PI red and blue king crab combined | | Fishery Clo | sed ^d | | | Fishery Clo | sed ^d | | 583.3 ^d | 567.0 ^d | 16.3 ^d | CF^d | 680.39 ^d | 575.7 ^d | 816.5 ^d | 515.9 |
| crab (PIK) | PI red king crab only | | | | | | | | | | | | | | 343.3 ^d | | 90.9 |
| | PI blue king crab only | | | | | | | | | | | | | | 232.4 ^d | | 425.0 |
| Eastern Bering Sea Tanner crab | Bering Sea (BS) East of 166° W | | | | | | | | | | | | | | | | |
| (EBT) | BS West of 166° W | | | | | | | | | | | | | | | | |
| | BS West of 168° W | | Fishery Clo | sed | | | Fishery Clo | sed | | | Fishery Clo | sed | | Fishery | Closed | | |
| | BS East of 168° W | | Fishery Clo | sed | | | Fishery Clo | sed | | | Fishery Clo | sed | | Fishery | Closed | 997.9 | 368.0 |
| | BS 163° W to 173° W | | | | | | | | | | | | | | | 2,812.3 | 451.2 |
| | BS | | | | | | | | | | | | | | | | |
| Bering Sea snow crab (BSS) | BS | 12,927.4 ^d | 11,957.8 ^d | 969.6 ^d | 15,100.7 ^d | 88,904.2 ^d | 84,459.0 ^d | 4,388.2 ^d | 88,162.1 ^d | 106,186.1 ^d | 102,471.2 ^d | 4,030.9 ^d | 114,459.3 ^d | 53,070.4 ^d | 54,244.9 ^d | 22,997.2 ^d | 29,799.3 |
| Aleutian Islands golden king | Aleutian Islands (AI) East of 174° W | 1,360.8 | NA | NA | 1,421.6 | 1,360.8 | NA | NA | 1,392.5 | 1,360.8 | NA | NA | 1,473.2 | 1,451.5 | 1,588.1 | 1,451.5 | 1,492.7 |
| crab ^a (AIG) | AI West of 174° W | 1,224.7 | NA | NA | 1,308.5 | 1,224.7 | NA | NA | 1,256.0 | 1,224.7 | NA | NA | 768.4 | 1,224.7 | 1,108.9 | 1,224.7 | 1,145. |
| | AI East of 171° W | | | | | | | | | | | | | | | | |
| | AI West of 171° W | | | | | | | | | | | | | | | | |
| | AI East of 172° W | | | | | | | | | | | | | | | | |
| | AI West of 172° W | | | | | | | | | | | | | | | | |
| Western Aleutian Islands red | AI West of 179° W | | | | | | | | | | | | | | | | |
| king crab ^b (WAI) | AI 171° W to 179° W | | | | | | | | | | | | | | | | |
| | Petrel Bank (179° W to 179° E) | | Fishery Clo | sed | | | | | | | | | | | | | |
| | AI West of 174° W | | | | | | Fishery Clo | sed | | 6.8 | NA | NA | CF | | | | |
| | AI West of 171° W | | | | | | | | | | | | | Fishery | Closed | Fishery | Closed |
| | AI West of 172° W | | | | | | | | | | | | | | | | |
| | AI East of 172° W | | | | | | | | | | | | | | | | |
| Norton Sound red king crab ^c (NSR) | Norton Sound | 152.4 ^d | 141.0 ^d | 11.4 ^d | 141.8 ^d | 36.3 ^d | 33.6 ^d | 2.7 ^d | 10.7 ^d | 36.3 ^d | 33.6 ^d | 2.7 ^d | 13.5 ^d | 32.3 ^d | 42.2 ^d | 154.2 ^d | 101.7 |

^bPrior to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set. none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

FMP BSAI crab quotas and directed harvest (includes CDQ) in metric tons from 1960-present

| from 1960-present | | 1 | | | | | | | | | | | | | | | |
|---|--------------------------------------|-----------------------|-----------------------|-----------------------|-----------------------|-----------------------|------------------------|------------------------|------------------------|------------------------|------------------------|-----------------------|----------------------|----------------------|------------------------|-----------------------|-----------|
| | | 1995/9 | 16 | 1994 | 1/95 | 1993 | /94 | 1992 | /93 | 1991 | /92 | 1990 | 0/91 | 19 | 90 | 1989 | /90 |
| Fishery | Area | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest |
| Bristol Bay red king crab (BBR) | Bristol Bay | Fishery Clo | osed ^d | Fishery (| Closed ^d | 7,620.4 ^d | 6,616.9 ^d | 4,672.0 ^d | 3,660.6 ^d | 8,164.7 ^d | 7,791.8 ^d | 7,756.4 ^d | 9,272.8 ^d | | | 7,484.3 ^d | 4,607.1 |
| Saint Matthew blue king crab (SMB) | Saint Matthew | 1,088.6 ^d | 1,436.1 ^d | 1,360.8 ^d | 1,707.4 ^d | 1,995.8 ^d | 1,362.2 ^d | 1,406.1 ^d | 1,123.1 ^d | 1,451.5 ^d | 1,529.5 ^d | 861.8 ^d | 782.6 ^d | | | 771.1 ^d | 529.0° |
| Pribilof Island golden king crab ^c (PIG) | Pribilof Islands (PI) | none ^d | 155.1 ^d | none ^d | 40.4 ^d | none ^d | 30.6 ^d | none ^d | O ^d | none ^d | 0 ^d | none ^d | O ^d | | | none ^d | CF^d |
| Pribilof Island red and blue king | PI red and blue king crab combined | 1,134.0 ^d | 1,035.4 ^d | | | | | | | | | | | | | | |
| crab (PIK) | PI red king crab only | | 407.3 ^d | 907.2 ^d | 607.3 ^d | 1,542.2 ^d | 1,183.0 ^d | Fishery (| Closed | Fishery | Closed | Fishery | Closed | | | Fishery | Closed |
| | PI blue king crab only | | 628.1 ^d | Fishery (| Closed ^d | Fishery | Closed ^d | Fishery (| Closed | Fishery | Closed | Fishery | Closed | | | Fishery | Closed |
| Eastern Bering Sea Tanner crab | Bering Sea (BS) East of 166° W | | | | | | | | | | | | | | | | |
| (EBT) | BS West of 166° W | | | | | | | | | | | | | | | | |
| | BS West of 168° W | | | | | | | | | | | | | | | | |
| | BS East of 168° W | Fishery Cl | osed | Fishery | Closed | 4,853.4 | 1,875.4 | | | | | | | | | | |
| | BS 163° W to 173° W | 2,494.8 | 1,920.1 | 3,401.9 | 3,523.0 | 4,127.7 | 5,795.3 | | | | | | | | | | |
| | BS | | | | | | | 17,281.9 | 15,935.1 | 14,877.8 | 14,421.7 | 19,413.8* | 18,180.7* | 13,381 ^{d*} | 11,134.6 ^{d*} | 6,123.5 ^d | 3,167.4° |
| Bering Sea snow crab (BSS) | BS | 25,265.1 ^d | 34,159.7 ^d | 47,990.1 ^d | 67,944.9 ^d | 93,984.5 ^d | 104,668.4 ^d | 151,046.4 ^d | 143,018.8 ^d | 142,881.8 ^d | 149,072.5 ^d | 63,412.3 ^d | 73326.2 ^d | | | 59,874.3 ^d | 67,270.7° |
| Aleutian Islands golden king | Aleutian Islands (AI) East of 174° W | | | | | | | | | | | | | | | | |
| crab ^a (AIG) | AI West of 174° W | | | | | | | | | | | | | | | | |
| | Al East of 171° W | 680.4 | 904.5 | none | 794.0 | none | 415.2 | none | 637.0 | none | 688.0 | none | 771.0 | | | none | 840.2 |
| | Al West of 171° W | 2,268 - 2,722 | 2,252.7 | none | 2,893.0 | none | 2,102.7 | none | 2,216.6 | none | 2,805.6 | none | 2,381.7 | | | none | 4,613.0 |
| | Al East of 172° W | | | | | | | | | | | | | | | | |
| | Al West of 172° W | | | | | | | | | | | | | | | | |
| Western Aleutian Islands red | Al West of 179° W | | | | | | | | | | | | | | | | |
| king crab ^b (WAI) | AI 171° W to 179° W | | | | | | | | | | | | | | | | |
| | Petrel Bank (179° W to 179° E) | | | | | | | | | | | | | | | | |
| | AI West of 174° W | | | | | | | | | | | | | | | | |
| | Al West of 171° W | 450 - 680 | 17.7 | 450 - 680 | 89.3 | none | 316.6 | none | 583.5 | none | 431.5 | none | 375.6 | | | 771.1 | 501.7 |
| | Al West of 172° W | | | | | | | | | | | | | | | | |
| | AI East of 172° W | | | | | | | | | | | | | | | | |
| Norton Sound red king crab ^c (NSR) | Norton Sound | 154.2 ^d | 146.4 ^d | 154.2 ^d | 148.7 ^d | 154.2 ^d | 152.3 ^d | 154.2 ^d | 33.6 ^d | 154.2 ^d | 0 ^d | 90.7 ^d | 87.5 ^d | year fishery | | 90.7 ^d | 111.8° |

 $^{^{\}rm a}$ The Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set. none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

Greyed out sections indicate fisheries that did not exist for that year.

*There was a calendar year fishery in January of 1990. The fishery opened again in the fall for the 1990/91 season.

 $^{^{\}rm b}\text{Prior}$ to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

FMP BSAI crab quotas and directed harvest (includes CDQ) in metric tons from 1960-present

| from 1960-present | | | | | | | | | | | | | | | |
|---|--------------------------------------|------------------------|-----------------------|----------------------------|-----------------------|----------------------------|-----------------------|----------------------------|-----------------------|----------------------------|-----------------------|----------------------|-----------------------|----------------------------|-----------------------|
| | | 1988, | /89 | 1987/8 | 8 | 1986/8 | 7 | 1985/8 | 86 | 1984/8 | 5 | 1983, | /84 | 1982/8 | 13 |
| Fishery | Area | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest |
| Bristol Bay red king crab (BBR) | Bristol Bay | 3,401.9 ^d | 3,338.9 ^d | 3,856 - 8,029 ^d | 5,574.2 ^d | 2,722 - 5,897 ^d | 5,128.4 ^d | 1,361 - 2,268 ^d | 1,855.3 ^d | 1,134 - 2,722 ^d | 1,852.3 ^d | Fishery C | losed ^d | 4,536 - 9,072 ^d | 1,356.3° |
| Saint Matthew blue king crab (SMB) | Saint Matthew | 317 - 680 ^d | 560.9 ^d | 272 - 590 ^d | 471.6 ^d | 91 - 227 ^d | 455.0 ^d | 408 - 862 ^d | 986.6 ^d | 907 - 1,814 ^d | 1,707.6 ^d | 3,628.7 ^d | 4,288.4 ^d | none ^d | 4,011.9 ^d |
| Pribilof Island golden king crab ^c (PIG) | Pribilof Islands (PI) | none ^d | CF^d | none ^d | CF ^d | none ^d | 0 ^d | none ^d | CF ^d | none ^d | 0 ^d | none | 388.5 | none | 31.7 |
| Pribilof Island red and blue king | PI red and blue king crab combined | | | | | | | | | | | | | | |
| crab (PIK) | PI red king crab only | Fishery (| Closed | | | | | | | | | | | | |
| | PI blue king crab only | Fishery (| Closed | 136 - 771 | 318.1 | 136 - 363 | 117.5 | 136 - 363 | 239.6 | 227 - 454 | 139.1 | 1,814.4 | 994.9 | 2,268 - 3,629 | 1,998.2 |
| Eastern Bering Sea Tanner crab | Bering Sea (BS) East of 166° W | | | | | | | | | | | | | | |
| (EBT) | BS West of 166° W | | | | | | | | | | | | | | |
| | BS West of 168° W | | | | | | | | | | | | | | |
| | BS East of 168° W | | | | | | | | | | | | | | |
| | BS 163° W to 173° W | | | | | | | | | | | | | | |
| | BS | 2,540.1 ^d | 1,041.0 ^d | Fishery Clo | sed ^d | Fishery Clo | sed ^d | 1,360.8 ^d | 1,377.5 ^d | 3,220.5 ^d | 548.0 ^d | 2,540.1 ^d | 2,392.2 ^d | 5,443 - 7,257 ^d | 4,993.5 ^d |
| Bering Sea snow crab (BSS) | BS | 50,212.7 ^d | 60,808.7 ^d | 25,582.6 ^d | 46,222.7 ^d | 25,854.8 ^d | 44,308.8 ^d | 44,452.1 ^d | 29,941.9 ^d | 22,226.1 ^d | 12,162.2 ^d | 7,166.8 ^d | 11,851.7 ^d | 7,257 - 9,979 ^d | 13,315.4 ^d |
| Aleutian Islands golden king | Aleutian Islands (AI) East of 174° W | | | | | | | | | | | | | | |
| crab ^a (AIG) | Al West of 174° W | | | | | | | | | | | | | | |
| | AI East of 171° W | none | 701.3 | none | 630.0 | none | 847.8 | none | 786.5 | none | 690.0 | | | | |
| | AI West of 171° W | none | 4,119.0 | none | 3,568.9 | none | 5,837.5 | none | 5,000.8 | none | 1,878.4 | | | | |
| | AI East of 172° W | | | | | | | | | | | none | 821.4 | none | 537.5 |
| | Al West of 172° W | | | | | | | | | | | none | 3,686.8 | none | 3,631.6 |
| Western Aleutian Islands red | AI West of 179° W | | | | | | | | | | | | | | |
| king crab ^b (WAI) | AI 171° W to 179° W | | | | | | | | | | | | | | |
| | Petrel Bank (179° W to 179° E) | | | | | | | | | | | | | | |
| | AI West of 174° W | | | | | | | | | | | | | | |
| | AI West of 171° W | 498.8 | 710.9 | 227 - 680 | 550.6 | 227 - 680 | 323.2 | 227 - 907 | 394.1 | 680 - 1,361 | 588.0 | | | | |
| | AI West of 172° W | | | | | | | | | | | 227 - 1,361 | 898.8 | 227 - 1,361 | 771.9 |
| | AI East of 172° W | | | | | | | | | | | Fishery (| Closed | 907 - 1,361 | 195.6 |
| Norton Sound red king crab ^c (NSR) | Norton Sound | 90.7 ^d | 107.4 ^d | 181.4 ^d | 148.4 ^d | 190.5 ^d | 217.5 ^d | 204.1 ^d | 193.7 ^d | 181.4 ^d | 175.7 ^d | 136.1 ^d | 166.9 ^d | 226.8 ^d | 103.8 ^d |

 $^{\rm b}\text{Prior}$ to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set. none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

FMP BSAI crab quotas and directed harvest (includes CDQ) in metric tons from 1960-present

| from 1960-present | 1 | 1 | | | | | | | | | | ı | | | |
|---|--------------------------------------|------------------------------|-----------------------|------------------------------|-----------------------|-----------------------------|-----------------------|----------------------------|-----------------------|----------------------------|-----------------------|----------------------|-----------------------|----------------------|-----------------------|
| | | 1981/82 | ! | 1980/81 | | 1979/80 |) | 1978/7 | 79 | 1977/ | 78 | 197 | 6/77 | 197 | 5/76 |
| Fishery | Area | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest |
| Bristol Bay red king crab (BBR) | Bristol Bay | 4,536 - 45,359 ^d | 15,137.7 ^d | 31,752 - 54,431 ^d | 58,943.7 ^d | none ^d | 48,910.0 ^d | none ^d | 39,743.0 ^d | none ^d | 31,736.9 ^d | none ^d | 28,993.5 ^d | none ^d | 23,281.2 ^d |
| Saint Matthew blue king crab (SMB) | Saint Matthew | none ^d | 2,099.1 ^d | none ^d | CF ^d | none ^d | 95.6 ^d | none ^d | 900.0 ^d | none ^d | 545.2 ^d | | | | |
| Pribilof Island golden king crab ^c (PIG) | Pribilof Islands (PI) | none | CF | | | | | | | | | | | | |
| Pribilof Island red and blue king | PI red and blue king crab combined | | | | | | | | | | | | | | |
| crab (PIK) | PI red king crab only | | | | | | | | | | | | | | |
| | PI blue king crab only | 2,268 - 3,629 | 4,119.0 | 2,268 - 3,629 | 4,976.1 | none | 2,719.4 | none | 2,901.0 | none | 2,928.7 | none | 2,998.7 | none | 1,103.9 |
| Eastern Bering Sea Tanner crab | Bering Sea (BS) East of 166° W | | | | | | | | | | | | | | |
| (EBT) | BS West of 166° W | | | | | | | | | | | | | | |
| | BS West of 168° W | | | | | | | | | | | | | | |
| | BS East of 168° W | | | | | | | | | | | | | | |
| | BS 163° W to 173° W | | | | | | | | | | | | | | |
| | BS | 12,700 - 16,329 ^d | 13,440.2 ^d | | | 12,700 - 16,329 | 16,608.0 | none | 19,299.1 | none | 30,132.6 | none | 23,339.7 | none | 10,141.5 |
| Bering Sea snow crab (BSS) | BS | 17,917 - 41,277 ^d | 23,927.0 ^d | | | none | 17,949.9 | none | 14,599.8 | none | 778.4 | | | | |
| Aleutian Islands golden king | Aleutian Islands (AI) East of 174° W | | | | | | | | | | | | | | |
| crab ^a (AIG) | AI West of 174° W | | | | | | | | | | | | | | |
| | AI East of 171° W | | | | | | | | | | | | | | |
| | AI West of 171° W | | | | | | | | | | | | | | |
| | AI East of 172° W | none | 52.5 | | | | | | | | | | | | |
| | Al West of 172° W | none | 541.6 | | | | | | | | | | | | |
| Western Aleutian Islands red | AI West of 179° W | | | | | | | | | | | | | | |
| king crab ^b (WAI) | AI 171° W to 179° W | | | | | | | | | | | | | | |
| | Petrel Bank (179° W to 179° E) | | | | | | | | | | | | | | |
| | AI West of 174° W | | | | | | | | | | | | | | |
| | AI West of 171° W | | | | | | | | | | | | | | |
| | AI West of 172° W | 227 - 1,361 | 747.9 | 227 - 1,361 | 643.9 | 227 - 1,361 | 211.9 | 227 - 1,361 | 366.1 | 113 - 1,134 | 410.7 | Fishery | Closed | 6,803.9 ^b | 186.7 |
| | AI East of 172° W | 3,175 - 7,711 ^b | 2,338.4 | 3,175 - 7,711 ^b | 8,642.6 | 7,711 - 11,340 ^b | 6,808.8 | 2,268 - 5,897 ^b | 3,095.7 | 3,628 - 6,577 ^b | 1,671.2 | 6,577.1 ^b | 4,625.9 | 6,577.1 ^b | 7,215.1 |
| Norton Sound red king crab ^c (NSR) | Norton Sound | 1,134.0 ^d | 625.5 ^d | 453.6 ^d | 538.2 ^d | 1,360.8 ^d | 1329.8 ^d | 1,360.8 ^d | 948.9 ^d | none ^d | 234.9 ^d | | | | |

 $^{\rm b}\text{Prior}$ to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

Notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set. none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

FMP BSAI crab quotas and directed harvest (includes CDQ) in metric tons from 1960-present

| from 1960-present | | 107 | 4/75 | 1974 1973/74 | | | 107 | 1/72 | 1971/72 | | 1970/71 | | 1969/70 | | 1968/69 | | 1967/68 | | |
|--|--------------------------------------|----------------------|-----------------------|--------------|--------------------------|----------------------|-----------------------|-------------------|----------------------|-------------------|----------------------|-------------------|----------------------|-------------------|----------------------|-------------------|----------------------|-------------------|----------|
| | | 1974/75 | | | tal GHL harvest total GH | | | 1972/73 | | · · | | · · | | , | | total GHL harvest | | , | |
| Fishery | Area | total GHL | | total GHL | harvest | | | | | | | | | | | | | | |
| Bristol Bay red king crab (BBR) | Bristol Bay | none ^d | 19,171.7 ^d | | | none ^d | 12,207.8 ^d | none ^d | 9,863.3 ^d | none ^d | 5,876.6 ^d | none ^d | 3,882.4 ^d | none ^d | 4,718.9 ^d | none ^d | 3,940.2 ^d | none ^d | 1,407.2° |
| Saint Matthew blue king crab (SMB) | Saint Matthew | | | | | | | | | | | | | | | | | | |
| Pribilof Island golden king crab ^c (PIG) | Pribilof Islands (PI) | | | | | | | | | | | | | | | | | | |
| Pribilof Island red and blue king crab (PIK) | PI red and blue king crab combined | | | | | | | | | | | | | | | | | | |
| | PI red king crab only | | | | | | | | | | | | | | | | | | |
| | PI blue king crab only | none | 3,223.8 | | | none | 579.0 | | | | | | | | | | | | |
| Eastern Bering Sea Tanner crab (EBT) | Bering Sea (BS) East of 166° W | | · | | | | | | | | | | | | | | | | |
| | BS West of 166° W | | | | | | | | | | | | | | | | | | |
| | BS West of 168° W | | | | | | | | | | | | | | | | | | |
| | BS East of 168° W | | | | | | | | | | | | | | | | | | |
| | BS 163° W to 173° W | | | | | | | | | | | | | | | | | | |
| | BS | none* | 3,188.0 | none* | 2,288.0 | none ^d | 105.1 ^d | none ^d | 48.9 ^d | none ^d | 75.3 ^d | none ^d | 460.3 ^d | none ^d | 457.6 ^d | none ^d | 8.1 ^d | | |
| Bering Sea snow crab (BSS) | BS | | · | | · | | | | | | | | | | | | | | |
| Aleutian Islands golden king crab ^a (AIG) | Aleutian Islands (AI) East of 174° W | | | | | | | | | | | | | | | | | | |
| | Al West of 174° W | | | | | | | | | | | | | | | | | | |
| | Al East of 171° W | | | | | | | | | | | | | | | | | | |
| | Al West of 171° W | | | | | | | | | | | | | | | | | | |
| | AI East of 172° W | | | | | | | | | | | | | | | | | | |
| | Al West of 172° W | | | | | | | | | | | | | | | | | | |
| Western Aleutian Islands red king crab ^b (WAI) | Al West of 179° W | | | | | | | | | | | | | | | | | | |
| | AI 171° W to 179° W | | | | | | | | | | | | | | | | | | |
| | Petrel Bank (179° W to 179° E) | | | | | | | | | | | | | | | | | | |
| | Al West of 174° W | | | | | | | | | | | | | | | | | | |
| | Al West of 171° W | | | | | | | | | | | | | | | | | | |
| | Al West of 172° W | 9,071.9 ^b | 1,258.7 | | | 9,071.9 ^b | 4,418.7 | none | 8,493.1 | none | 7,019.8 | none | 7,283.3 | none | 8,171.9 | none | 7,302.8 | none | 6,409.7 |
| | AI East of 172° W | 5,216.3 ^b | | | | 4,535.9 ^b | 5,770.9 | | 4,740.2 | | 4,260.0 | | 4,378.1 | | 4,059.7 | none | 5,125.6 | | 10,300.6 |
| Norton Sound red king crab ^c (NSR) | Norton Sound | | , | | | , | | | • | | , | | , | | · | | , | | |

^aThe Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set. none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.

^{*}There was a calendar year fishery in January of 1974. The fishery opened again in the fall for the 1974/75 season.

 $^{^{\}rm b}$ Prior to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

FMP BSAI crab quotas and directed harvest (includes CDQ) in metric tons

| | | 1966/67 | | 1965/66 | | 1964/65 | | 1963/64 | | 1962/63 | | 1961/62 | | 1960/61 | |
|--|--------------------------------------|-------------------|--------------------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|-----------|---------|
| Fishery | Area | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest | total GHL | harvest |
| Bristol Bay red king crab (BBR) | Bristol Bay | none ^d | 452.4 ^d | | | | | | | | | | | | |
| Saint Matthew blue king crab (SMB) | Saint Matthew | | | | | | | | | | | | | | |
| Pribilof Island golden king crab ^c (PIG) | Pribilof Islands (PI) | | | | | | | | | | | | | | |
| Pribilof Island red and blue king crab (PIK) | PI red and blue king crab combined | | | | | | | | | | | | | | |
| | PI red king crab only | | | | | | | | | | | | | | |
| | PI blue king crab only | | | | | | | | | | | | | | |
| Eastern Bering Sea Tanner crab (EBT) | Bering Sea (BS) East of 166° W | | | | | | | | | | | | | | |
| | BS West of 166° W | | | | | | | | | | | | | | |
| | BS West of 168° W | | | | | | | | | | | | | | |
| | BS East of 168° W | | | | | | | | | | | | | | |
| | BS 163° W to 173° W | | | | | | | | | | | | | | |
| | BS | | | | | | | | | | | | | | |
| Bering Sea snow crab (BSS) | BS | | | | | | | | | | | | | | |
| Aleutian Islands golden king crab ^a (AIG) | Aleutian Islands (AI) East of 174° W | | | | | | | | | | | | | | |
| | AI West of 174° W | | | | | | | | | | | | | | |
| | AI East of 171° W | | | | | | | | | | | | | | |
| | Al West of 171° W | | | | | | | | | | | | | | |
| | AI East of 172° W | | | | | | | | | | | | | | |
| | AI West of 172° W | | | | | | | | | | | | | | |
| Western Aleutian Islands red king crab ^b (WAI) | AI West of 179° W | | | | | | | | | | | | | | |
| | AI 171° W to 179° W | | | | | | | | | | | | | | |
| | Petrel Bank (179° W to 179° E) | | | | | | | | | | | | | | |
| | AI West of 174° W | | | | | | | | | | | | | | |
| | Al West of 171° W | | | | | | | | | | | | | | |
| | Al West of 172° W | none | 2,668.5 | none | 5,858.2 | none | 9,613.0 | none | 8,121.1 | none | 3,631.5 | none | 2,773.3 | none | 940.8 |
| | AI East of 172° W | none | 14,901.4 | none | 8,707.2 | none | 6,241.9 | none | 1,765.8 | none | 696.7 | none | 241.8 | none | NA |
| Norton Sound red king crab ^c (NSR) | Norton Sound | | | | | | | | | | | | | | |

^aThe Western section does not have CDQ (Community Development Quota), but instead has an ACA (Adak Community Allocation).

 $^{\rm b}\text{Prior}$ to the 1980/81 season the GHL for the WAI fishery included red king crab and golden king crab.

^cThese stocks are not part of the Crab Rationalization program and use Guideline Harvest Levels (GHLs) instead of Total Allowable Catch (TAC). NSR has both a CDQ and open access component.

^dStock for this year was based on a calendar year instead of crossing years. If, for example, the stock is listed under the 2015/16 year then it is for the 2015 calendar year.

Notes:

OFLs (Overfishing Limits) and ABCs (Allowable Biological Catch) are set through the North Pacific Fisheries Management Council process. TACs and GHLs are set by the Alaska Department of Fish and Game.

The PIG, WAI 171° W to 179° W, and NSR fisheries are not part of the Crab Rationalization program.

Fishery closed - no TAC or GHL was set. none - years the fishery was open but without a set GHL.

Some fisheries are based on a calendar year and some cross calendar years. For fisheries in the Crab Rationalization program a crab year is from July 1 to June 30.