

## **References for Community Offshore Wind LLC Final Renewal IHA**

16 U.S.C. 1362

50 CFR 216

88 FR 42322

89 FR 67592

88 FR 24574

82 FR 31562

85 FR 21198

86 FR 26465

89 FR 5495

65 Fed. Reg. 67249

ANDERSON, D. 2024. Professor makes stunning discovery: ‘Absolutely, 100 percent, offshore wind kills whales. Accessed on 23 September 2024 at <https://climatechangedispatch.com/professor-makes-stunning-discovery-absolutely-100-percent-offshore-wind-kills-whales/>.

ANSI 1986. Methods of measurement for impulse noise. Woodbury, NY: Acoustical Society of America.

ANSI 1995. Bioacoustical terminology. Woodbury, NY: Acoustical Society of America.

AU, W. W. L. & HASTINGS, M. C. 2008. *Principles of marine bioacoustics*, Springer.

BARCO, S. G., MCLELLAN, W. A., ALLEN, J. M., ASMUTIS-SILVIA, R. A., MALLON-DAY, R., MEAGHER, E. M., PABST, D. A., ROBBINS, J., SETON, R. E., SWINGLE, W. M., WEINRICH, M. T. & CLAPHAM, P. J. 2002. Population identity of humpback whales (*Megaptera novaeangliae*) in the waters of the US mid-Atlantic states. *J. Cetacean Res. Manage.*, 4, 135-141. <https://doi.org/10.47536/jcrm.v4i2.849>.

BETTRIDGE, S. O. M., BAKER, C. S., BARLOW, J., CLAPHAM, P., FORD, M. J., GOUVEIA, D., MATTILA, D. K., PACE III, R. M., ROSEL, P. E. & SILBER, G. K. 2015. Status review of the humpback whale (*Megaptera novaeangliae*) under the Endangered Species Act.

BRUEGEMAN, J. J., GREEN, G. A., GROTEFENDT, R. A. & CHAPMAN, D. G. 1987. Aerial surveys of endangered cetaceans and other marine mammals in the northwestern Gulf of Alaska and southeastern Bering Sea. *NOAA/OCSEAP*

*Environmental Assessment of the Alaskan Continental Shelf. Final Reports of Principal Investigators*, 61, 1-124.

CETAP 1982. A characterization of marine mammals and turtles in the mid-and north Atlantic areas of the USA outer continental shelf. In: PROGRAM, C. A. T. A. (ed.). University of Rhode Island: Bureau of Land Management.

CHRISTAL, J., WHITEHEAD, H. & LETTEVALL, E. 1998. Sperm whale social units: Variation and change. *Canadian Journal of Zoology*, 76, 1431-1440. <https://doi.org/10.1139/z98-08>.

CROCKER, S. E. & FRATANTONIO, F. D. 2016. Characteristics of sounds emitted during high-resolution marine geophysical surveys. Naval Undersea Warfare Center Division Newport United States.

DAVIS, G. E., BAUMGARTNER, M. F., BONNELL, J. M., BELL, J., BERCHOK, C., BORT THORNTON, J., BRAULT, S., BUCHANAN, G., CHARIF, R. A. & CHOLEWIAK, D. 2017. Long-term passive acoustic recordings track the changing distribution of North Atlantic right whales (*Eubalaena glacialis*) from 2004 to 2014. *Scientific Reports*, 7, 13460. <https://doi.org/10.1038/s41598-017-13359-3>.

ELLISON, W. T., SOUTHALL, B. L., CLARK, C. W. & FRANKEL, A. S. 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology*, 26, 21-28. <https://doi.org/10.1111/j.1523-1739.2011.01803.x>.

ESTABROOK, B. J., HODGE, K. B., SALISBURY, A., RAHAMAN, A., PONIRAKIS, D., HARRIS, D. V., ZEH, J. M., PARKS, S. E. & RICE, A. N. 2021. Final Report for New York Bight Whale Monitoring Passive Acoustic Surveys October 2017–October 2020. Contract C009925. New York State Department of Environmental Conservation.

FINNERAN, J. J. 2015. Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *The Journal of the Acoustical Society of America*, 138, 1702-1726. <https://doi.org/10.1121/1.4927418>.

GARRISON, L. P. & ROSEL, P. E. 2017. Partitioning short-finned and long-finned pilot whale bycatch estimates using habitat and genetic information. *Southeast Fisheries Science Center, Protected Resources and Biodiversity Division*, 75.

GOWANS, S. & WHITEHEAD, H. 1995. Distribution and habitat partitioning by small odontocetes in the Gully, a submarine canyon on the Scotian Shelf. *Canadian Journal of Zoology*, 73, 1599-1608. <https://doi.org/10.1139/z95-190>.

HAMAZAKI, T. 2002. Spatiotemporal prediction models of cetacean habitats in the mid-western North Atlantic Ocean (from Cape Hatteras, North Carolina, USA to Nova Scotia, Canada). *Marine Mammal Science*, 18, 920-939. <https://doi.org/10.1111/j.1748-7692.2002.tb01082.x>.

- HASTINGS, M. C. & POPPER, A. N. 2005. Effects of Sound on Fish. Sacramento.
- HAYES, S. A., JOSEPHSON, E., MAZE-FOLEY, K. S. & ROSEL, P. E. 2017. US Atlantic And Gulf of Mexico Marine Mammal Stock Assessments 2016. In: SERVICE, N. M. F. (ed.).
- HAYES, S. A., JOSEPHSON, E., MAZE-FOLEY, K. S. & ROSEL, P. E. 2018. US Atlantic And Gulf of Mexico Marine Mammal Stock Assessments 2017. In: SERVICE, N. M. F.(ed.) Second ed.
- HAYES, S. A., JOSEPHSON, E., MAZE-FOLEY, K. S. & ROSEL, P. E. 2019. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2018. In: SERVICE, N. M. F. (ed.).
- HAYES, S. A., JOSEPHSON, E., MAZE-FOLEY, K. S. & ROSEL, P. E. 2020. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2019. In: SERVICE, N. M. F. (ed.).
- HAYES, S. A., JOSEPHSON, E., MAZE-FOLEY, K. S., ROSEL, P. E. & TUREK, J. 2021. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2020. In: SERVICE, N. M. F. (ed.).
- HAYES, S. H., JOSEPHSON, E., MAZE-FOLEY, K. S., ROSEL, P. E. & WALLACE, J. 2022. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2021. In: NORTHEAST FISHERIES SCIENCE, C. (ed.).
- HEMILÄ, S., NUMMELA, S., BERTA, A. & REUTER, T. 2006. High-frequency hearing in phocid and otariid pinnipeds: An interpretation based on inertial and cochlear constraints. *The Journal of the Acoustical Society of America*, 120, 3463-3466. <https://doi.org/10.1121/1.2372712>.
- JENSEN, A. S., SILBER, G. K. & CALAMBOKIDIS, J. 2003. Large whale ship strike database. In: SERVICE, N. M. F. (ed.).
- KASTELEIN, R. A., WENSVEEN, P., HOEK, L. & TERHUNE, J. M. 2009. Underwater hearing sensitivity of harbor seals (*Phoca vitulina*) for narrow noise bands between 0.2 and 80 kHz. *The Journal of the Acoustical Society of America*, 126, 476-483. <https://doi.org/10.1121/1.3132522>.
- KRAUS, S. D., KENNEY, R. D., MAYO, C. A., MCLELLAN, W. A., MOORE, M. J. & NOWACEK, D. P. 2016. Recent scientific publications cast doubt on North Atlantic right whale future. *Frontiers in Marine Science*, 3, 3. <https://doi.org/10.3389/fmars.2016.00137>.
- KREMSER, U., KLEMM, P. & KÖTZ, W.-D. 2005. Estimating the risk of temporary acoustic threshold shift, caused by hydroacoustic devices, in whales in the Southern Ocean. *Antarctic Science*, 17, 3-10. <https://doi.org/10.1017/S0954102005002361>.
- LABRECQUE, E., CURTICE, C., HARRISON, J., VAN PARIJS, S. M. & HALPIN, P. N.

2015. Biologically Important Areas for cetaceans within US waters-East coast region. *Aquatic Mammals*, 41, 17. <http://dx.doi.org/10.1578/AM.41.1.2015.1>.

Linden, D.W. 2023. Population size estimation of North Atlantic right whales from 1990-2022. US Dept Commer Northeast Fish Sci Cent Tech Memo 314. 14 p.

MARINE MAMMAL COMISSION NEWSLETTER. 2023. Marine Mammal Commission Newsletter Spring 2023. Accessed on 23 September 2024 at <https://myemail.constantcontact.com/MMCNewsletter--Spring-2023.html?soid=1119223236081&aid=O91a23wASjQ>.

MITSON, R. B. 1995. *Underwater noise of research vessels: review and recommendations*, ICES Cooperative Research Reports (CRR).

NIOSH 1998. Criteria for a recommended standard: Occupational noise exposure. Cincinnati, OH: Department of Health and Human Services.

NOAA ADMINISTRATIVE ORDER (NAO) 216-6, Compliance with the National Environmental Policy Act, et al, April 22, 2016.

NOAA ADMINISTRATIVE ORDER (NAO) 218-8, Policy on Government-to-Government Consultation with Federally-Recognized Indian Tribes and Alaska Native Corporations, et al, April 26, 2012.

NMFS 2018. 2018 revision to: Technical guidance for assessing the effects of anthropogenic sound on marine mammal hearing (version 2.0): Underwater thresholds for onset of permanent and temporary threshold shifts. Silver Spring, MD: National Oceanic and Atmospheric Administration.

NATIONAL MARINE FISHERIES SERVICE (NMFS). 2024. Draft U.S. Atlantic and Gulf of Mexico Marine Mammal Stock Assessment Reports 2023. Department of Commerce, National Oceanic and Atmospheric Administration, National Marine Fisheries Service. January 2024. <https://www.fisheries.noaa.gov/s3/2024-01/Draft-2023-MMSARs-Public-Comment.pdf>. Accessed 25 February 2024.

NORTHRIDGE, S., TASKER, M., WEBB, A., CAMPHUYSEN, K. & LEOPOLD, M. 1997. White-beaked *Lagenorhynchus albirostris* and Atlantic white-sided dolphin *L. acutus* distributions in northwest European and US North Atlantic waters. *Reports of the International Whaling Commission*, 47, 797-805.

PACE III, R. M., CORKERON, P. J. & KRAUS, S. D. 2017. State-space markrecapture estimates reveal a recent decline in abundance of North Atlantic right whales. *Ecol Evol*, 7, 8730-8741. <https://doi.org/10.1002/ece3.3406>.

PAYNE, M. & HEINEMANN, D. W. 1990. A distributional assessment of cetaceans in the shelf and shelf edge waters of the northeastern United States based on aerial and shipboard surveys, 1978-1988. *Report to National Marine Fisheries Science Center, Woods Hole, Massachusetts*.

- RAND, R.W., "Pile Driving Noise Survey", Rand Acoustics, LLC, 28 March, 2024.
- REICHMUTH, C., HOLT, M. M., MULSOW, J., SILLS, J. M. & SOUTHALL, B. L. 2013. Comparative assessment of amphibious hearing in pinnipeds. *Journal of Comparative Physiology A*, 199, 491-507. <https://doi.org/10.1007/s00359-013-0813-y>.
- RICHARDSON, W. J., GREENE JR., C. R., MALME, C. I. & THOMSON, D. H. 2005. *Marine mammals and noise*, Academic press.
- ROBERTS, J. J., BEST, B. D., MANNOCCI, L., FUJIOKA, E. I., HALPIN, P. N., PALKA, D.L., GARRISON, L. P., MULLIN, K. D., COLE, T. V. N. & KHAN, C. B. 2016. Habitat-based cetacean density models for the US Atlantic and Gulf of Mexico. *Scientific Reports*, 6, 22615.
- ROBERTS, J. J. & HALPIN, P. N. 2022. Updated habitat-based cetacean density models for the U.S. Atlantic and Gulf of Mexico. In: LABORATORY, D. U. M. G. E. (ed.).
- ROBERTS, J.J., T.M. YACK, and P.N. HALPIN. 2023. Marine mammal density models for the U.S. Navy Atlantic Fleet Training and Testing (AFTT) study area for the Phase IV Navy Marine Species Density Database (NMSDD). Document version 1.3. Report prepared for Naval Facilities Engineering Systems Command, Atlantic by the Duke University Marine Geospatial Ecology Lab, Durham, North Carolina. Available at: [https://seamap.env.duke.edu/seamap-models-files/Duke/Reports/AFTT\\_Marine\\_Mammal\\_Density\\_Models\\_2022\\_v1.3.pdf](https://seamap.env.duke.edu/seamap-models-files/Duke/Reports/AFTT_Marine_Mammal_Density_Models_2022_v1.3.pdf).
- ROBINSON, W. J., CLERC, J., VUKOVICH, M. & PEMBROKE, A. 2021. Digital aerial baseline survey of marine wildlife in support of offshore wind energy - Overview and summary.
- SELZER, L. A. & PAYNE, P. M. 1988. The distribution of white-sided (*Lagenorhynchus acutus*) and common dolphins (*Delphinus delphis*) vs. environmental features of the continental shelf of the northeastern United States. *Marine Mammal Science*, 4, 141-153. <https://doi.org/10.1111/j.1748-7692.1988.tb00194.x>.
- SERGEANT, D. E., MANSFIELD, A. W. & BECK, B. 1970. Inshore records of cetacea for eastern Canada, 1949–68. *Journal of the Fisheries Board of Canada*, 27, 1903-1915. <https://doi.org/10.1139/f70-216>.
- SMITH, T. D., ALLEN, J., CLAPHAM, P. J., HAMMOND, P. S., KATONA, S., LARSEN, F., LIEN, J., MATTILA, D., PALSBØLL, P. J. & SIGURJÓNSSON, J. 1999. An ocean-basin-wide mark-recapture study of the North Atlantic humpback whale (*Megaptera novaeangliae*). *Marine Mammal Science*, 15, 1-32. <https://doi.org/10.1111/j.1748-7692.1999.tb00779.x>.
- SOUTHALL, B. L., BOWLES, A. E., ELLISON, W. T., FINNERAN, J. J., GENTRY, R. L., GREENE JR., C. R., KASTAK, D., KETTEN, D. R., MILLER, J. H., NACHTIGALL, P. E., RICHARDSON, W. J., THOMAS, J. A. & TYACK, P. L. 2007. Marine Mammal Noise Exposure Criteria: Initial Scientific Recommendations. *Aquatic Mammals*, 33,

411- 521. <https://doi:10.1578/AM.33.4.2007.411>.

SOUTHALL, B. L., FINNERAN, J. J., REICHMUTH, C., NACHTIGALL, P. E., KETTEN, D. R., BOWLES, A. E., ELLISON, W. T., NOWACEK, D. P. & TYACK, P. L. 2019.

Marine mammal noise exposure criteria: Updated scientific recommendations for residual hearing effects. *Aquatic Mammals*, 45, 125-232.

<https://doi.org/10.1578/AM.45.2.2019.125>.

SOUTHALL, B. L., NOWACEK, D. P., BOWLES, A. E., SENIGAGLIA, V., BEJDER, L. & TYACK, P. L. 2021. Marine mammal noise exposure criteria: Assessing the severity of marine mammal behavioral responses to human noise. *Aquatic Mammals*, 47, 421-464.

<https://doi.org/10.1578/AM.47.5.2021.421>.

STEVICK, P. T., ALLEN, J., CLAPHAM, P. J., FRIDAY, N., KATONA, S. K., LARSEN, F., LIEN, J., MATTILA, D. K., PALSBØLL, P. J. & SIGURJÓNSSON, J. 2003. North Atlantic humpback whale abundance and rate of increase four decades after protection from whaling. *Marine Ecology Progress Series*, 258, 263-273.

<http://doi.org/10.3354/meps258263>.

TORRES, L. G., ROSEL, P. E., D'AGROSA, C. & READ, A. J. 2003. Improving Management of Overlapping Bottlenose Dolphin Ecotypes through Spatial Analysis and Genetics. *Marine Mammal Science*, 19, 502-514. <https://doi.org/10.1111/j.1748-7692.2003.tb01317.x>.

THORNE, L.H. & D.N. WILEY. 2024. Evaluating drivers of recent large whale strandings on the East Coast of the United States. *Conservation Biology*: e14302.

<https://doi.org/10.1111/cobi.14302>.

URICK, R. J. 1983. *Principles of underwater sound*, New York, NY, McGraw-Hill.

WARD, W. D. 1997. Effects of high intensity sound, Pp, 1497-1507 in Encyclopedia of Acoustics. In: CROCKER, M. J. (ed.). New York: J. Wiley and Sons, Inc.

WARING, G. T., JOSEPHSON, E., FAIRFIELD, C. P. & MAZE-FOLEY, K. S. 2007a. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2006. In: SERVICE, N. M. F. (ed.).

WARING, G. T., JOSEPHSON, E., MAZE-FOLEY, K. S. & ROSEL, P. E. 2007b. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2007. In: SERVICE, N. M. F. (ed.).

WARING, G. T., JOSEPHSON, E., MAZE-FOLEY, K. S. & ROSEL, P. E. 2014. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2013. In: SERVICE, N. M. F. (ed.).

WARING, G. T., JOSEPHSON, E., MAZE-FOLEY, K. S. & ROSEL, P. E. 2016. US Atlantic and Gulf of Mexico Marine Mammal Stock Assessments 2015. In: SERVICE, N. M. F. (ed.).

WARTZOK, D. & KETTEN, D. R. 1999. Marine mammal sensory systems. In: REYNOLDS, J.E. & ROMMEL, S. A. (eds.) *Biology of marine mammals*. Washington, DC: Smithsonian Institution Press.

WESTGATE, A. J. & READ, A. J. 1998. Applications of new technology to the conservation of porpoises. *Marine Technology Society. Marine Technology Society Journal*, 32, 70. <https://onlinelibrary.wiley.com/doi/10.1111/j.1748-7692.1998.tb00746>.

ZOIDIS, A. M., LOMAC-MACNAIR, K. S., IRELAND, D. S., RICKARD, M. E., MCKOWN, K. A. & SCHLESINGER, M. D. 2021. Distribution and density of six large whale species in the New York Bight from monthly aerial surveys 2017 to 2020. *Continental Shelf Research*, 230, 104572. <https://doi.org/10.1016/j.csr.2021.104572>.