

#### LETTER OF AUTHORIZATION

Murphy Exploration and Production Co. (Murphy) and its designees are hereby authorized under section 101(a)(5)(A) of the Marine Mammal Protection Act (MMPA; 16 U.S.C. 1371(a)(5)(A)) to take marine mammals incidental to geophysical survey activities in the Gulf of Mexico, subject to the provisions of the MMPA and the Regulations Governing Taking Marine Mammals Incidental to Geophysical Survey Activities in the Gulf of Mexico (50 CFR Part 217, Subpart S) (Regulations).

- 1. This Letter of Authorization (LOA) is valid from date of issuance through April 30, 2025.
  - 2. This LOA authorizes take incidental to the specified geophysical survey activities (Borehole Seismic VSP survey in the lease OCS-G 22868/24064 Mississippi Canyon Blocks 300/255) described in the LOA request.

#### 3. General Conditions

- (a) A copy of this LOA must be in the possession of the Holder of the Authorization (Holder), vessel operator, other relevant personnel, the lead protected species observer (PSO), and any other relevant designees operating under the authority of the LOA.
- (b) The species and/or stocks authorized for taking are listed in Table 1. Authorized take, by Level A and Level B harassment only, is limited to the species and numbers listed in Table 1.
- (c) The taking by serious injury or death of any of the species listed in Table 1 or any taking of any other species of marine mammal is prohibited and may result in the modification, suspension, or revocation of this IHA. Any taking exceeding the authorized amounts listed in Table 1 is prohibited and may result in the modification, suspension, or revocation of this IHA.
- (d) The Holder must instruct relevant vessel personnel with regard to the authority of the protected species monitoring team (PSO team), and must ensure that relevant vessel personnel and PSO team participate in a joint onboard briefing, led by the vessel operator and lead PSO, prior to beginning work to ensure that responsibilities, communication procedures, protected species monitoring protocols, operational procedures, and LOA requirements are clearly understood. This briefing must be repeated when relevant new personnel join the survey operations before work involving those personnel commences.
- (e) The acoustic source must be deactivated when not acquiring data or preparing to acquire data, except as necessary for testing. Unnecessary use of the acoustic source must be avoided. Notified operational capacity (i.e., total array volume)



(not including redundant backup airguns) must not be exceeded during the survey, except where unavoidable for source testing and calibration purposes. All occasions where activated source volume exceeds notified operational capacity must be communicated to the PSO(s) on duty and fully documented. The lead PSO must be granted access to relevant instrumentation documenting acoustic source power and/or operational volume.

# (f) PSO requirements:

- i. LOA-holders must use independent, dedicated, qualified PSOs, meaning that the PSOs must be employed by a third-party observer provider, must have no tasks other than to conduct observational effort, collect data, and communicate with and instruct relevant vessel crew with regard to the presence of protected species and mitigation requirements (including brief alerts regarding maritime hazards), and must be qualified pursuant to section 5(a) of this LOA. Acoustic PSOs are required to complete specialized training for operating passive acoustic monitoring (PAM) systems and are encouraged to have familiarity with the vessel on which they will be working. PSOs may act as both acoustic and visual observers (but not simultaneously), so long as they demonstrate that their training and experience are sufficient to perform each task.
- ii. The Holder must submit PSO resumes for NMFS review and approval prior to commencement of the survey (submit to nmfs.psoreview@noaa.gov). Resumes should include dates of training and any prior NMFS approval, as well as dates and description of last experience, and must be accompanied by information documenting successful completion of an acceptable training course. NMFS is allowed one week to approve PSOs from the time that the necessary information is received by NMFS, after which PSOs meeting the minimum requirements will automatically be considered approved.
- iii. At least one visual PSO and two acoustic PSOs aboard each acoustic source vessel must have a minimum of 90 days at-sea experience working in those roles, respectively, with no more than eighteen months elapsed since the conclusion of the at-sea experience. One visual PSO with such experience must be designated as the lead for the entire PSO team. The lead must coordinate duty schedules and roles for the PSO team and serve as the primary point of contact for the vessel operator. (Note that the responsibility of coordinating duty schedules and roles may instead be assigned to a shore-based, third-party monitoring coordinator.) To the maximum extent practicable, the lead PSO must devise the duty schedule such that experienced PSOs are on duty with those PSOs with appropriate training but who have not yet gained relevant experience.

#### 4. Mitigation Requirements

- (a) Visual monitoring requirements:
  - i. During survey operations (i.e., any day on which use of the acoustic source is planned to occur, and whenever the acoustic source is in the water, whether activated or not), a minimum of two PSOs must be on duty and conducting visual observations at all times during daylight hours (i.e., from 30 minutes prior to sunrise through 30 minutes following sunset).
  - ii. Visual monitoring must begin not less than 30 minutes prior to ramp-up and must continue until one hour after use of the acoustic source ceases or until 30 minutes past sunset.
  - iii. Visual PSOs must coordinate to ensure 360° visual coverage around the vessel from the most appropriate observation posts, and must conduct visual observations using binoculars and the naked eye while free from distractions and in a consistent, systematic, and diligent manner.
  - iv. Visual PSOs must immediately communicate all observations of marine mammals to the on-duty acoustic PSO, including any determination by the PSO regarding species identification, distance, and bearing and the degree of confidence in the determination.
  - v. Any observations of marine mammals by crew members aboard any vessel associated with the survey must be relayed to the PSO team.
  - vi. During good conditions (e.g., daylight hours; Beaufort sea state (BSS) 3 or less), visual PSOs must conduct observations when the acoustic source is not operating for comparison of sighting rates and behavior with and without use of the acoustic source and between acquisition periods, to the maximum extent practicable.
  - vii. Visual PSOs may be on watch for a maximum of two consecutive hours followed by a break of at least one hour between watches and may conduct a maximum of 12 hours of observation per 24-hour period. NMFS may grant an exception for LOA applicants that demonstrate such a "two hours on/one hour off" duty cycle is not practicable, in which case visual PSOs will be subject to a maximum of four consecutive hours on watch followed by a break of at least two hours between watches. Combined observational duties (visual and acoustic but not at the same time) must not exceed 12 hours per 24-hour period for any individual PSO.
- (b) Acoustic monitoring requirements: Acoustic monitoring is required when the 2,400 in<sup>3</sup> array is in use.
  - i. All source vessels must use a towed PAM system at all times when

operating in waters deeper than 100 m, which must be monitored by a minimum of one acoustic PSO beginning at least 30 minutes prior to ramp-up, at all times during use of the acoustic source, and until one hour after use of the acoustic source ceases. "PAM system" refers to calibrated hydrophone arrays with full system redundancy to detect, identify, and estimate distance and bearing to vocalizing cetaceans, coupled with appropriate software to aid monitoring and listening by a PAM operator skilled in bioacoustics analysis and computer system specifications capable of running appropriate software. The PAM system must have at least one calibrated hydrophone (per each deployed hydrophone type and/or set) sufficient for determining whether background noise levels on the towed PAM system are sufficiently low to meet performance expectations. Applicants must provide a PAM plan including description of the hardware and software proposed for use prior to proceeding with any survey where PAM is required.

- ii. Acoustic PSOs must immediately communicate all detections of marine mammals to visual PSOs (when visual PSOs are on duty), including any determination by the PSO regarding species identification, distance, and bearing, and the degree of confidence in the determination.
- iii. Acoustic PSOs may be on watch for a maximum of four consecutive hours followed by a break of at least two hours between watches, and may conduct a maximum of 12 hours of observation per 24-hour period. Combined observational duties (visual and acoustic but not at the same time) must not exceed 12 hours per 24-hour period for any individual PSO.
- iv. Survey activity may continue for 30 minutes when the PAM system malfunctions or is damaged, while the PAM operator diagnoses the issue. If the diagnosis indicates that the PAM system must be repaired to solve the problem, operations may continue for an additional two hours without acoustic monitoring during daylight hours only under the following conditions:
  - (A) Sea state is less than or equal to BSS 4;
  - (B) No marine mammals (excluding delphinids) detected solely by PAM in the applicable shutdown zone in the previous two hours;
  - (C) NMFS is notified via email as soon as practicable with the time and location in which operations began occurring without an active PAM system; and
  - (D) Operations with an active acoustic source, but without an operating PAM system, do not exceed a cumulative total of four hours in any

#### 24-hour period.

- (c) PSOs must establish and monitor applicable shutdown and buffer zones. These zones must be based upon the radial distance from the edges of the airgun array (rather than being based on the center of the array or around the vessel itself). During use of the acoustic source (i.e., anytime the acoustic source is active, including ramp-up), occurrence of marine mammals within the relevant buffer zone (but outside the shutdown zone) should be communicated to the operator to prepare for the potential shutdown of the acoustic source.
  - i. Two shutdown zones are defined, depending on the species and context. A standard shutdown zone encompassing the area at and below the sea surface out to a radius of 100 meters from the sound source (0-100 m) is defined for the 1,500 in<sup>3</sup> array, and a radius of 500 meters from the edges of the airgun array (0-500 m) is defined for the 2,400 in<sup>3</sup> array. For special circumstances (defined at 4(e)(v) of this LOA), the shutdown zone encompasses an extended distance of 500 m (0-500 m) for the 1,500 in<sup>3</sup> array and 1,500 meters (0-1,500 m) for the 2,400 in<sup>3</sup> array.
  - ii. During pre-start clearance monitoring (i.e., before ramp-up begins), the buffer zone acts as an extension of the shutdown zone in that observations of marine mammals within the buffer zone would also preclude airgun operations from beginning (i.e., ramp-up). For all marine mammals (except where superseded by the extended 500-m or 1,500-m shutdown zone), the buffer zone encompasses the area at and below the sea surface from the edge of the 0-100 meter shutdown zone out to a radius of 200 meters from the sound source (100-200 m) for the 1,500 in<sup>3</sup> array, and from the edge of the 0-500 meter shutdown zone out to a radius of 1,000 meters from the edges of the airgun array (500-1,000 m) for the 2,400 in<sup>3</sup> array. The buffer zone is not applicable when the shutdown zone is greater than 100 m for the 1,500 in<sup>3</sup> array and 500 m for the 2,400 in<sup>3</sup> array, i.e., the observational focal zone is not increased beyond 500 or 1,500 meters, respectively.
- (d) A ramp-up procedure, involving a step-wise increase in the number of airguns firing and total active array volume until all operational airguns are activated and the full volume is achieved, is required at all times as part of the activation of the acoustic source. A 30-minute pre-start clearance observation period must occur prior to the start of ramp-up. The Holder must adhere to the following pre-start clearance and ramp-up requirements:
  - i. The operator must notify a designated PSO of the planned start of ramp-up as agreed upon with the lead PSO; the notification time should not be less than 60 minutes prior to the planned ramp-up.
  - ii. Ramp-ups must be scheduled so as to minimize the time spent with source

activated prior to reaching the designated run-in.

- iii. A designated PSO must be notified again immediately prior to initiating ramp-up procedures and the operator must receive confirmation from the PSO to proceed.
- iv. Ramp-up must not be initiated if any marine mammal is within the applicable shutdown or buffer zone. If a marine mammal is observed within the shutdown zone or the buffer zone during the 30-minute pre-start clearance period, ramp-up must not begin until the animal(s) has been observed exiting the zones or until an additional time period has elapsed with no further sightings (15 minutes for small delphinids and 30 minutes for all other species).
- v. Ramp-up must begin by activating a single airgun of the smallest volume in the array and shall continue in stages by doubling the number of active elements at the commencement of each stage, with each stage of approximately the same duration. Total duration must not be less than 20 minutes. The operator must provide information to the PSO documenting that appropriate procedures were followed.
- vi. Ramp-up must cease and the source shut down upon observation of marine mammals within the applicable shutdown zone. Once ramp-up has begun, observations of marine mammals within the buffer zone do not require shutdown.
- vii. Ramp-up may occur at times of poor visibility, including nighttime, if appropriate acoustic monitoring has occurred with no detections of a marine mammal other than delphinids in the 30 minutes prior to beginning ramp-up. Acoustic source activation may only occur at night where operational planning cannot reasonably avoid such circumstances.
- viii. If the acoustic source is shut down for brief periods (i.e., less than 30 minutes) for reasons other than implementation of prescribed mitigation (e.g., mechanical difficulty), it may be activated again without ramp-up if PSOs have maintained constant visual and/or acoustic observation and no visual or acoustic detections of any marine mammal have occurred within the applicable shutdown zone. For any longer shutdown, pre-start clearance observation and ramp-up are required. For any shutdown at night or in periods of poor visibility (e.g., BSS 4 or greater), ramp-up is required, but if the shutdown period was brief and constant observation maintained, pre-start clearance watch is not required.
- ix. Testing of the acoustic source involving all elements requires ramp-up.

  Testing limited to individual source elements or strings does not require ramp-up but does require the pre-start clearance observation period.

## (e) Shutdown requirements:

- i. Any PSO on duty has the authority to delay the start of survey operations or to call for shutdown of the acoustic source pursuant to these requirements.
- ii. The operator must establish and maintain clear lines of communication directly between PSOs on duty and crew controlling the acoustic source to ensure that shutdown commands are conveyed swiftly while allowing PSOs to maintain watch.
- iii. When both visual and acoustic PSOs are on duty, all detections must be immediately communicated to the remainder of the on-duty PSO team for potential verification of visual observations by the acoustic PSO or of acoustic detections by visual PSOs.
- iv. When the airgun array is active (i.e., anytime one or more airguns is active, including during ramp-up) and (1) a marine mammal appears within or enters the applicable shutdown zone and/or (2) a marine mammal (excluding delphinids) is detected acoustically and localized within the applicable shutdown zone, the acoustic source must be shut down. When shutdown is called for by a PSO, the acoustic source must be immediately deactivated and any dispute resolved only following deactivation.
  - v. The extended 500-m (1,500 in<sup>3</sup> array) or 1,500-m (2,400 in<sup>3</sup> array) shutdown zone must be applied upon detection (visual or acoustic) of a baleen whale, sperm whale, beaked whale, or *Kogia* spp. within the zone.
- vi. Shutdown requirements are waived for dolphins of the following genera: *Tursiops*, *Stenella*, *Steno*, and *Lagenodelphis*. If a delphinid is visually detected within the shutdown zone, no shutdown is required unless the PSO confirms the individual to be of a genus other than those listed above, in which case a shutdown is required. Acoustic detection of delphinids does not require shutdown.
- vii. If there is uncertainty regarding identification or localization, PSOs may use best professional judgment in making the decision to call for a shutdown.
- viii. Upon implementation of shutdown, the source may be reactivated after the marine mammal(s) has been observed exiting the applicable shutdown zone or following a 30-minute clearance period with no further detection of the marine mammal(s).

- (f) Entanglement avoidance. To avoid the risk of entanglement, if conducting surveys using ocean-bottom nodes or similar gear the Holder must:
  - i. Use negatively buoyant coated wire-core tether cable;
  - ii. Retrieve all lines immediately following completion of the survey; and
  - iii. Attach acoustic pingers directly to the coated tether cable; acoustic releases should not be used.
- (g) Vessel strike avoidance. The Holder must adhere to the following requirements:
  - i. Vessel operators and crews must maintain a vigilant watch for all marine mammals and must slow down, stop their vessel, or alter course, as appropriate and regardless of vessel size, to avoid striking any marine mammal. A visual observer aboard the vessel must monitor a vessel strike avoidance zone around the vessel, which shall be defined according to the parameters stated in this subsection. Visual observers monitoring the vessel strike avoidance zone may be third-party observers (i.e., PSOs) or crew members, but crew members responsible for these duties must be provided sufficient training to distinguish marine mammals from other phenomena and broadly to identify a marine mammal as a baleen whale, sperm whale, or other marine mammal;
  - ii. Vessel speeds must be reduced to 10 kn or less when mother/calf pairs, pods, or large assemblages of marine mammals are observed near a vessel;
  - iii. All vessels must maintain a minimum separation distance of 500 m from baleen whales;
  - iv. All vessels must maintain a minimum separation distance of 100 m from sperm whales;
  - v. All vessels must, to the maximum extent practicable, attempt to maintain a minimum separation distance of 50 m from all other marine mammals, with an exception made for those animals that approach the vessel; and
  - vi. When marine mammals are sighted while a vessel is underway, the vessel must take action as necessary to avoid violating the relevant separation distance, e.g., attempt to remain parallel to the animal's course, avoid excessive speed or abrupt changes in direction until the animal has left the area. If marine mammals are sighted within the relevant separation distance, the vessel must reduce speed and shift the engine to neutral, not engaging the engines until animals are clear of the area. This does not apply to any vessel towing gear or any vessel that is navigationally constrained.

vii. These requirements do not apply in any case where compliance would create an imminent and serious threat to a person or vessel or to the extent that a vessel is restricted in its ability to maneuver and, because of the restriction, cannot comply.

## 5. Monitoring Requirements

## (a) PSO qualifications:

- i. PSOs must successfully complete relevant, acceptable training, including completion of all required coursework and passing (80 percent or greater) a written and/or oral examination developed for the training program.
- ii. PSOs must have successfully attained a bachelor's degree from an accredited college or university with a major in one of the natural sciences, a minimum of 30 semester hours or equivalent in the biological sciences, and at least one undergraduate course in math or statistics. The educational requirements may be waived if the PSO has acquired the relevant skills through alternate experience. Requests for such a waiver must be submitted to NMFS and shall include written justification. Requests will be granted or denied (with justification) by NMFS within one week of receipt of submitted information. Alternate experience that may be considered includes, but is not limited to:
  - (A) secondary education and/or experience comparable to PSO duties;
  - (B) previous work experience conducting academic, commercial, or government-sponsored marine mammal surveys; or
  - (C) previous work experience as a PSO; the PSO should demonstrate good standing and consistently good performance of PSO duties.

### (b) *Equipment*. The Holder is required to:

- i. Provide PSOs with bigeye binoculars (e.g., 25 x 150; 2.7 view angle; individual ocular focus; height control) of appropriate quality solely for PSO use. These must be pedestal-mounted on the deck at the most appropriate vantage point that provides for optimal sea surface observation, PSO safety, and safe operation of the vessel.
- ii. For each vessel required to use a PAM system, provide a PAM system that has been verified and tested by an experienced acoustic PSO who will be using it during the trip for which monitoring is required;
- iii. Work with the selected third-party observer provider to ensure PSOs have

all equipment (including backup equipment) needed to adequately perform necessary tasks, including accurate determination of distance and bearing to observed marine mammals. (Equipment specified in A. through G. below may be provided by an individual PSO, the third-party observer provider, or the LOA-holder, but the LOA-holder is responsible for ensuring PSOs have the proper equipment required to perform the duties specified herein.) Such equipment, at a minimum, must include:

- (A) Reticle binoculars (e.g., 7 x 50) of appropriate quality (at least one per PSO, plus backups);
- (B) Global Positioning Unit (GPS) (plus backup);
- (C) Digital camera with a telephoto lens (the camera or lens should also have an image stabilization system) that is at least 300 mm or equivalent on a full-frame single lens reflex (SLR) (plus backup);
- (D) Compass (plus backup);
- (E) Radios for communication among vessel crew and PSOs (at least one per PSO, plus backups); and
- (F) Any other tools necessary to adequately perform necessary PSO tasks.
- (c) Data collection. PSOs must use standardized electronic data forms. PSOs must record detailed information about any implementation of mitigation requirements, including the distance of marine mammals to the acoustic source and description of specific actions that ensued, the behavior of the animal(s), any observed changes in behavior before and after implementation of mitigation, and if shutdown was implemented, the length of time before any subsequent ramp-up or activation of the acoustic source. If required mitigation was not implemented, PSOs must record a description of the circumstances. At a minimum, the following information should be recorded:
  - Vessel names (source vessel and other vessels associated with survey), vessel size and type, maximum speed capability of vessel, port of origin, and call signs;
  - ii. PSO names and affiliations;
  - iii. Dates of departures and returns to port with port name;
  - iv. Dates of and participants in PSO briefings;
  - v. Dates and times (Greenwich Mean Time) of survey effort and times

- corresponding with PSO effort;
- vi. Vessel location (latitude/longitude) when survey effort began and ended and vessel location at beginning and end of visual PSO duty shifts;
- vii. Vessel location at 30-second intervals (if software capability allows) or 5-minute intervals (if location must be manually recorded);
- viii. Vessel heading and speed at beginning and end of visual PSO duty shifts and upon any line change;
  - ix. Environmental conditions while on visual survey (at beginning and end of PSO shift and whenever conditions changed significantly), including Beaufort sea state and any other relevant weather conditions including cloud cover, fog, sun glare, and overall visibility to the horizon;
  - x. Vessel location when environmental conditions change significantly;
  - xi. Factors that may have contributed to impaired observations during each PSO shift change or as needed as environmental conditions change (e.g., vessel traffic, equipment malfunctions);
- xii. Survey activity information, such as acoustic source power output while in operation, number and volume of airguns operating in an array, tow depth of an acoustic source, and any other notes of significance (i.e., pre-start clearance, ramp-up, shutdown, testing, shooting, ramp-up completion, end of operations, streamers, etc.); and
- xiii. Upon visual observation of a marine mammal, the following information:
  - (A) Watch status (sighting made by PSO on/off effort, opportunistic, crew, alternate vessel/platform);
  - (B) PSO who sighted the animal and PSO location (including height above water) at time of sighting;
  - (C) Time of sighting;
  - (D) Vessel coordinates at time of sighting;
  - (E) Water depth;
  - (F) Direction of vessel's travel (compass direction);
  - (G) Speed of the vessel(s) from which the observation was made;

- (H) Direction of animal's travel relative to the vessel;
- (I) Pace of the animal;
- (J) Estimated distance to the animal (and method of estimating distance) and its heading relative to vessel at initial sighting;
- (K) Identification of the animal (e.g., genus/species, lowest possible taxonomic level, or unidentified), PSO confidence in identification, and the composition of the group if there is a mix of species;
- (L) Estimated number of animals (high/low/best);
- (M) Estimated number of animals by cohort (adults, juveniles, group composition, etc.);
- (N) Description (as many distinguishing features as possible of each individual seen, including length, shape, color, pattern, scars or markings, shape and size of dorsal fin, shape of head, and blow characteristics);
- (O) Detailed behavior observations (e.g., number of blows/breaths, number of surfaces, breaching, spyhopping, diving, feeding, traveling; as explicit and detailed as possible; note any observed changes in behavior), including an assessment of behavioral responses to survey activity;
- (P) Animal's closest point of approach (CPA) and/or closest distance from any element of the acoustic source;
- (Q) Platform activity at time of sighting (e.g., deploying, recovering, testing, shooting, data acquisition, other); and
- (R) Description of any actions implemented in response to the sighting (e.g., delays, shutdown, ramp-up) and time and location of the action.
- xiv. Upon acoustic detection of a marine mammal using a PAM system (when required), the following information:
  - (A) An acoustic encounter identification number, and whether the detection was linked with a visual sighting;
  - (B) Date and time when first and last heard;
  - (C) Types and nature of sounds heard (e.g., clicks, whistles, creaks,

- burst pulses, continuous, sporadic, strength of signal); and
- (D) Any additional information recorded such as water depth of the hydrophone array, bearing of the animal to the vessel (if determinable), species or taxonomic group (if determinable), spectrogram screenshot, and any other notable information.

# 6. Reporting Requirements

- (a) Annual reporting:
  - i. The Holder must submit a summary report to NMFS on all activities and monitoring results within 90 days of the completion of the survey or expiration of the LOA, whichever comes sooner, and must include all information described above under section 5(c) of this LOA. If an issued LOA is valid for greater than one year, the summary report must be submitted on an annual basis.
  - ii. The report must describe activities conducted and sightings of marine mammals, must provide full documentation of methods, results, and interpretation pertaining to all monitoring, and must summarize the dates and locations of survey operations and all marine mammal sightings (dates, times, locations, activities, associated survey activities, and information regarding locations where the acoustic source was used). In addition to the report, all raw observational data must be made available to NMFS.
  - iii. For operations requiring the use of PAM, the report must include a validation document concerning the use of PAM, which should include necessary noise validation diagrams and demonstrate whether background noise levels on the PAM deployment limited achievement of the planned detection goals. Copies of any vessel self-noise assessment reports must be included with the report.
  - iv. The Holder must provide geo-referenced time-stamped vessel tracklines for all time periods in which airguns (full array or single) were operating. Tracklines must include points recording any change in airgun status (e.g., when the airguns began operating, when they were turned off). GIS files must be provided in ESRI shapefile format and include the UTC date and time, latitude in decimal degrees, and longitude in decimal degrees. All coordinates must be referenced to the WGS84 geographic coordinate system.
  - v. The draft report must be accompanied by a certification from the lead PSO as to the accuracy of the report, and the lead PSO may submit directly to NMFS a statement concerning implementation and effectiveness of the

required mitigation and monitoring.

- vi. A final report must be submitted within 30 days following resolution of any comments on the draft report.
- (b) Comprehensive reporting. The Holder must contribute to the compilation and analysis of data for inclusion in an annual synthesis report addressing all data collected and reported through annual reporting in each calendar year. The synthesis period shall include all annual reports deemed to be final by NMFS in a given one-year reporting period. The report must be submitted to NMFS within 90 days following the end of a given one-year reporting period.
- (c) Reporting of injured or dead marine mammals:
  - i. In the event that personnel involved in the survey activities discover an injured or dead marine mammal, the Holder must report the incident to the Office of Protected Resources (OPR), NMFS and to the Southeast Regional Stranding Network as soon as feasible. The report must include the following information:
    - (A) Time, date, and location (latitude/longitude) of the first discovery (and updated location information if known and applicable);
    - (B) Species identification (if known) or description of the animal(s) involved;
    - (C) Condition of the animal(s) (including carcass condition if the animal is dead);
    - (D) Observed behaviors of the animal(s), if alive;
    - (E) If available, photographs or video footage of the animal(s); and
    - (F) General circumstances under which the animal was discovered.
  - ii. In the event of a ship strike of a marine mammal by any vessel involved in the survey activities, the LOA-holder must report the incident to OPR, NMFS and to the Southeast Regional Stranding Network as soon as feasible. The report must include the following information:
    - (A) Time, date, and location (latitude/longitude) of the incident;
    - (B) Species identification (if known) or description of the animal(s) involved:
    - (C) Vessel's speed during and leading up to the incident;

- (D) Vessel's course/heading and what operations were being conducted (if applicable);
- (E) Status of all sound sources in use;
- (F) Description of avoidance measures/requirements that were in place at the time of the strike and what additional measures were taken, if any, to avoid strike;
- (G) Environmental conditions (e.g., wind speed and direction, Beaufort sea state, cloud cover, visibility) immediately preceding the strike;
- (H) Estimated size and length of animal that was struck;
- (I) Description of the behavior of the marine mammal immediately preceding and following the strike;
- (J) If available, description of the presence and behavior of any other marine mammals immediately preceding the strike;
- (K) Estimated fate of the animal (e.g., dead, injured but alive, injured and moving, blood or tissue observed in the water, status unknown, disappeared); and
- (L) To the extent practicable, photographs or video footage of the animal(s).

#### 7. Actions to Minimize Additional Harm to Live-Stranded (or Milling) Marine Mammals

- (a) In the event of a live stranding (or near-shore atypical milling) event within 50 km of the survey operations, where the NMFS stranding network is engaged in herding or other interventions to return animals to the water, the Director of OPR, NMFS (or designee) will advise the Holder of the need to implement shutdown procedures for all active acoustic sources operating within 50 km of the stranding. Shutdown procedures for live stranding or milling marine mammals include the following:
  - i. If at any time, the marine mammal(s) die or are euthanized, or if herding/intervention efforts are stopped, the Director of OPR, NMFS (or designee) will advise the LOA-holder that the shutdown around the animals' location is no longer needed.
  - ii. Otherwise, shutdown procedures will remain in effect until the Director of OPR, NMFS (or designee) determines and advises the LOA-holder that all live animals involved have left the area (either of their own volition or

following an intervention).

- iii. If further observations of the marine mammals indicate the potential for re-stranding, additional coordination with the LOA-holder will be required to determine what measures are necessary to minimize that likelihood (e.g., extending the shutdown or moving operations farther away) and to implement those measures as appropriate.
- (b) If NMFS determines that the circumstances of any marine mammal stranding found in the vicinity of the activity suggest investigation of the association with survey activities is warranted, and an investigation into the stranding is being pursued, NMFS will submit a written request to the LOA-holder indicating that the following initial available information must be provided as soon as possible, but no later than 7 business days after the request for information. In the event that the investigation is still inconclusive, the investigation of the association of the survey activities is still warranted, and the investigation is still being pursued, NMFS may provide additional information requests, in writing, regarding the nature and location of survey operations prior to the time period above.
  - i. Status of all sound source use in the 48 hours preceding the estimated time of stranding and within 50 km of the discovery/notification of the stranding by NMFS; and
  - ii. If available, description of the behavior of any marine mammal(s) observed preceding (i.e., within 48 hours and 50 km) and immediately after the discovery of the stranding.
- 8. This Authorization may be modified, suspended or revoked if the Holder fails to abide by the conditions prescribed herein (including, but not limited to, failure to comply with monitoring or reporting requirements), or if NMFS determines: (1) the authorized taking is likely to have or is having more than a negligible impact on the species or stocks of affected marine mammals, or (2) the prescribed measures are likely not or are not effecting the least practicable adverse impact on the affected species or stocks and their habitat.

Kimberly Damon-Randall
Director,
Office of Protected Resources,
National Marine Fisheries Service.

Table 1. Authorized Incidental Take.

Common name	Scientific name	Level A harassment	Level B harassment
Sperm whale	Physeter macrocephalus	0	38
Pygmy/Dwarf sperm whale	Kogia spp.	2	28
Beaked whales	Ziphius cavirostris/ Mesoplodon spp.	0	21
Rough-toothed dolphin	Steno bredanensis	0	89
Clymene dolphin	Stenella clymene	0	204
Pantropical spotted dolphin	Stenella attenuata	0	1,580
Striped dolphin	Stenella coeruleoalba	0	589
Spinner dolphin	Stenella longirostris	0	152
Fraser's dolphin	Lagenodelphis hosei	0	65
Risso's dolphin	Grampus griseus	0	15
Blackfish <sup>1</sup>		0	343

<sup>&</sup>lt;sup>1</sup>The "blackfish" guild includes melon-headed whales, false killer whales, pygmy killer whales, and killer whales.