

References: Alaska Liquefied Natural Gas (LNG) Prudhoe Bay Proposed IHA

- ABR 2016. Protected-Species Monitoring at the Kodiak Ferry Terminal and Dock Improvements Project, Kodiak, ALaska, 2015-2016.
- AERTS, L. A. M., BLEES, M., BLACKWELL, S. B., GREENE, C., KIM, K., HANNAY, D. & AUSTIN, M. 2008. Marine mammal monitoring and mitigation during BP Liberty OBC seismic survey in Foggy Island Bay, Beaufort Sea, July-August 2008: 90-day report. LGL Alaska Research Associates Inc., LGL Ltd., Greeneridge Sciences Inc. and JASCO Research Ltd.
- AGDC 2024. Alaska LNG Application for Incidental Harassment Authorization for Construction of the Alaska LNG Project in Prudhoe Bay, Alaska. Anchorage, Alaska.
- AHROON, W. A., HAMERNIK, R. P. & LEI, S. F. 1996. The effects of reverberant blast waves on the auditory system. *The Journal of the Acoustical Society of America*, 100, 2247-2257.
- ALASKA LNG. 2016. Resource Report No. 5, Appendix D – Final Subsistence and Traditional Knowledge Studies Report. Rev: 0, April 14, 2017. DOC NO: USAI-PE-SRREG-00-000005-000. 1079 pages.
- ALASKA LNG. 2017. Resource Report No. 3, Appendix F – Marine Mammal Protection Act Assessment Report. Rev: 0, April 14, 2017. DOC NO: USAI-P2-SRZZZ-00-000007-000. 106 pages.
- ANDRÉ, M., SOLÉ, M., LENOIR, M., DURFORT, M., QUERO, C., MAS, A., LOMBARTE, A., VAN DER SCHAAR, M., LÓPEZ-BEJAR, M. & MORELL, M. 2011. Low-frequency sounds induce acoustic trauma in cephalopods. *Frontiers in Ecology and the Environment*, 9, 489-493.
- ANSI 1986. Methods for Measurement of Impulse Noise. Acoustical Society of America.
- ANSI 1995. Bioacoustical Terminology. Acoustical Society of America.
- ANSI 2005. Measurement of Sound Pressure Levels in Air (ANSI S1.13-2005). Woodbury, NY: Acoustical Society of America.
- ARCHER, F. I., MESNICK, S. L. & ALLEN, A. C. 2010. Variation and predictors of vessel-response behavior in a tropical dolphin community. NOAA Technical Memorandum NMFS-SWFSC-457, National Marine Fisheries Service, 60 p.
- AU, W. W. & HASTINGS, M. C. 2008. *Principles of marine bioacoustics*, Springer.

- BACON, J.J., HEPA, T.R., H.K. BROWER JR., H.K, PEDERSON, M., OLEMAUN, T.P., GEORGE, J.C., & CORRIGAN, B.G. Estimates of subsistence harvest for villages on the north slope of Alaska, 1994-2003.
- BEAUCHAMP, G. & LIVOREIL, B. 1997. The effect of group size on vigilance and feeding rate in spice finches (*Lonchura punctulata*). *Canadian Journal of Zoology* 75, 1526-1531.
- BEJDER, L., SAMUELS, A., WHITEHEAD, H., FINN, H. & ALLEN, S. 2009. Impact assessment research: use and misuse of habituation, sensitisation and tolerance in describing wildlife responses to anthropogenic stimuli. *Marine Ecology Progress Series*, 395, 177-185.
- BEJDER, L., SAMUELS, A., WHITEHEAD, H. & GALES, N. 2006. Interpreting short-term behavioural responses to disturbance within a longitudinal perspective. *Animal behaviour*, 72, 1149-1158.
- BENGTSON, J. L., HIRUKI-RARING, L. M., SIMPKINS, M. A. & BOVENG, P. L. 2005. Ringed and bearded seal densities in the eastern Chukchi Sea, 1999–2000. *Polar Biology*, 28, 833-845.
- BISSON, L.N., REIDER, H.J., Patterson, H.M, AUSTIN, M, BRANDON, J.R., THOMAS, T., & BOURDON, M.L. 2013. Marine mammal monitoring and mitigation during exploratory drilling by Shell in the Alaskan Chukchi and Beaufort seas, July–November 2012: Draft 90-Day Report. Editors: D.W. Funk, C.M. Reiser, and W.R. Koski. LGL Rep. P1272D–1. Rep. from LGL Alaska Research Associates Inc., Anchorage, AK, USA, and JASCO Applied Sciences, Victoria, BC, Canada, for Shell Offshore Inc, Houston, TX, USA, Nat. Mar. Fish. Serv., Silver Spring, MD, USA, and U.S. Fish and Wild. Serv., Anchorage, AK, USA. 266 pp, plus appendices.
- BLACKWELL, S. B., LAWSON, J. W. & WILLIAMS, M. T. 2004. Tolerance by ringed seals (*Phoca hispida*) to impact pipe-driving and construction sounds at an oil production island. *The Journal of the Acoustical Society of America*, 115, 2346-2357.
- BLACKWELL, S. B., RICHARDSON, W., GREENE JR, C. & STREEVER, B. 2007. Bowhead whale (*Balaena mysticetus*) migration and calling behaviour in the Alaskan Beaufort Sea, Autumn 2001-04: An acoustic localization study. *Arctic*, 255-270.
- BLAIR, H. B., MERCHANT, N. D., FRIEDLAENDER, A. S., WILEY, D. N. & PARKS, S. E. 2016. Evidence for ship noise impacts on humpback whale foraging behaviour. *Biology letters*, 12, 20160005.
- BLECHA, F. 2000. Immune system response to stress. *The biology of animal stress: basic principles and implications for animal welfare.*: CABI Publishing Wallingford UK.
- BOLLE, L. J., DE JONG, C. A., BIERMAN, S. M., VAN BEEK, P. J., VAN KEEKEN, O. A., WESSELS, P. W., VAN DAMME, C. J., WINTER, H. V., DE HAAN, D. &

- DEKELING, R. P. 2012. Common sole larvae survive high levels of pile-driving sound in controlled exposure experiments. *PLoS One*, 7, e33052.
- BOOMAN, C., DALEN, J., LEIVESTAD, H., LEVSEN, A., VAN DER MEEREN, T. & TOKLUM, K. 1996. Effects of airguns on eggs, larvae, and fry. *Experiments at the Institute for Marine Research and Zoological Laboratory*. University of Bergen, Institute of Marine Research.
- BOVENG, P. L., BENGTON, J. L., BUCKLEY, T. W., CAMERON, M. F., DAHLE, S. P., KELLY, B. P., MEGREY, B. A., OVERLAND, J. E. & WILLIAMSON, N. J. 2009. Status review of the spotted seal (*Phoca largha*). NOAA Technical Memo NMFS-AFSC-200, 153 p.
- BOWERS, M. T., FRIEDLAENDER, A.S., JANIK, V. M., NOWACEK, D. P., QUICK, N. J., SOUTHALL, B. L., and READ, A. J. 2018. Selective reactions to different killer whale call categories in two delphinid species. *Journal of Experimental Biology* 221, jeb162479
- BOWLES, A. E., SMULTEA, M., WÜRSIG, B., DEMASTER, D. P. & PALKA, D. 1994. Relative abundance and behavior of marine mammals exposed to transmissions from the Heard Island Feasibility Test. *The Journal of the Acoustical Society of America*, 96, 2469-2484.
- BRADSHAW, C. J., BOUTIN, S., & HEBER, D. M. 1998. Energetic implications of disturbance caused by petroleum exploration to woodland caribou. *Canadian Journal of Zoology* 76, 1319-1324.
- BRANDON, J. R., THOMAS, T. & BOURDON, M. 2011. Beaufort Sea aerial survey program results. (Chapter 6). In: REISER, C. M., FUNK, D., RODRIGUES, R. & HANNAY, D. (eds.) *Marine mammal monitoring and mitigation during marine geophysical surveys by Shell Offshore, Inc. in the Alaskan Chukchi and Beaufort seas, July–October 2010: 90-day report*. LGL Alaska Research Associates Inc. and JASCO Applied Sciences.
- BRANDT, M. J., DRAGON, A.-C., DIEDERICHS, A., BELLMANN, M. A., WAHL, V., PIPER, W., NABE-NIELSEN, J. & NEHLS, G. 2018. Disturbance of harbour porpoises during construction of the first seven offshore wind farms in Germany. *Marine Ecology Progress Series*, 596, 213-232.
- BRANSTETTER, B. K., TRICKEY, J. S., BAKHTIARI, K., BLACK, A., AIHARA, H. & FINNERAN, J. J. 2013. Auditory masking patterns in bottlenose dolphins (*Tursiops truncatus*) with natural, anthropogenic, and synthesized noise. *The Journal of the Acoustical Society of America*, 133, 1811-1818.
- BROWER, A., WILLOUGHBY, A. L. & FERGUSON, M. 2022a. Distribution and relative abundance of bowhead whales and other marine mammals in the western Beaufort Sea, 2020. Seattle, WA: Alaska Fisheries Science Center, National Marine Fisheries Service.

- BROWER, A., WILLOUGHBY, A. L., SCHEIMREIF, K. A. & FERGUSON, M. 2022b. Distribution and Relative Abundance of Bowhead Whales and Other Marine Mammals in the Western Beaufort, 2021. Seattle, WA: Alaska Fisheries Science Center, National Marine Fisheries Service.
- BROWN, C. L., BRAEM, N. M., KOSTICK, M. L., TRAINOR, A., SLAYTON, L. J., RUNFOLA, D. M., MIKOW, E. H., IKUTA, H., MCDEVITT, C. R., PARK, J. & SIMON, J. J. 2016. Harvests and Uses of Wild Resources in 4 Interior Alaska Communities and 3 Arctic Alaska Communities, 2014. Alaska Department of Fish and Game Division of Subsistence, Technical Paper No. 426, Fairbanks, Alaska.
- BUDELMANN, B. U. 1992. Hearing in nonarthropod invertebrates. *In: WEBSTER, D. B., FAY, R. R. & POPPER, A. N. (eds.) The evolutionary biology of hearing.* New York: Springer.
- BUDELMANN, B. U. & WILLIAMSON, R. 1994. Directional sensitivity of hair cell afferents in the Octopus statocyst. *Journal of experimental biology*, 187, 245-259.
- BURT, M. L., BORCHERS, D. L., JENKINS, K. J. & MARQUES, T. A. 2014. Using mark-recapture distance sampling methods on line transect surveys. *Methods in Ecology and Evolution*, 5, 1180-1191.
- CALTRANS 2015. Technical Guidance for Assessment and Mitigation of the Hydroacoustic Effects of Pile Driving on Fish. *In: MOLNAR, M., BUEHLER, D., OESTMAN, R., REYFF, J., POMMERENCK, K. & MITCHELL, B. (eds.) Caltrans Compendium, California Department of Transportation.*
- CALTRANS 2020. Technical Guidance for Assessment and Mitigation of the Hydroacoustic Effects of Pile Driving on Fish. *In: MOLNAR, M., BUEHLER, D., OESTMAN, R., REYFF, J., POMMERENCK, K. & MITCHELL, B. (eds.) Caltrans Compendium, California Department of Transportation.*
- CAMERON, M. F., BENGTSON, J. L., BOVENG, P. L., JANSEN, J. K., KELLY, B. P., DAHLE, S. P., LOGERWELL, E. A., OVERLAND, J. E., SABINE, C. L. & WARING, G. T. 2010. Status review of the bearded seal (*Erignathus barbatus*). U.S. Department of Commerce, NOAA Technical Memo NMFS-AFSC-211, 246 pp.
- CAREY, A. G., SCOTT, P. H. & WALTERS, K. R. 1984. Distributional ecology of shallow southwestern Beaufort Sea (Arctic Ocean) bivalve mollusca. *Marine Ecology Progress Series*, 125-134.
- CARLSON, T., WOODRUFF, D., JOHNSON, G., KOHN, N., PLOSKEY, G., WEILAND, M., SOUTHARD, J. & SOUTHARD, S. 2005. Hydroacoustic measurements during pile driving at the Hood Canal Bridge, September through November 2004. *Battelle Marine Sciences Laboratory Sequim, WA.*

- CARRETTA, J. V., OLESON, E., FORNEY, K., BRADFORD, A. L., YANO, K., WELLER, D., LANG, A. R., BAKER, J., ORR, A. J., HANSON, B., MOORE, J. E., WALLEN, M. & BROWNWELL, R. L. 2024. U.S. Pacific Marine Mammal Stock Assessments: 2023. NMFS.
- CHRISTIE, K., LYONS, C. & KOSKI, W. R. 2010. Beaufort Sea Aerial Monitoring Program (Chapter 7). In: FUNK, D., IRELAND, D. S., RODRIGUES, R. & KOSKI, W. R. (eds.) *Joint Monitoring Program in the Chukchi and Beaufort seas, open water seasons, 2006–2008*. LGL Alaska Research Associates, Inc., LGL Ltd., Greeneridge Science, Inc. and JASCO Research Ltd.
- CITTA, J., QUAKENBUSH, L. & GEORGE, J. 2021. Distribution and behavior of Bering-Chukchi-Beaufort bowhead whales as inferred by telemetry. *The bowhead whale*. Elsevier.
- CITTA, J. J., RICHARD, P., LOWRY, L. F., O'CORRY-CROWE, G., MARCOUX, M., SUYDAM, R., QUAKENBUSH, L. T., HOBBS, R. C., LITOVKA, D. I. & FROST, K. J. 2017. Satellite telemetry reveals population specific winter ranges of beluga whales in the Bering Sea. *Marine Mammal Science*, 33, 236-250.
- CLARKE, J., BROWER, A., CHRISTMAN, C. L. & FERGUSON, M. 2014. Distribution and Relative Abundance of Marine Mammals in the Northeastern Chukchi and Western Beaufort Seas, 2013 Final Report. Alaska Fisheries Science Center, National Marine Fisheries Service.
- CLARKE, J., BROWER, A., FERGUSON, M., KENNEDY, A. S. & WILLOUGHBY, A. L. 2015a. Distribution and Relative Abundance of Marine Mammals in the Eastern Chukchi and Western Beaufort Seas, 2014 Annual Report. Seattle, WA: Alaska Fisheries Science Center, National Marine Fisheries Service.
- CLARKE, J., BROWER, A., FERGUSON, M. & WILLOUGHBY, A. L. 2017a. Distribution and Relative Abundance of Marine Mammals in the Eastern Chukchi and Western Beaufort Seas, 2015 Final Report. Seattle, WA: Alaska Fisheries Science Center, National Marine Fisheries Service.
- CLARKE, J., BROWER, A., FERGUSON, M. & WILLOUGHBY, A. L. 2017b. Distribution and Relative Abundance of Marine Mammals in the Eastern Chukchi and Western Beaufort Seas, 2016 Final Report. Seattle, WA: Alaska Fisheries Science Center, National Marine Fisheries Service.
- CLARKE, J., BROWER, A., FERGUSON, M. & WILLOUGHBY, A. L. 2019. Distribution and Relative Abundance of Marine Mammals in the Eastern Chukchi and Western Beaufort Seas, 2018 Final Report. Seattle, WA: Alaska Fisheries Science Center, National Marine Fisheries Service.

- CLARKE, J., BROWER, A., FERGUSON, M., WILLOUGHBY, A. L. & ROTROCK, A. D. 2020. Distribution and Relative Abundance of Marine Mammals in the Eastern Chukchi Sea, Eastern and Western Beaufort Sea, and Amundsen Gulf, 2019 Final Report. Alaska Fisheries Science Center, National Marine Fisheries Service.
- CLARKE, J., BROWER, A. A., FERGUSON, M. C. & WILLOUGHBY, A. L. 2018. Distribution and Relative Abundance of Marine Mammals in the Eastern Chukchi and Western Beaufort Seas, 2017 Final Report. Alaska Fisheries Science Center.
- CLARKE, J. T., CHRISTMAN, C. L., BROWER, A. A. & FERGUSON, M. C. 2012. Distribution and relative abundance of marine mammals in the Alaskan Chukchi and Beaufort Seas, 2011. Seattle, WA: Alaska Fisheries Science Center, National Marine Fisheries Service.
- CLARKE, J. T., CHRISTMAN, C. L., BROWER, A. A. & FERGUSON, M. C. 2013. Distribution and relative abundance of marine mammals in the northeastern Chukchi and western Beaufort seas, 2012. Seattle, WA: Alaska Fisheries Science Center, National Marine Fisheries Service.
- CLARKE, J.T. & FERGUSON, M.C. 2010. Aerial surveys for bowhead whales in the Alaskan Beaufort Sea: BWASP Update 2000-2009 with Comparisons to Historical Data. IWC Paper SC/62/BRG14.
- CLARKE, J. T., FERGUSON, M. C., BROWER, A. A., FUJIOKA, E. & DELAND, S. 2023. Biologically important areas II for cetaceans in US and adjacent waters-Arctic region. *Frontiers in Marine Science*, 10, 156.
- CLARKE, J. T., FERGUSON, M. C., CURTICE, C. & HARRISON, J. 2015b. 8. Biologically important areas for cetaceans within US waters-Arctic region. *Aquatic Mammals*, 41, 94.
- CONN, P. B., VER HOEF, J. M., MCCLINTOCK, B. T., MORELAND, E. E., LONDON, J. M., CAMERON, M. F., DAHLE, S. P. & BOVENG, P. L. 2014. Estimating multispecies abundance using automated detection systems: ice-associated seals in the Bering Sea. *Methods in Ecology and Evolution*, 5, 1280-1293.
- CONNOR, R. C. & HEITHAUS, M. R. 1996. Approach by great white shark elicits flight response in bottlenose dolphins.
- COSTA, D. P., CROCKER, D. E., GEDAMKE, J., WEBB, P. M., HOUSER, D. S., BLACKWELL, S. B., WAPLES, D., HAYES, S. A. & LE BOEUF, B. J. 2003. The effect of a low-frequency sound source (acoustic thermometry of the ocean climate) on the diving behavior of juvenile northern elephant seals, *Mirounga angustirostris*. *The Journal of the Acoustical Society of America*, 113, 1155-1165.

- CROLL, D. A., CLARK, C. W., CALAMBOKIDIS, J., ELLISON, W. T. & TERSHY, B. R. Effect of anthropogenic low-frequency noise on the foraging ecology of Balaenoptera whales. *Animal Conservation forum*, 2001. Cambridge University Press, 13-27.
- DAAN, S., DEERENBERG, C., & DIJKSTRA, C. 1996. Increased daily work precipitates natural death in the kestrel. *Journal of animal ecology*, 539-544.
- DALEN, J. & KNUTSEN, G. M. 1987. Scaring effects in fish and harmful effects on eggs, larvae and fry by offshore seismic explorations. *Progress in underwater acoustics*. Springer.
- DEMASTER, D. P., LOWRY, L. F., FROST, K. J. & BENGSTON, R. 2001. The effect of sea state on estimates of abundance for beluga whales (*Delphinapterus leucas*) in Norton Sound, Alaska. *FISHERY BULLETIN-NATIONAL OCEANIC AND ATMOSPHERIC ADMINISTRATION*, 99, 197-201.
- DE SOTO, N. A. 2016. Peer-reviewed studies on the effects of anthropogenic noise on marine invertebrates: from scallop larvae to giant squid. In: POPPER, A. N. & HAWKINS, A. D. (eds.) *The Effects of Noise on Aquatic Life II*. New York: Springer Science.
- ELLISON, W., SOUTHALL, B., CLARK, C. & FRANKEL, A. 2012. A new context-based approach to assess marine mammal behavioral responses to anthropogenic sounds. *Conservation Biology*, 26, 21-28.
- ENGLAND, G. R., EVANS, D., LAUTENBACHER, C., MORRISSEY, & HOGARTH, W. 2001. Joint interim report Bahamas marine mammal stranding event of 15-16 March 2000. US Department of Commerce, US Secretary of the Navy.
- EVERITT, R. D., FISCUS, C. H. & DELONG, R. L. 1980. *Northern Puget Sound marine mammals*, US Department of Commerce, National Oceanic and Atmospheric Administration.
- FAIR, P. A. & BECKER, P. R. 2000. Review of stress in marine mammals. *Journal of Aquatic Ecosystem Stress and Recovery*, 7, 335-354.
- FERGUSON, M. C. & CLARKE, J. T. 2013. Estimates of detection probability for BWASP Bowhead whale, Grey whale, and Beluga sightings collected from Twin Otter and Aero Commander Aircraft, 1989 to 2007 and 2008 to 2011. U.S. Department of Commerce, NOAA Technical Memo NMFS-AFSC-261, 52 pp.
- FEWTRELL, J. L. & MCCAULEY, R. D. 2012. Impact of air gun noise on the behaviour of marine fish and squid. *Marine pollution bulletin*, 64, 984-993.
- FIELDS, D. M., HANDEGARD, N. O., DALEN, J., EICHNER, C., MALDE, K., KARLSEN, Ø., SKIFTESVIK, A. B., DURIF, C. M. & BROWMAN, H. I. 2019. Airgun blasts used in marine seismic surveys have limited effects on mortality, and no sublethal effects on

- behaviour or gene expression, in the copepod *Calanus finmarchicus*. *ICES Journal of Marine Science*, 76, 2033-2044.
- FINNERAN, J. & JENKINS, A. 2012. Criteria and thresholds for US Navy acoustic and explosive effects analysis. In: SPACE AND NAVAL WARFARE SYSTEMS CENTER PACIFIC, U. S. N. (ed.) *SPAWAR Marine Mammal Program, San Diego, California*.
- FINNERAN, J. J. 2015. Noise-induced hearing loss in marine mammals: A review of temporary threshold shift studies from 1996 to 2015. *The Journal of the Acoustical Society of America*, 138, 1702-1726.
- FINNERAN, J. J. 2016. Auditory weighting functions and TTS/PTS exposure functions for marine mammals exposed to underwater noise. *SSC Pacific TR*, 3026, 58.
- FINNERAN, J. J., CARDER, D. A., SCHLUNDT, C. E. & DEAR, R. L. 2010. Growth and recovery of temporary threshold shift at 3 kHz in bottlenose dolphins: Experimental data and mathematical models. *The Journal of the Acoustical Society of America*, 127, 3256-3266.
- FINNERAN, J. J. & SCHLUNDT, C. E. 2013. Effects of fatiguing tone frequency on temporary threshold shift in bottlenose dolphins (*Tursiops truncatus*). *The Journal of the Acoustical Society of America*, 133, 1819-1826.
- FINNERAN, J. J., SCHLUNDT, C. E., CARDER, D. A., CLARK, J. A., YOUNG, J. A., GASPIN, J. B. & RIDGWAY, S. H. 2000. Auditory and behavioral responses of bottlenose dolphins (*Tursiops truncatus*) and a beluga whale (*Delphinapterus leucas*) to impulsive sounds resembling distant signatures of underwater explosions. *The Journal of the Acoustical Society of America*, 108, 417-431.
- FINNERAN, J. J., SCHLUNDT, C. E., DEAR, R., CARDER, D. A. & RIDGWAY, S. H. 2002. Temporary shift in masked hearing thresholds in odontocetes after exposure to single underwater impulses from a seismic watergun. *The Journal of the Acoustical Society of America*, 111, 2929-2940.
- FORD, J. K., & REEVES, R. R.. 2008. Fight or flight: antipredator strategies of baleen whales. *Mammal Review* 38, 50-86.
- FRANKEL, A. & CLARK, C. 2000. Behavioral responses of humpback whales (*Megaptera novaeangliae*) to full-scale ATOC signals. *The Journal of the Acoustical Society of America*, 108, 1930-1937.
- FRINGS, H. & FRINGS, M. 1967. Underwater sound fields and behavior of marine invertebrates. *Marine bio-acoustics*, 2, 261-282.

- FRTIZ, H., GUILLEMAIN, M., & DURANT, D. 2002. The cost of vigilance for intake rate in the mallard (*Anas platyrhynchos*): an approach through foraging experiments. *Ethology Ecology & Evolution* 14, 91-97.
- FROST, K. J. & BURNS, J. J. 1989. Winter ecology of ringed seals (*Phoca hispida*) in Alaska. *Final Report to Minerals Management Service, Outer Continental Shelf Environmental Assessment Program*. NOSS Proj. RU-232, Anchorage, AK, 108 pp.
- FROST, K. J., LOWRY, L. F., PENDLETON, G. & NUTE, H. R. 2004. Factors affecting the observed densities of ringed seals, *Phoca hispida*, in the Alaskan Beaufort Sea, 1996-99. *Arctic*, 115-128.
- FUNK, D., HANNAY, D., IRELAND, D. S., RODRIGUES, R. & KOSKI, W. R. 2008. Marine mammal monitoring and mitigation during open water seismic in the Chukchi and Beaufort Seas, July-November 2007: 90-day report. LGL Alaska Research Associates Inc. and JASCO Research Ltd.
- FUNK, D., IRELAND, D. S., RODRIGUES, R. & KOSKI, W. R. 2010. Joint Monitoring Program in the Chukchi and Beaufort Seas, Open Water Seasons, 2006-2008. Anchorage, AK. LGL Draft Final Report P1050-2. Prepared for Shell Offshore Inc, ConocoPhillips Alaska, Inc., Eni U.S. Operating Co., Inc., and other Industry Contributors, NMFS and US Fish and Wildlife Service.
- GAILEY, G., WÜRSIG, B. & MCDONALD, T. L. 2007. Abundance, behavior, and movement patterns of western gray whales in relation to a 3-D seismic survey, Northeast Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134, 75-91.
- GALGINAITIS, M. 2014. An overview of Cross Island subsistence bowhead whaling, Beaufort Sea, Alaska. *Alaska Journal of Anthropology* vol. 12, no. 1 (2014).
<https://www.alaskaanthropology.org/wpcontent/uploads/2018/01/AJA-121-Galginaitis.pdf>
- GOETZ, K.T., RUGH, D.J., and MOCKLIN, J.A. 2008. Aerial surveys. Bowhead whale feeding ecology study BOWFEST quarterly report. National Marine Mammal Laboratory, Alaska Fisheries Science Center, Seattle, WA, USA.
- GOLDBOGEN, J. A., FRIEDLAENDER, A. S., CALAMBOKIDIS, J., MCKENNA, M. F., SIMON, M. & NOWACEK, D. P. 2013a. Integrative approaches to the study of baleen whale diving behavior, feeding performance, and foraging ecology. *BioScience*, 63, 90-100.
- GOLDBOGEN, J. A., SOUTHALL, B. L., DERUITER, S. L., CALAMBOKIDIS, J., FRIEDLAENDER, A. S., HAZEN, E. L., FALCONE, E. A., SCHORR, G. S., DOUGLAS, A. & MORETTI, D. J. 2013b. Blue whales respond to simulated mid-frequency military sonar. *Proceedings of the Royal Society B: Biological Sciences*, 280, 20130657.

- GOMEZ, C., LAWSON, J., WRIGHT, A. J., BUREN, A., TOLLIT, D. & LESAGE, V. 2016. A systematic review on the behavioural responses of wild marine mammals to noise: the disparity between science and policy. *Canadian Journal of Zoology*, 94, 801-819.
- GOOLD, J. C. 1996. Acoustic assessment of populations of common dolphin *Delphinus delphis* in conjunction with seismic surveying. *Journal of the Marine Biological Association of the United Kingdom*, 76, 811-820.
- GREEN, G. A., HASHAGEN, K. & LEE, D. 2007. Marine Mammal Monitoring Program FEX Barging Project, 2007. Bothell, Washington. Prepared by Tetra Tech EC, Inc. for FEX L.P.
- GREEN, G. & NEGRI, S. 2005. Marine Mammal Monitoring Program, FEX Barging Project, 2005. Bothell, WA: Tetra Tech EC, Inc.
- GREEN, G. A. & NEGRI, S. 2006. Marine Mammal Monitoring Program FEX Northwest NPR-A Exploration Program 2006-2007. Bothell, Washington. Prepared by Tetra Tech EC, Inc. for FEX L.P.
- GREENE, C.R., Jr., ALTMAN, N.S, and RICHARDSON, W.J. 1999. Bowhead whale calls. P. 6-1 to 6-23 In Richardson, W.J., ed., 'Marine mammal and acoustical monitoring of Western Geophysical's openwater seismic program in the Alaskan Beaufort Sea, 1998'. LGL Ltd., King City, Ont., and Greeneridge Sciences Inc., Santa Barbara, CA, for Western Geophysical, Houston, TX, and U.S. Nat. Mar. Fish. Serv., Anchorage, AK, and Silver Spring, MD. TA2230-3. 390 p.
- HARRINGTON, F. H. & VEITCH, A. M. Veitch. 1992. Calving success of woodland caribou exposed to lowlevel jet fighter overflights. *Arctic*, 213-218.
- HASTINGS, M. C. & POPPER, A. N. 2005. Effects of sound on fish. California Department of Transportation.
- HDR INC. 2012. Marine Mammal Monitoring and Mitigation during BP Simpson Lagoon OBC Seismic Survey, Beaufort Sea, Alaska: 90-day Report. Anchorage, Alaska: HDR, Inc. for BP Exploration Alaska.
- HENDERSON, D., HU, B. & BIELEFELD, E. 2008. Patterns and mechanisms of noise-induced cochlear pathology. *Auditory trauma, protection, and repair*. Springer.
- HOLBERTON, R. L., HELMUTH, B. & WINGFIELD, J. C. 1996. The corticosterone stress response in gentoo and king penguins during the non-fasting period. *Condor*, 850-854.
- HOOD, L. C., BOERSMA, P. D. & WINGFIELD, J. C. 1998. The adrenocortical response to stress in incubating Magellanic penguins (*Spheniscus magellanicus*). *The Auk*, 115, 76-84.

- HU, M. Y., YAN, H. Y., CHUNG, W.-S., SHIAO, J.-C. & HWANG, P.-P. 2009. Acoustically evoked potentials in two cephalopods inferred using the auditory brainstem response (ABR) approach. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 153, 278-283.
- IRELAND, D.S., RODRIGUES, R, FUNK, D., KOSKI, W.R. , and D. Hannay. (eds.). 2009. Marine mammal monitoring and mitigation during open water seismic exploration by Shell Offshore Inc. in the Chukchi and Beaufort Seas, July–October 2008: 90-day report. LGL Rep. P1049-1. Rep from LGL Alaska
- ISO (International Organization for Standardization). 2017. Underwater Acoustics-Terminology, ISO 18405. Geneva, Switzerland: International Organization for Standardization.
- ISO (International Organization for Standardization). 2020. Quantities and units-Part 8: Acoustics. ISO 80000-8. Geneva, Switzerland: International Organization for Standardization.
- JESSOP, T. S., TUCKER, A. D., LIMPUS, C. J. & WHITTIER, J. M. 2003. Interactions between ecology, demography, capture stress, and profiles of corticosterone and glucose in a free-living population of Australian freshwater crocodiles. *General and comparative endocrinology*, 132, 161-170.
- JONES, I. T., STANLEY, J. A. & MOONEY, T. A. 2020. Impulsive pile driving noise elicits alarm responses in squid (*Doryteuthis pealeii*). *Marine pollution bulletin*, 150, 110792.
- KAIFU, K., AKAMATSU, T. & SEGAWA, S. 2008. Underwater sound detection by cephalopod statocyst. *Fisheries science*, 74, 781-786.
- KASTAK, D., MULSOW, J., GHOUL, A. & REICHMUTH, C. 2008. Noise-induced permanent threshold shift in a harbor seal. *The Journal of the Acoustical Society of America*, 123, 2986-2986.
- KASTAK, D., REICHMUTH, C., HOLT, M. M., MULSOW, J., SOUTHALL, B. L. & SCHUSTERMAN, R. J. 2007. Onset, growth, and recovery of in-air temporary threshold shift in a California sea lion (*Zalophus californianus*). *The Journal of the Acoustical Society of America*, 122, 2916-2924.
- KASTAK, D., SCHUSTERMAN, R. J., SOUTHALL, B. L. & REICHMUTH, C. J. 1999. Underwater temporary threshold shift induced by octave-band noise in three species of pinniped. *The Journal of the Acoustical Society of America*, 106, 1142-1148.
- KASTELEIN, R. A., CORNELISSE, S. A., HUIJSER, L. A. & HELDER-HOEK, L. 2020a. Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth-Octave Noise Bands at 63 kHz. *Aquatic Mammals*, 46.

- KASTELEIN, R., DE HAAN, D., VAUGHAN, N., STAAL, C. & SCHOONEMAN, N. 2001. The influence of three acoustic alarms on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research*, 52, 351-371.
- KASTELEIN, R. A., GRANSIER, R., SCHOP, J. & HOEK, L. 2015. Effects of exposure to intermittent and continuous 6-7 kHz sonar sweeps on harbor porpoise (*Phocoena phocoena*) hearing. *J Acoust Soc Am*, 137, 1623-33.
- KASTELEIN, R. A., HELDER-HOEK, L., CORNELISSE, S., HUIJSER, L. A. & GRANSIER, R. 2019a. Temporary hearing threshold shift in harbor porpoises (*Phocoena phocoena*) due to one-sixth-octave noise band at 32 kHz. *Aquatic Mammals*, 45, 549-562.
- KASTELEIN, R. A., HELDER-HOEK, L., CORNELISSE, S. A., HUIJSER, L. A. & TERHUNE, J. M. 2020b. Temporary hearing threshold shift in harbor seals (*Phoca vitulina*) due to a one-sixth-octave noise band centered at 32 kHz. *The Journal of the Acoustical Society of America*, 147, 1885-1896.
- KASTELEIN, R. A., HELDER-HOEK, L., COVI, J. & GRANSIER, R. 2016. Pile driving playback sounds and temporary threshold shift in harbor porpoises (*Phocoena phocoena*): Effect of exposure duration. *The Journal of the Acoustical Society of America*, 139, 2842-2851.
- KASTELEIN, R. A., HELDER-HOEK, L., DEFILLET, L. N., HUIJSER, L. A., TERHUNE, J. M. & GRANSIER, R. 2021. Temporary Hearing Threshold Shift in California Sea Lions (*Zalophus californianus*) Due to One-Sixth-Octave Noise Bands Centered at 2 and 4 kHz: Effect of Duty Cycle and Testing the Equal-Energy Hypothesis. *Aquatic Mammals*, 47.
- KASTELEIN, R. A., HELDER-HOEK, L., DEFILLET, L. N., KUIPHOF, F., HUIJSER, L. A. & TERHUNE, J. M. 2022a. Temporary Hearing Threshold Shift in California Sea Lions (*Zalophus californianus*) Due to One-Sixth-Octave Noise Bands Centered at 8 and 16 kHz: Effect of Duty Cycle and Testing the Equal-Energy Hypothesis. *Aquatic Mammals*, 48.
- KASTELEIN, R. A., HELDER-HOEK, L., DEFILLET, L. N., VAN ACOLEYEN, L., HUIJSER, L. A. & TERHUNE, J. M. 2022b. Temporary hearing threshold shift in California sea lions (*Zalophus californianus*) due to one-sixth-octave noise bands centered at 0.6 and 1 kHz. *Aquatic Mammals*, 48, 248-265.
- KASTELEIN, R. A., HELDER-HOEK, L. & GRANSIER, R. 2019c. Frequency of greatest temporary hearing threshold shift in harbor seals (*Phoca vitulina*) depends on fatiguing sound level. *The Journal of the Acoustical Society of America*, 145, 1353-1362.
- KASTELEIN, R. A., HELDER-HOEK, L., VAN KESTER, R., HUISMAN, R. & GRANSIER, R. 2019b. Temporary Hearing Threshold Shift in Harbor Porpoises (*Phocoena phocoena*) Due to One-Sixth Octave Noise Band at 16 kHz. *Aquatic Mammals*, 45.

- KASTELEIN, R. A., HOEK, L., GRANSIER, R. & DE JONG, C. A. 2013. Hearing thresholds of a harbor porpoise (*Phocoena phocoena*) for playbacks of multiple pile driving strike sounds. *The Journal of the Acoustical Society of America*, 134, 2302-2306.
- KASTELEIN, R. A., HUIJSER, L. A., CORNELISSE, S., HELDER-HOEK, L., JENNINGS, N. & DE JONG, C. A. 2019d. Effect of pile-driving playback sound level on fish-catching efficiency in harbor porpoises (*Phocoena phocoena*). *Aquatic Mammals*, 45, 398-410.
- KASTELEIN, R. A., JENNINGS, N., VERBOOM, W. C., DE HAAN, D. & SCHOONEMAN, N. M. 2006. Differences in the response of a striped dolphin (*Stenella coeruleoalba*) and a harbour porpoise (*Phocoena phocoena*) to an acoustic alarm. *Mar Environ Res*, 61, 363-78.
- KASTELEIN, R. A., SCHOP, J., GRANSIER, R. & HOEK, L. 2014. Frequency of greatest temporary hearing threshold shift in harbor porpoises (*Phocoena phocoena*) depends on the noise level. *J Acoust Soc Am*, 136, 1410.
- KASTELEIN, R., VERBOOM, W., MUIJSERS, M., JENNINGS, N. & VAN DER HEUL, S. 2005. The influence of acoustic emissions for underwater data transmission on the behaviour of harbour porpoises (*Phocoena phocoena*) in a floating pen. *Marine Environmental Research*, 59, 287-307.
- KELLY, B. P., BADAJOS, O. H., KUNNASRANTA, M., MORAN, J. R., MARTINEZ-BAKKER, M., WARTZOK, D. & BOVENG, P. 2010. Seasonal home ranges and fidelity to breeding sites among ringed seals. *Polar biology*, 33, 1095-1109.
- KELLY, B. P., QUAKENBUSH, L. T. & ROSE, J. R. 1986. Ringed seal winter ecology and effects of noise disturbance. *Outer Continental Shelf Environmental Assessment Program (OCSEAP) Final Reports of Principal Investigators*, 89-0026.
- KETTEN, D. R., SIMMONS, J. A., RIQUIMAROUX, H. & SIMMONS, A. M. 2021. Functional analyses of peripheral auditory system adaptations for echolocation in air vs. water. *Frontiers in Ecology and Evolution*, 9, 661216.
- KOSTYUCHENKO, L. 1973. Effect of elastic waves generated in marine seismic prospecting on fish eggs in the Black Sea. *Hydrobiological Journal*, 9, 45-48.
- KRAUSMAN, P. R., HARRIS, L. K., BLASCH, C. L., KOENEN, K. K. & FRANCINE, J. 2004. Effects of military operations on behavior and hearing of endangered Sonoran pronghorn. *Wildlife Monographs*, 157, 1-41.
- KRYTER, K. D. 2013. *The effects of noise on man*, Elsevier.
- KRYTER, K. D., WARD, W. D., MILLER, J. D. & ELDREDGE, D. H. 1966. Hazardous exposure to intermittent and steady-state noise. *The Journal of the Acoustical Society of America*, 39, 451-464.

- LANKFORD, S., ADAMS, T., MILLER, R. & CECHE JR, J. 2005. The cost of chronic stress: impacts of a nonhabituating stress response on metabolic variables and swimming performance in sturgeon. *Physiological and Biochemical Zoology*, 78, 599-609.
- LEMOS, L.S., HAXEL, J.H., OLSEN, A., BURNETT, J.D., SMITH, A., CHANDLER, T.E., NIEUKIRK, S.L., LARSON, S.E., HUNT, K.E., and TORRES, L.G. 2018. Effects of vessel traffic and ocean noise on gray whale stress hormones. *Sci Rep* 12, 18580 (2022). <https://doi.org/10.1038/s41598-022-14510-5>
- LERMA, D. 2014. Naval Base Point Loma Fleet Logistics Center Fuel Pier Replacement Project: Acoustic, marine mammal, green sea turtle, and California least tern monitoring report. Prepared by Tierra Data Inc. for Naval Facilities Engineering Command Southwest.
- LGL and GREENRIDGE. 1996. Northstar Marine Mammal Monitoring Program, 1995: Baseline surveys and retrospective analyses of marine mammal and ambient noise data from the Central Alaskan Beaufort Sea. Report from LGL Ltd., King City, Ont., and Greenridge Sciences Inc., Santa Barbara, CA, for BPXA, Anchorage, AK. 104 p
- LGL, GREENRIDGE SCIENCES & JASCO 2011. Joint Monitoring Program in the Chukchi and Beaufort Seas, 2006-2011.
- LOMAC-MACNAIR, K., SMULTEA, M. & CAMPBELL, G. 2014. Draft NMFS 90-Day report for marine mammal monitoring and mitigation during Apache's Cook Inlet 2014 seismic survey, 2 April-27 June 2014. *Smultea Environmental Sciences, Preston, Washington*.
- LOMAC-MACNAIR, K., SMULTEA, M., WATTS, B. & BACON, C. 2015. 90-Day Report for Marine Mammal Monitoring and Mitigation During the BPXA North Prudhoe Bay 3D OBS Seismic Survey, Beaufort Sea, Alaska, July-August 2014. Anchorage, AK.
- LOVELL, J., FINDLAY, M., MOATE, R. & YAN, H. 2005. The hearing abilities of the prawn *Palaemon serratus*. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 140, 89-100.
- LOWRY, L. F., FROST, K. J., DAVIS, R., DEMASTER, D. P. & SUYDAM, R. S. 1998. Movements and behavior of satellite-tagged spotted seals (*Phoca largha*) in the Bering and Chukchi Seas. *Polar Biology*, 19, 221-230.
- LUSSEAU, D. & BEJDER, L. 2007. The long-term consequences of short-term responses to disturbance experiences from whalewatching impact assessment. *International Journal of Comparative Psychology*, 20.
- MADSEN, P. T., JOHNSON, M., MILLER, P., AGUILAR SOTO, N., LYNCH, J. & TYACK, P. 2006. Quantitative measures of air-gun pulses recorded on sperm whales (*Physeter macrocephalus*) using acoustic tags during controlled exposure experiments. *The Journal of the Acoustical Society of America*, 120, 2366-2379.

- MALME, C., MILES, P., CLARK, C., TYACK, P. & BIRD, J. 1984. Investigations of the potential effects of underwater noise from petroleum-industry activities on migrating gray-whale behavior. Phase 2: January 1984 migration. Bolt, Beranek and Newman, Inc., Cambridge, MA (USA).
- MCCAULEY, R., FEWTRELL, J., DUNCAN, A., JENNER, C., JENNER, M.-N., PENROSE, J., PRINCE, R., ADHITYA, A., MURDOCH, J. & MCCABE, K. 2000. Marine seismic surveys—a study of environmental implications. *The APPEA Journal*, 40, 692-708.
- MCCAULEY, R. D., DAY, R. D., SWADLING, K. M., FITZGIBBON, Q. P., WATSON, R. A. & SEMMENS, J. M. 2017. Widely used marine seismic survey air gun operations negatively impact zooplankton. *Nature ecology & evolution*, 1, 0195.
- MELCÓN, M. L., CUMMINS, A. J., KEROSKY, S. M., ROCHE, L. K., WIGGINS, S. M. & HILDEBRAND, J. A. 2012. Blue whales respond to anthropogenic noise. *PloS one*, 7, e32681.
- MILLER, J. D. 1974. Effects of noise on people. *The Journal of the Acoustical Society of America*, 56, 729-764.
- MILLER, G. W., ELLIOTT, R. E., KOSKI, W. R., MOULTON, V. D. & RICHARDSON, W. J. 1999. Whales. In: RICHARDSON, W. J. (ed.) *Marine mammal and acoustical monitoring of Western Geophysical's openwater seismic program in the Alaska Beaufort Sea, 1998*.: LGL Limited Environmental Research Associates.
- MOBERG, G. P. 1987. Influence of the adrenal axis upon the gonads. In: CLARKE, J. (ed.) *Oxford Reviews in Reproductive Biology*. New York, New York: Oxford University Press.
- MOBERG, G. P. 2000. Biological response to stress: implications for animal welfare. *The biology of animal stress: Basic principles and implications for animal welfare*.: CABI publishing Wallingford UK.
- MONNETT, C. and TREACY, S.D. 2005. Aerial surveys of endangered whales in the Beaufort Sea, Fall 2002- 2004. OCS Study, MMS 2005-037. Anchorage, AK: USDOJ, MMS, Alaska OCS Region.
- MOONEY, T. A., HANLON, R. T., CHRISTENSEN-DALSGAARD, J., MADSEN, P. T., KETTEN, D. R. & NACHTIGALL, P. E. 2010. Sound detection by the longfin squid (*Loligo pealeii*) studied with auditory evoked potentials: sensitivity to low-frequency particle motion and not pressure. *Journal of Experimental Biology*, 213, 3748-3759.
- MOONEY, T. A., NACHTIGALL, P. E. & VLACHOS, S. 2009. Sonar-induced temporary hearing loss in dolphins. *Biology letters*, 5, 565-567.

- MOORE, S. E., CLARKE, J. T. & LJUNGBLAD, D. 1989. Bowhead whale (*Balaena mysticetus*) spatial and temporal distribution in the central Beaufort Sea during late summer and early fall 1979–86. *Report of the International Whaling Commission*, 39, 283-290.
- MOORE, S.E., and REEVES, R.R.. 1993. Distribution and movement, p. 313-386. In J. J. Burns, J. J. Montague, and C. J. Cowles (eds.), *The Bowhead Whale*. Soc. Mar. Mammal., Spec. Publ. No. 2.
- MORTON, A. B. & SYMONDS, H. K. 2002. Displacement of *Orcinus orca* (L.) by high amplitude sound in British Columbia, Canada. *ICES Journal of Marine Science*, 59, 71-80.
- MOULTON, V. D., RICHARDSON, W. J., ELLIOTT, R. E., MCDONALD, T. L., NATIONS, C. & WILLIAMS, M. T. 2005. Effects of an offshore oil development on local abundance and distribution of ringed seals (*phoca hispida*) of the Alaskan Beaufort Sea. *Marine Mammal Science*, 21, 217-242.
- MUTO, M., HELKER, V., DELEAN, B., ANGLISS, R., BOVENG, P., BREIWICK, J., BROST, B., CAMERON, M., CLAPHAM, P. & DAHLE, S. P. 2020. Alaska marine mammal stock assessments, 2019.
- MUTO, M. M., HELKER, V. T., DELEAN, B., YOUNG, N., FREED, J., ANGLISS, R., FRIDAY, N., BOVENG, P., BREIWICK, J. & BROST, B. 2021. Alaska marine mammal stock assessments, 2020.
- NACHTIGALL, P. E., SUPIN, A. Y., PACINI, A. F. & KASTELEIN, R. A. 2018. Four odontocete species change hearing levels when warned of impending loud sound. *Integrative zoology*, 13, 160-165.
- NATIONAL INSTITUTE FOR OCCUPATIONAL SAFETY AND HEALTH (NIOSH) 1998. Criteria for a recommended standard: Occupational noise exposure. Cincinnati, OH: United States Department of Health and Human Services.
- NATIONAL RESEARCH COUNCIL 2003. *Ocean noise and marine mammals*, Washington, DC, The National Academies Press.
- NATIONAL RESEARCH COUNCIL 2005. *Marine mammal populations and ocean noise: determining when noise causes biologically significant effects*, National Academies Press.
- NEDWELL, J. & EDWARDS, B. 2002. Measurements of underwater noise in the Arun River during piling at County Wharf, Littlehampton. Report by Subacoustech, Ltd. To David Wilson Homes Ltd.
- NMFS 2018. 2018 revision to: Technical guidance for assessing the effects of anthropogenic sound on marine mammal hearing (version 2.0): Underwater thresholds for onset of

permanent and temporary threshold shifts. National Oceanic and Atmospheric Administration Silver Springs, MD.

NMFS 2024. Update to: Technical Guidance for Assessing the Effects of Anthropogenic Sound on Marine Mammal Hearing (Version 3.0): Underwater and In Air Criteria for Onset of Auditory Injury and Temporary Threshold Shifts.: U.S. Dept of Commerce. NOAA.

NG, S. L. & LEUNG, S. 2003. Behavioral response of Indo-Pacific humpback dolphin (*Sousa chinensis*) to vessel traffic. *Marine environmental research*, 56, 555-567.

NOWACEK, D. P., JOHNSON, M. P. & TYACK, P. L. 2004. North Atlantic right whales (*Eubalaena glacialis*) ignore ships but respond to alerting stimuli. *Proceedings of the Royal Society of London. Series B: Biological Sciences*, 271, 227-231.

NOWACEK, D. P., THORNE, L. H., JOHNSTON, D. W. & TYACK, P. L. 2007. Responses of cetaceans to anthropogenic noise. *Mammal Review*, 37, 81-115.

O’CORRY-CROWE, G., SUYDAM, R., QUAKENBUSH, L., POTGIETER, B., HARWOOD, L., LITOVKA, D., FERRER, T., CITTA, J., BURKANOV, V. & FROST, K. 2018. Migratory culture, population structure and stock identity in North Pacific beluga whales (*Delphinapterus leucas*). *PLoS One*, 13, e0194201.

OESTMAN, R., BUEHLER, D., REYFF, J. & RODKIN, R. 2009. Technical guidance for assessment and mitigation of the hydroacoustic effects of pile driving on fish. Prepared by ICF Jones & Stokes and Illingworth & Rodkin, Inc. for the California Department of Transportation.

PACKARD, A., KARLSEN, H. & SAND, O. 1990. Low frequency hearing in cephalopods. *Journal of Comparative Physiology A*, 166, 501-505.

PAYNE, J. F. 2004. *Potential effect of seismic surveys on fish eggs, larvae and zooplankton*, Fisheries & Oceans Canada, Science, Canadian Science Advisory Secretariat.

PEARSON, W. H., SKALSKI, J. R. & MALME, C. I. 1992. Effects of sounds from a geophysical survey device on behavior of captive rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences*, 49, 1343-1356.

PEARSON, W. H., SKALSKI, J. R., SULKIN, S. D. & MALME, C. I. 1994. Effects of seismic energy releases on the survival and development of zoeal larvae of dungeness crab (*Cancer magister*). *Marine Environmental Research*, 38, 93-113.

POPPER, A. N. & HASTINGS, M. 2009. The effects of anthropogenic sources of sound on fishes. *Journal of fish biology*, 75, 455-489.

PUMPHREY, R. J. 1950. Hearing. *Symposia of the Society for Experimental Biology*. Cambridge, England: University of Cambridge Dept. of Zoology.

- PURSER, J. & RADFORD, A. N. 2011. Acoustic noise induces attention shifts and reduces foraging performance in three-spined sticklebacks (*Gasterosteus aculeatus*). *PloS one* 6, e17478.
- QUAKENBUSH, L. 1988. Spotted seal, *Phoca largha*. In: LENTFER, J. W. (ed.) *Selected Marine Mammals of Alaska/Species Accounts with Research and Management Recommendations*. Washington, DC: Marine Mammal Commission.
- QUAKENBUSH, L., CITTA, J., GEORGE, J. C., HEIDE-JØRGENSEN, M. P., BROWER, H., HARWOOD, L., ADAMS, B., POKIAK, C., POKIAK, J. & LEA, E. 2018. Bering-Chukchi-Beaufort Stock of Bowhead Whales: 2006-2017 Satellite Telemetry Results with Some Observations on Stock Sub Structure. *Unpubl. doc. submitted to Int. Whal. Comm. Scientific Committee (SC/67B/AWMP/04)*.
- REICHMUTH, C., GHOUL, A., SILLS, J. M., ROUSE, A. & SOUTHALL, B. L. 2016. Low-frequency temporary threshold shift not observed in spotted or ringed seals exposed to single air gun impulses. *The Journal of the Acoustical Society of America*, 140, 2646-2658.
- REICHMUTH, C., SILLS, J. M., MULSOW, J. & GHOUL, A. 2019. Long-term evidence of noise-induced permanent threshold shift in a harbor seal (*Phoca vitulina*). *The Journal of the Acoustical Society of America*, 146, 2552-2561.
- REISER, C.M., FUNK, D.W., RODRIGUES, R. and D. HANNAY. (eds). 2011. Marine mammal monitoring and mitigation during marine geophysical surveys by Shell Offshore, Inc. in the Alaskan Chukchi and Beaufort seas, July–October 2010: 90-day report. LGL Rep., P1171E–1. Rep. from LGL Alaska Research Associates Inc., Anchorage, AK, and JASCO Applied Sciences, Victoria, BC for Shell Offshore Inc, Houston, TX, Nat. Mar. Fish. Serv., Silver Spring, MD, and U.S. Fish and Wildlife Service, Anchorage, AK, 240 pp, plus appendices.
- RICHARDSON, W. J., GREENE, C. R., MALME, C. I. & THOMSON, D. H. 1995. *Marine mammals and noise*, San Diego, Academic Press.
- RICHARDSON, W. J. & WILLIAMS, M. T. 2002. Monitoring of industrial sounds, seals, and whale calls during construction of BP's Northstar Oil Development, Alaskan Beaufort Sea, 2001. Anchorage, Alaska: LGL Ltd. for BP Explor. (Alaska) Inc and National Marine Fisheries Service.
- RICHARDSON, W. J. & WILLIAMS, M. T. 2003. Monitoring of Industrial Sounds, Seals, and Bowhead Whales Near BP's Northstar Oil Development, Alaskan Beaufort Sea, 1999-2002. Anchorage, Alaska.

- RIDGWAY, S., CARDER, D., FINNERAN, J., KEOGH, M., KAMOLNICK, T., TODD, M., & GOLDBLATT, A. 2006. Dolphin continuous auditory vigilance for five days. *Journal of Experimental Biology* 209, 3621-3628.
- RIDGWAY, S., CARDER, D., SMITH, R., KAMOLNICK, T., SCHLUNDT, C. & ELSBERRY, W. 1997. Behavioral Responses and Temporary Shift in Masked Hearing Threshold of Bottlenose Dolphins, *Tursiops Truncatus*, to 1-second Tones of 141 to 201 DB Re 1 Mu Pa. San Diego, CA: Naval Command, Control, and Ocean Surveillance Center, RDT&E Decision.
- ROMANO, T., KEOGH, M. & DANIL, K. 2002a. Investigation of the effects of repeated chase and encirclement on the immune system of spotted dolphins (*Stenella attenuata*) in the Eastern Tropical Pacific. *NOAA NMFS SWFSC Administrative Report LJ-02-35C*.
- ROMANO, T., KEOGH, M., KELLY, C., FENG, P., BERK, L., SCHLUNDT, C., CARDER, D. & FINNERAN, J. J. 2004. Anthropogenic sound and marine mammal health: measures of the nervous and immune systems before and after intense sound exposure. *Canadian Journal of Fisheries and Aquatic Sciences*, 61, 1124-1134.
- ROMANO, T. A., OLSCHOWKA, J., FELTEN, S., QUARANTA, V., RIDGWAY, S. & FELTEN, D. 2002b. Immune response, stress, and environment: Implications for cetaceans. *Cell and Molecular Biology of Marine Mammals; CJ Pfeiffer, ed. Krieger Publishing Co., Inc.*
- RUSSELL, D. J., HASTIE, G. D., THOMPSON, D., JANIK, V. M., HAMMOND, P. S., SCOTT-HAYWARD, L. A., MATTHIOPOULOS, J., JONES, E. L. & MCCONNELL, B. J. 2016. Avoidance of wind farms by harbour seals is limited to pile driving activities. *Journal of Applied Ecology*, 53, 1642-1652.
- SAETRE, R. & ONA, E. 1996. The effects of seismic surveys on fish eggs and larvae. *Fiskens Og Havet*, 24.
- SAMSON, J. E., MOONEY, T. A., GUSSEKLOO, S. W. & HANLON, R. T. 2014. Graded behavioral responses and habituation to sound in the common cuttlefish *Sepia officinalis*. *Journal of Experimental Biology*, 217, 4347-4355.
- SCHLUNDT, C. E., FINNERAN, J. J., CARDER, D. A. & RIDGWAY, S. H. 2000. Temporary shift in masked hearing thresholds of bottlenose dolphins, *Tursiops truncatus*, and white whales, *Delphinapterus leucas*, after exposure to intense tones. *The Journal of the Acoustical Society of America*, 107, 3496-3508.
- SCHOLIK, A. R. & YAN, H. Y. 2001. The effects of underwater noise on auditory sensitivity of fish. *Proceedings of the Institute of Acoustics*, 23, 27-36.
- SCHOLIK, A. R. & YAN, H. Y. 2002. The effects of noise on the auditory sensitivity of the bluegill sunfish, *Lepomis macrochirus*. *Comparative Biochemistry and Physiology Part A: Molecular & Integrative Physiology*, 133, 43-52.

- SELYE, H. 1950. Stress and the general adaptation syndrome. *British medical journal*, 1, 1383.
- SILLS, J. M., RUSCHER, B., NICHOLS, R., SOUTHALL, B. L. & REICHMUTH, C. 2020. Evaluating temporary threshold shift onset levels for impulsive noise in seals. *The Journal of the Acoustical Society of America*, 148, 2973-2986.
- SIMPKINS, M. A., HIRUKI-RARING, L. M., SHEFFIELD, G., GREBMEIER, J. M. & BENGTON, J. L. 2003. Habitat selection by ice-associated pinnipeds near St. Lawrence Island, Alaska in March 2001. *Polar Biology*, 26, 577-586.
- SIVLE, L. D., WENSVEEN, P. J., KVADSHEIM, P. H., LAM, F.-P. A., VISSER, F., CURÉ, C., HARRIS, C. M., TYACK, P. L. & MILLER, P. J. 2016. Naval sonar disrupts foraging in humpback whales. *Marine Ecology Progress Series*, 562, 211-220.
- SKALSKI, J. R., PEARSON, W. H. & MALME, C. I. 1992. Effects of sounds from a geophysical survey device on catch-per-unit-effort in a hook-and-line fishery for rockfish (*Sebastes* spp.). *Canadian Journal of Fisheries and Aquatic Sciences*, 49, 1357-1365.
- SOLÉ, M., LENOIR, M., DURFORT, M., LÓPEZ-BEJAR, M., LOMBARTE, A., VAN DER SCHAAR, M. & ANDRÉ, M. 2013. Does exposure to noise from human activities compromise sensory information from cephalopod statocysts? *Deep Sea Research Part II: Topical Studies in Oceanography*, 95, 160-181.
- SOLÉ, M., SIGRAY, P., LENOIR, M., VAN DER SCHAAR, M., LALANDER, E. & ANDRÉ, M. 2017. Offshore exposure experiments on cuttlefish indicate received sound pressure and particle motion levels associated with acoustic trauma. *Scientific reports*, 7, 45899.
- SOUTHALL, B. L., BOWLES, A. E., ELLISON, W. T., FINNERAN, J. J., GENTRY, R. L., GREENE JR, C. R., KASTAK, D., KETTEN, D. R., MILLER, J. H., NACHTIGALL, P. E., RICHARDSON, W. J., THOMAS, J. A. & TYACK, P. L. 2007. Marine mammal noise exposure criteria: initial scientific recommendations. *Aquatic Mammals*, 33, 411-521.
- SOUTHALL, B. L., FINNERAN, J. J., REICHMUTH, C., NACHTIGALL, P. E., KETTEN, D. R., BOWLES, A. E., ELLISON, W. T., NOWACEK, D. P. & TYACK, P. L. 2019. Marine mammal noise exposure criteria: Updated scientific recommendations for residual hearing effects. *Aquatic Mammals*, 45, 125-232.
- SOUTHALL, B. L., NOWACEK, D. P., BOWLES, A. E., SENIGAGLIA, V., BEJDER, L. & TYACK, P. L. 2021. Marine mammal noise exposure criteria: assessing the severity of marine mammal behavioral responses to human noise. *Aquatic Mammals*, 47, 421-464.
- STANLEY, J. A., RADFORD, C. A. & JEFFS, A. G. 2011. Behavioural response thresholds in New Zealand crab megalopae to ambient underwater sound. *PloS one*, 6, e28572.

- STEPHEN R. BRAUND & ASSOCIATES 2010. Subsistence Mapping of Nuiqsut, Kaktovik, and Barrow. MMS OCS Study Number 2009-003. Anchorage, AK. Funded by: United States Department of the Interior Minerals Management Service Alaska OCS Region, Environmental Studies Program Contract No. 1435-01-02-CT85123. April 2010. 431 pp.
- STONE, G. S., CAVAGNARO, L., HUTT, A., KRAUS, S., BALDWIN, K. & BROWN, J. 2000. Reactions of Hector's dolphins to acoustic gillnet pingers. *Published client report on contract*, 3071, 29.
- SUYDAM, R., GEORGE, J. C., PERSON, B., HANNS, C., STIMMELMAYR, R., PIERCE, L. & SHEFFIELD, G. 2010. Subsistence harvest of bowhead whales (*Balaena mysticetus*) by Alaskan Eskimos during 2010. *Unpublished report submitted to the International Whaling Commission*. Presented to the 67th International Whaling Commission. SC/67a/AWMP/02 rev.
- TEILMANN, J., TOUGAARD, J., MILLER, L. A., KIRKETERP, T., HANSEN, K. & BRANDO, S. 2006. Reactions of captive harbor porpoises (*Phocoena phocoena*) to pinger-like sounds. *Marine Mammal Science*, 22, 240-260.
- THORSON, P. & REYFF, J. 2006. San Francisco-Oakland Bay bridge east span seismic safety project marine mammals and acoustic monitoring for the marine foundations at piers E2 and T1, January-September 2006. *Prepared by SRS Technologies and Illingworth & Rodkin, Inc. for the California Department of Transportation*, 51.
- TREACY, S.D., GLEASON, J.S., & COWLES, C.J. 2006. Offshore distances of bowhead whales (*Balaena mysticetus*) observed during fall in the in the Beaufort Sea, 1982-2000: an alternative interpretation. *Arctic* 59(1): 83- 90.
- WARD, W., GLORIG, A. & SKLAR, D. 1958. Dependence of temporary threshold shift at 4 kc on intensity and time. *The Journal of the Acoustical Society of America*, 30, 944-954.
- WARD, W. D. 1960. Recovery from high values of temporary threshold shift. *The Journal of the Acoustical Society of America*, 32, 497-500.
- WARD, W. D. 1997. Effects of high-intensity sound. In: CROCKER, M. J. (ed.) *Encyclopedia of Acoustics*. New York: John Wiley & Sons.
- WARD, W. D., GLORIG, A. & SKLAR, D. L. 1959. Temporary threshold shift from octave-band noise: applications to damage-risk criteria. *The Journal of the Acoustical Society of America*, 31, 522-528.
- WARTZOK, D. & KETTEN, D. R. 1999. Marine mammal sensory systems. *Biology of marine mammals*, 1, 117-175.

- WARTZOK, D., POPPER, A. N., GORDON, J. & MERRILL, J. 2003. Factors affecting the responses of marine mammals to acoustic disturbance. *Marine Technology Society Journal*, 37, 6-15.
- WEILGART, L. S. 2007. A brief review of known effects of noise on marine mammals. *International Journal of Comparative Psychology*, 20.
- WENSVEEN, P. J., KVADSHEIM, P. H., LAM, F.-P. A., VON BENDA-BECKMANN, A. M., SIVLE, L. D., VISSER, F., CURÉ, C., TYACK, P. L. & MILLER, P. J. 2017. Lack of behavioural responses of humpback whales (*Megaptera novaeangliae*) indicate limited effectiveness of sonar mitigation. *Journal of Experimental Biology*, 220, 4150-4161.
- WILLIAMS, M. & COLTRANE, J. 2002. Marine mammal and acoustical monitoring of the Alaska Gas Producers Pipeline Team's open water pipeline route survey and shallow hazards program in the Alaskan Beaufort Sea, 2001. *LGL Rep. P643*. Rep. from LGL Alaska Res. Assoc. Inc., Anchorage, AK, for BP Explor. (Alaska) Inc., ExxonMobil Production, Phillips Alaska Inc., and Nat. Mar. Fish. Serv. 103 pp.
- WISNIEWSKA, D. M., JOHNSON, M., TEILMANN, J., SIEBERT, U., GALATIUS, A., DIETZ, R. & MADSEN, P. T. 2018. High rates of vessel noise disrupt foraging in wild harbour porpoises (*Phocoena phocoena*). *Proceedings of the Royal Society B: Biological Sciences*, 285, 20172314.
- YAZVENKO, S., MCDONALD, T., BLOKHIN, S., JOHNSON, S., MELTON, H., NEWCOMER, M., NIELSON, R. & WAINWRIGHT, P. 2007. Feeding of western gray whales during a seismic survey near Sakhalin Island, Russia. *Environmental Monitoring and Assessment*, 134, 93-106.
- YOUNG, N., BROWER, A., MUTO, M., FREED, J., ANGLISS, R., FRIDAY, N., BOVENG, P., BROST, B., CAMERON, M. & CRANCE, J. 2023. Alaska Marine Mammal Stock Assessments, 2022.
- YOUNG, N. C., BROWER, A., MUTO, M., FREED, J. C., ANGLISS, R. P., FRIDAY, N., BIRKEMEIER, B. D., BOVENG, P., BROST, B. M., CAMERON, M., CRANCE, J. L., DAHLE, S. P., FADELY, B. S., FERGUSON, M., GOETZ, K., LONDON, J. M., OLESON, E., REAM, R. R., RICHMOND, E. L., SHELDEN, K., SWEENEY, K. L., TOWELL, R. G., WADE, P. R., WAITE, J. & ZERBINI, A. N. 2024. Alaska Marine Mammal Stock Assessments, 2023. National Marine Fisheries Service.